


# FAN


## WITH LIGHT



## WITH/WITHOUT LIGHT



## WITHOUT LIGHT



## TECH

### TRACK PROJECTORS



### RECESSED



### SURFACE



### SUSPENDED

# HOW TO CHOOSE YOUR CEILING FAN CÓMO ELEGIR TU VENTILADOR

## STEP 1 SIZE/TAMAÑO

**XL**  
EXTRA LARGE  
EXTRA GRANDE



> 28 m<sup>2</sup>



≥ ∅ 165 cm

**L**  
LARGE  
GRANDE



> 17,6-28 m<sup>2</sup>



≥ ∅ 132 cm

**M**  
MEDIUM  
MEDIANO



13 - 17,6 m<sup>2</sup>



∅ 107-132 cm

**S**  
SMALL  
PEQUEÑO



< 13 m<sup>2</sup>




≤ ∅ 107 cm

## STEP 2 LIGHT/LUZ



WITH LIGHT  
CON LUZ



ADDITIONAL LIGHT  
LUZ ADICIONAL



WITHOUT LIGHT  
SIN LUZ

## STEP 3 DESIGN/DISEÑO



# WHY CHOOSE A FARO'S FAN POR QUÉ ELEGIR UN VENTILADOR FARO

**ALL**  
YEAR ROUND

ALL YEAR ROUND  
TODO EL AÑO

Reverse function  
Función inversa

**15**  
YEARS

ENGINE GUARANTEE  
GARANTÍA DEL MOTOR

Engine guaranteed for 15 years  
Motor con garantía de 15 años



HIGH PERFORMANCE  
ALTA CALIDAD

Quality control at our laboratory  
Control de calidad en nuestro propio laboratorio



ENERGY SAVING  
AHORRO

Over 50% energy saving  
Más del 50% de ahorro energético

## MOTOR DC ADVANTAGES VENTAJAS MOTOR DC

UP TO  
**70%**  
LESS ELECTRICITY

ENERGY SAVING  
AHORRO



LIGHT WEIGHT  
MÁS LIGERO



NOISELESS  
SILENCIOSO

**6**  
SPEEDS

6 SPEEDS  
6 VELOCIDADES



LONG LIFE  
MAYOR VIDA



# MANHATTAN

NEW

244  
96 INCHDC  
MOTORALL  
YEAR ROUND

## FINISHES/ACABADOS

Ref.

Body

Blades

33496 NEW

matt nickel/  
níquel matematt nickel/  
níquel mate

## LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 16W 3000K 800lm CRI>80 Driver ✓  
Diff Polycarbonate/Polycarbonato

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Blades (9) Aluminium/Aluminio

## MOTOR FEATURES/INFO MOTOR

W 15-20-25-30-35-56  
RPM 50-55-60-65-70-78  
Airflow 269,12 m<sup>3</sup> min/9500 CFM  
Voltage (V/Hz) 220-240/50-60

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



EXTRA LARGE



33463



33505

# LANTAU

## FINISHES/ACABADOS

Ref.	Body	Blades
33463	 matt nickel níquel mate	 dark walnut nogal oscuro
33505	 matt nickel níquel mate	 pine/pino

168  
66 INCH

ALL  
YEAR ROUND



## LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 12W 3000K 1000lm CRI>80 Driver ✓  
Diff Opal PMMA/PMMA Opal

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Blades (3) Natural Wood/Madera Natural

## MOTOR FEATURES/INFO MOTOR

W 25-47-90  
RPM 70-100-140  
Airflow 261,6 m<sup>3</sup> min/9235 CFM  
Voltage (V/Hz) 220-240/50

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS




A	A1	B	C	D	E	F	G
410/16,1"	335/13,2"	250/9,82"	180/7,05"	70/2,79"	Ø150/5,9"	Ø1680/66,1"	840/33"

EXTRA LARGE

P.377  
XL

P.459  
L

P.511  
S







# TILOS

168  
66 INCH

DC  
MOTOR

ALL  
YEAR ROUND



REMOTE  
CONTROL



INCLINING  
ROOF

## FINISHES/ACABADOS

Ref.	Body	Blades
33466	 dark brown marrón oscuro	 dark brown marrón oscuro

## LIGHT SOURCE/FUENTE DE LUZ

2 E27 MAX 15W LED [17463]  
Diff Opal Glass/Cristal Opal


## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero  
Blades (8) MDF ABS

## MOTOR FEATURES/INFO MOTOR




W 4-6-9-14-21-35  
RPM 31-43-55-67-78-95  
Airflow 264,05 m<sup>3</sup> min/9325 CFM  
Voltage (V/Hz) 220-240/50-60

## MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
500/19,6"	440/17,3"	290/11,4"	220/8,6"	60/2,3"	Ø140/5,51"	Ø1685/66,3"	750/29,5"

## OPTIONAL DOWNROD (not included)

34005		1220mm/4,8"	dark brown marrón oscuro
34004		900mm/3,5"	dark brown marrón oscuro
34003		600mm/2,3"	dark brown marrón oscuro

EXTRA LARGE

FAN

361



33553

33554

# CENTURY

165  
65 INCH

DC  
MOTOR

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33553	 white/blanco	 white/blanco
33554	 matt nickel/ níquel mate	 grey/gris

## LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 15W 3000K 1200lm CRI>80 Driver ✓  
Diff Opal PMMA/PMMA Opal

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Blades (8) MDF Wood/Madera MDF

## MOTOR FEATURES/INFO MOTOR

W 5-8-12-17-25-35  
RPM 60-80-95-110-125-140  
Airflow 233,4l m<sup>3</sup> min/8243 CFM  
Voltage (V/Hz) 220-240/50-60


## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
330/12,6"	250/9,8"	170/6,7"	150/5,9"	50/1,96"	Ø130/5,11"	Ø1650/64,9"	750/29,5"

EXTRA LARGE



**JUSTFAN**

— Conillas 



# JUSTFAN NEW

**178**  
70 INCH

**DC**  
MOTOR

OPTIONAL  
**LED**  
DOWNLIGHT

**ALL**  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
<b>33430 NEW</b>	 matt black/ negro mate	 dark walnut/ nogal oscuro

## GENERAL FEATURES/INFO GENERAL


Body Metal  
Blades (3) ABS

## MOTOR FEATURES/INFO MOTOR


DC MOTOR  
W 4-6-9-13-22-32  
RPM 51-77-103-129-155-185  
Airflow 145,66 m<sup>3</sup> min/51.44 CFM  
Voltage (V/Hz) 220-240/50-60

## OPTIONAL DOWNROD

Downrods (3) Included



## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
640/25,2"	630/24,8"	180/7,05"	Ø130/5,1"	55/2,1"	Ø130/5,1"	Ø1780/70"	890/35"

## OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

**3339I**




black/  
negro


SMD **LED** 13W 3000K,  
600 Lm, CRI>80  
Driver ✓  
Body Metal  
Diff Opal Glass

EXTRA LARGE

P.487  
M

P.527  
S





33461

33462

33465

# ANDROS







213  
84 INCH

DC  
MOTOR

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33461	 white/blanco	 white/blanco
33462	 brown/marrón	 brown/marrón
33465	 matt nickel níquel mate	 aluminium aluminio


## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero  
Blades (3) Aluminium/Aluminio

## MOTOR FEATURES/INFO MOTOR




W 4-6-10-15-22-35  
RPM 30-41-53-64-74-88  
Airflow 406,40 m<sup>3</sup> min / 14352 CFM  
Voltage (V/Hz) 220-240/50-60

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
460/18,1"	425/16,7"	220/8,6"	240/9,4"	50/2"	Ø150/5,9"	Ø2133/83,9"	950/37,4"

## OPTIONAL DOWNROD (not included)

	<b>34002</b>	1220mm/4,8in	matt nickel níquel mate
	<b>34008</b>	1220mm/4,8in	brown marrón
	<b>34011</b>	1220mm/4,8in	white blanco
	<b>34001</b>	900mm/3,5in	matt nickel níquel mate
	<b>34007</b>	900mm/3,5in	brown marrón
	<b>34010</b>	900mm/3,5in	white blanco
	<b>34000</b>	600mm/2,3in	matt nickel níquel mate
	<b>34006</b>	600mm/2,3in	brown marrón
	<b>34009</b>	600mm/2,3in	white blanco

EXTRA LARGE





**CIES** NEW

**210**  
83 INCH

**DC**  
MOTOR

**ALL**  
YEAR ROUND



**FINISHES/ACABADOS**

**GENERAL FEATURES/INFO GENERAL**

Ref. Body Blades

Body Steel/Acero  
Blades (6) ABS

33512



shiny white  
blanco brillo




white  
blanco

**MOTOR FEATURES/INFO MOTOR**

W 6/9/15/28/44  
RPM 54/67/79/98/112  
Airflow 344,4 m<sup>3</sup> min/12159 CFM  
Voltage (V/Hz) 220-240/50-60

**OPT. DOWNROD/TIJAS OPC. P. 541**

**MEASUREMENTS/MEDIDAS**



A	AI	B	C	D	E	F	G
430/16,92"	380/14,96"	250/9,84"	230/9,05"	50/1,96"	140/5,51"	2120/83"	930/36,61"

**OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED**

33513  
NEW



white/  
blanco

SMD LED 18W 3000K,  
900lm, CRI>80  
Driver   
Diff  
ABS+Polycarbonate  
/ABS+Policarbonato

EXTRA LARGE



# MENO NEW

**136**  
53 INCH

**ALL**  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33782	 white/blanco	 white/blanco

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Blades (5) ABS

## MOTOR FEATURES/INFO MOTOR

W 22-43-85  
RPM 108-162-235  
Airflow 192 m<sup>3</sup> min/6795 CFM  
Voltage (V/Hz) 220-240/50

**OPT. DOWNROD/TIJAS OPC. P. 541**

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
320/12,59"	275/10,82"	160/6,29"	260/10,23"	60/2,36"	150/5,9"	1360/53,54"	540/21,25"

EXTRA LARGE



**AOBA** NEW

**178**  
83 INCH

**ALL**  
YEAR ROUND



**FINISHES/ACABADOS**

Ref.                      Body                      Blades

**33349 NEW**



black/negro



wood/madera

**GENERAL FEATURES/INFO GENERAL**


Body Steel/Acero  
Blades (3) Wood/Madera

**MOTOR FEATURES/INFO MOTOR**


W 30-70-88  
RPM 74-125-152  
Airflow 57 m<sup>3</sup> min/2045 CFM  
Voltage (V/Hz) 220-240/50

**OPTIONAL DOWNROD**

Downrods (3) Included



**MEASUREMENTS/MEDIDAS**



A	AI	B	C	D	E	F	G
520/20.47"	410/16.14"	200/8.7"	230/9.05"	145/5.70"	160/6.29"	1800/70.86"	780/30.70"

EXTRA LARGE



# NISOS

178  
70 INCH

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.

Body

Blades

33363



dark brown/  
marrón oscuro



cherry+dark  
walnut/  
cerezo+nogal  
oscuro

## GENERAL FEATURES/INFO GENERAL


Body Aluminium/Aluminio  
Reversible Blades (5) MDF Wood/Madera MDF  
Controlled by chains/Accionado con cadenas  
Remote control [33929/33937] not included

## MOTOR FEATURES/INFO MOTOR

W 40-60-90  
RPM 60-85-120  
Voltage (V/Hz) 220-240/50


## OPT. DOWNROD/TIJAS OPC. P. 54I

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
860/33,8"	820/31,6"	200/7,87"	300/11,8"	60/2,35"	Ø130/5,1"	Ø1780/70,1"	750/29,5"

## DIRECT CEILING MOUNTING/DIRECTO A TECHO



A	AI	B	C	D	E	F	G
260/10,2"	230/9"	200/7,87"	300/11,8"	60/2,35"	Ø130/5,1"	Ø1780/70,1"	750/29,5"

EXTRA LARGE





33464

33504

# LANTAU

168  
66 INCH

ALL  
YEAR ROUND



REMOTE CONTROL



INCLINING ROOF

## FINISHES/ACABADOS

Ref.	Body	Blades
33464	 matt nickel níquel mate	 dark walnut nogal oscuro
33504	 matt nickel níquel mate	 pine/pino

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Blades (3) Natural Wood/Madera Natural

## MOTOR FEATURES/INFO MOTOR

W 25-50-90  
RPM 70-100-140  
Airflow 261,6 m<sup>3</sup> min/9235 CFM  
Voltage (V/Hz) 220-240/50

## OPT. DOWNROD/TIJAS OPC. P. 541


## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
410/16,1"	335/13,2"	180/7,05"	180/7,05"	70/2,79"	Ø150/5,9"	Ø1680/66,1"	840/33"

EXTRA LARGE

P.359  
XL



P.459  
L



P.511  
S



FAN

377



# ALO

152  
60 INCH

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33719	 black/negro	 wood/madera

## LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 17W 3000K 600lm CRI>80 Driver ✓  
Diff Opal Glass/Cristal Opal

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Blades (3) Wood/Madera

## MOTOR FEATURES/INFO MOTOR

W 14-30-56  
RPM 80-113-155  
Airflow 129,29 m<sup>3</sup> min/4564 CFM  
Voltage (V/Hz) 220-240/50

## OPT. DOWNROD/TIJAS OPC. P. 541


## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
380/14,9"	335/13,2"	210/8,26"	ø160/6,3"	60/23,6"	ø130/5,1"	ø1520/59,8"	685/27"

LARGE

P.441  
L



381 FAN



# VULCANO

152  
60 INCH

DC  
MOTOR

ALL  
YEAR ROUND



REMOTE  
CONTROL



INCLINING  
ROOF



## FINISHES/ACABADOS

Ref.	Body	Blades
33549	 white/blanco	 white/blanco

## LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 25W 3000K 2000lm CRI>80 Driver ✓  
Diff Opal Glass/Cristal Opal

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Blades (3) ABS

## MOTOR FEATURES/INFO MOTOR

W 4-9-13-18-20-35  
RPM 80-106-127-147-161-181  
Airflow 189,0l m<sup>3</sup> min/6675 CFM  
Voltage (V/Hz) 220-240/50-60


## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
310/12,2"	250/9,8"	180/7,05"	290/11,4"	60/2,35"	Ø150/5,11"	Ø1520/51,8"	870/34,2"

LARGE



# COCOS

137  
54 INCH

DC  
MOTOR

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33548	 white/blanco	 white/blanco

## LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 20W 3000K 1600lm CRI>80 Driver ✓  
Diff Opal Polycarbonate/Polycarbonato Opal

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Blades (5) ABS

## MOTOR FEATURES/INFO MOTOR

W 7-10-13-17-24-29  
RPM 66-88-104-115-138-146  
Airflow 234 m<sup>3</sup> min/8266 CFM  
Voltage (V/Hz) 230/50

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
500/19,6"	260/10,2"	140/5,5"	200/78,7"	55/21,6"	Ø140/5,5"	Ø1370/52"	585/23"

LARGE





# TONIC

152  
60 INCH

DC  
MOTOR

ALL  
YEAR ROUND



REMOTE  
CONTROL



INCLINING  
ROOF

## FINISHES/ACABADOS

Ref.	Body	Blades
33552	 dark brown marrón oscuro	 dark brown marrón oscuro

## LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 15W 3000K 1200lm CRI>80 Driver ✓  
Diff Polycarbonate/Polycarbonato

## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero  
Blades (3) ABS


Accessory cap/Tapa accesorio ✓ 

## MOTOR FEATURES/INFO MOTOR

W 5-7-9-11-14-18  
RPM 100-120-140-160-180-200  
Airflow 180,57 m<sup>3</sup> min/6377 CFM  
Voltage (V/Hz) 220-240/50-60

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
310/12,2"	250/9,8"	190/5,51"	180/7,05"	50/1,9"	Ø130/5,11"	Ø1520/59,8"	870/34,2"

LARGE

FAN

387



# BAHAMAS


141  
56 INCH

DC  
MOTOR

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33485	 white/blanco	 white/blanco

## LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 19W 2700K 850lm CRI>80 Driver ✓  
Diff Polycarbonate/Polycarbonato

## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero  
Blades (3) ABS


Accessory cap/Tapa accesorio ✓ 

## MOTOR FEATURES/INFO MOTOR

W 2-4-7-13-20-32  
RPM 50-70-87-107-126-148  
Airflow 226,12 m<sup>3</sup> min/7982 CFM  
Voltage (V/Hz) 220-240/50-60

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
345/13,6"	305/12"	180/7,05"	200/7,87"	60/2,35"	Ø150/5,9"	Ø1410/55,5"	615/24,2"

LARGE

FAN

389



# LEYTE

137  
54 INCH

DC  
MOTOR

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33780	 brown/marrón	 brown/marrón

## LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 20W CRI>80 Driver ✓  
Diff Opal Glass/Cristal Opal  
3 intensities



3000K 990lm    4000K 2250lm    6000K 1400lm  
3 INTENSITIES

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Blades (5) ABS  
With timer/Con temporizador 1-4-8hr,

## MOTOR FEATURES/INFO MOTOR

W 6-10-15-23-39  
RPM 81-102-122-140-165  
Airflow 166,32 m<sup>3</sup> min/5803 CFM

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
380/14,9"	270/10,6"	240/94,4"	350/13,7"	60/23,6"	Ø170/6,7"	Ø1380/54,3"	590/11,4"

LARGE

# NU

— Estudi Ribaudí



**NU** NEW

**132**  
52 INCH

**DC**  
MOTOR

**ALL**  
YEAR ROUND



**FINISHES/ACABADOS**

Ref.	Body	Blades
<b>33722 NEW</b>	 matt white/ blanco mate	 matt white/ blanco mate

**LED LIGHT SOURCE/FUENTE DE LUZ LED**

**LED** SMD 18W 3000K 700lm CRI>80 Driver ✓  
Diff Steel+Acrylic/Acero+Acrilico


**GENERAL FEATURES/INFO GENERAL**

Body Steel/Acero  
Blades (3) ABS

**MOTOR FEATURES/INFO MOTOR**

W 5-8-11-14-21-35  
RPM 91-107-119-134-157-178  
Airflow 96.7 m³ min/341.4 CFM  
Voltage (V/Hz) 220-240/50-60


**MEASUREMENTS/MEDIDAS**



A	AI	B	C	D	E	F	G
330/12,99"	290/11,41"	160/6,29"	110/4,33"	55/2,16"	130/5,12"	1320/51,96"	600/23,62"

LARGE

P.451  
L







# IZARO NEW

**132**  
52 INCH

**DC**  
MOTOR

**ALL**  
YEAR ROUND


## FINISHES/ACABADOS

Ref.

Body

Blades

**33514 NEW**
 shiny white/  
blanco brillo

 white/blanco  
plywood/madera ply

## LED LIGHT SOURCE/FUENTE DE LUZ LED

**LED** SMD 15W 3000K 850lm CRI>80 Driver ✓  
Diff Glass/Cristal

## GENERAL FEATURES/INFO GENERAL


 Body Steel/Acero  
Blades (5) Plywood/Madera Ply

## MOTOR FEATURES/INFO MOTOR

 W 5-10-16-25-37  
RPM 100-142-165-192-226  
Airflow 190,12 m<sup>3</sup> min/67 l1 CFM  
Voltage (V/Hz) 220-240/50-60

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
420/16,53"	270/10,62"	260/10,23"	230/9,05"	70/2,75"	150/5,90"	1300/51,18"	540/21,25"

LARGE



# KOMODO NEW

## FINISHES/ACABADOS

Ref.	Body	Blades
<b>33723 NEW</b>	 matt black/ negro mate	 black/negro walnut/nogal

**132**  
52 INCH

**ALL**  
YEAR ROUND



## LIGHT SOURCE/FUENTE DE LUZ

2 E14 MAX 8W LED [17461]  
Diff PMMA/PMMA

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Blades (3) Plywood/Madera Ply  
Controlled by chains / Accionado con cadenas

## MOTOR FEATURES/INFO MOTOR

W 15-24-46  
RPM 63-191-250  
Airflow 61,46 m<sup>3</sup> min/2833 CFM  
Voltage (V/Hz) 220-240/50-60

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
370/14.56"	220/8.66"	200/7.87"	225/8.85"	60/2.36"	130/5.12"	1060/41.73"	450/17.71"

LARGE

FAN

397



# POLARIS

132  
52 INCH

DC  
MOTOR

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33346	 white/blanco	 white/blanco

## LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 18W 2700K 1500lm CRI>80 Driver ✓  
Diff Polycarbonate/Polycarbonato

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Blades (3) ABS

## MOTOR FEATURES/INFO MOTOR

W 4-9-16-23-35  
RPM 86-108-130-145-175  
Airflow 163 m<sup>3</sup> min/4900 CFM  
Voltage (V/Hz) 220-240/50-60


## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
350/13,7"	275/10,8"	180/7,1"	170/7"	50/2"	ø130/5,1"	ø1320/51,9"	555/21,8"

LARGE



# ICE

— Estudi Ribaudí



33459

33460

# ICE


132  
52 INCH

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33459	 white/blanco	 white+maple/ blanco+arce
33460 WIRELESS SPEAKER	 white/blanco	 white+maple/ blanco+arce



WIRELESS SPEAKER

## LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 15W 3000K CRI>80 Driver ✓  
Diff Opal Glass/Cristal Opal

## GENERAL FEATURES/INFO GENERAL


Wireless Speaker/Altavoz inalámbrico (Max, 90db)  
Body Steel/Acero  
Reversible Blades (3) MDF Wood/Madera MDF

## MOTOR FEATURES/INFO MOTOR

W 12-29-53 (33459)  
W 13-25-55 (33460)  
RPM 75-135-180  
Airflow 157,52 m<sup>3</sup> min/5563 CFM  
Voltage (V/Hz) 220-240/50

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
385/15,1"	270/10,6"	210/8,24"	230/7,68"	65/2,5"	ø150/5,9"	ø1320/51,9"	555/21,9"

LARGE





DISC

— Conillas 

# DISC

132  
52 INCH

DC  
MOTOR

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33397	 white/blanco	 white+maple blanco+arce

## LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 19W 2700K CRI>80 Driver ✓  
Diff Polycarbonate/Polycarbonato



LIGHT DOWN  
22W 962Lm



LIGHT UP  
11W 396Lm



LIGHT UP & DOWN  
33W 1351 Lm

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Reversible Blades (4) MDF Wood/Madera MDF

## MOTOR FEATURES/INFO MOTOR

W 6-10-13-23-37  
RPM 100-135-160-195-230  
Airflow 211,72 m<sup>3</sup> min/7477 CFM  
Voltage (V/Hz) 220-240/50-60

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
460/18,1"	330/13"	280/11"	∅145/5,7"	55/2,1"	∅150/5,9"	∅1320/51,9"	576/22,7"

LARGE

# WIND

— Jordi Busquets



# WIND

**132**  
52 INCH

**ALL**  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33392	 white/blanco	 white/blanco

## LIGHT SOURCE/FUENTE DE LUZ

2 E27 MAX 15W LED [17463]


## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero  
Diff Opal Glass/Cristal Opal  
Blades (4) MDF Wood/Madera MDF

## MOTOR FEATURES/INFO MOTOR

W 16-34-62  
RPM 96-146-190  
Airflow 166,42 m<sup>3</sup> min/5877 CFM  
Voltage (V/Hz) 220-240/50

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
590/23,2"	450/17,7"	170/6,7"	ø300/11,8"	80/3,1"	ø130/5,1"	ø1320/51,9"	545/21,4"

LARGE



**FARETTO**

— Conillas 

# FARETTO

## FINISHES/ACABADOS

Ref.	Body	Blades
33389	 white/blanco	 transparent transparente

132  
52 INCH

ALL  
YEAR ROUND



## LIGHT SOURCE/FUENTE DE LUZ

2 E27 MAX 15W LED [17463]

## GENERAL FEATURES/INFO GENERAL


Body Metal  
Diff Transp. Glass/Cristal Transp.  
Blades (4) Polycarbonate/Policarbonato

## MOTOR FEATURES/INFO MOTOR

W 13-27-46  
RPM 60-90-120  
Airflow 184,14 m<sup>3</sup> min/6503 CFM  
Voltage (V/Hz) 220-240/50

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS




A	AI	B	C	D	E	F	G
500/19,7"	460/18,1"	440/17,32"	ø280/11"	60/2,35"	ø145/5,72"	ø1320/51,9"	520/20,4"

LARGE



WINCH

— Conillas 

# WINCH

132  
52 INCH

ALL  
YEAR ROUND



REMOTE  
CONTROL



INCLINING  
ROOF



DIRECT CEILING  
MOUNTING

## FINISHES/ACABADOS

Ref.	Body	Blades
33396	 dark brown marrón oscuro	 dark brown marrón oscuro

## LIGHT SOURCE/FUENTE DE LUZ

2 E27 MAX 15W LED [17462]

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Diff Opal glass/Cristal opal  
Blades (3) MDF Wood/Madera MDF

## MOTOR FEATURES/INFO MOTOR

W 15-30-60  
RPM 90-145-190  
Airflow 151,38 m<sup>3</sup> min/5346 CFM  
Voltage (V/Hz) 220-240/50

## OPT. DOWNROD/TIJAS OPC. P. 541


## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
520/20,4"	370/14,5"	350/13,7"	Ø400/16"	60/2,4"	Ø130/5,1"	Ø1320/51,9"	560/22"

LARGE

## DIRECT CEILING MOUNTING/DIRECTO A TECHO



A	AI	B	C	D	E	F	G
500/19,7"	330/13"	350/13,7"	Ø400/16"	60/2,4"	Ø130/5,1"	Ø1320/51,9"	560/22"





33752

33753

# TABARCA NEW

132  
52 INCH

ALL  
YEAR ROUND



REMOTE  
CONTROL



INCLINING  
ROOF

## FINISHES/ACABADOS

Ref.	Body	Blades
<b>33752 NEW</b>	 shiny white/ blanco brillo	 white+maple/ blanco+arce
<b>33753 NEW</b>	 shiny grey/ gris brillo	 grey+maple/ gris+arce

## LIGHT SOURCE/FUENTE DE LUZ

2 E27 MAX 15W LED [17463]


## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero  
Diff Glass/Cristal  
Blades (3) Plywood/Madera Ply

## MOTOR FEATURES/INFO MOTOR

W 23-34-50  
RPM 125-160-200  
Airflow 141,95 m<sup>3</sup> min/5011 CFM  
Voltage (V/Hz) 220-240/50-60

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
440/17,32"	305/12"	300/11,81"	220/8,66"	60/2,36"	130/5,12"	130/5,12"	540/21,25"

LARGE



# TIMOR

132  
52 INCH

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33372	 white/blanco	 white+maple blanco+arce

## LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 12W 2300K 900lm CRI>80 Driver ✓  
Diff Opal PMMA/PMMA Opal


## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero  
Reversible Blades (4) MDF Wood/Madera MDF

## MOTOR FEATURES/INFO MOTOR

W 17-30-50  
RPM 90-130-170  
Airflow 134,28 m<sup>3</sup> min/4742 CFM  
Voltage (V/Hz) 220-240/50

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
270/10,6"	240/9,4"	80/3,11"	∅175/6,88"	50/1,9"	∅175/6,9"	∅1320/51,9"	570/22,4"



33384

33385

33386







# TONSAY

132  
52 INCH

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33384	 white/blanco	 white+maple blanco+arce
33385	 matt nickel níquel mate	 grey+mahogany gris+caoba
33386	 dark brown marrón oscuro	 cedar+wenge cedro+wengué

## LIGHT SOURCE/FUENTE DE LUZ

2 E27 MAX 15W LED [17463]


## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero  
Diff Opal glass/Cristal opal  
Reversible Blades (3) MDF Wood/Madera MDF

## MOTOR FEATURES/INFO MOTOR

W 10-24-46  
RPM 83-132-180  
Airflow 145,63 m<sup>3</sup> min/5143 CFM  
Voltage (V/Hz) 220-240/50


## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
305/12"	270/10,6"	300/11,8"	ø238/9,34"	-	ø190/7,5"	ø1320/51,9"	535/20,06"

LARGE

415 FAN



# PALK

132  
52 INCH

DC  
MOTOR

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33470	 matt nickel níquel mate	 maple/arc

## LIGHT SOURCE/FUENTE DE LUZ

2 E14 MAX 8W LED [17461]

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Diff Opal Glass/Cristal Opal  
Blades (4) MDF Wood/Madera MDF

## MOTOR FEATURES/INFO MOTOR

W 3-5-8-13-21-32  
RPM 50-77-104-131-158-185  
Airflow 198,22 m<sup>3</sup> min/7000 CFM  
Voltage (V/Hz) 220-240/50-60

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
390/15.3"	325/12.8"	140/5.51"	ø150/5.9"	60/2.35"	ø130/5.1"	ø1320/51.9"	570/22.4"

LARGE











33700

33701

33702

# ICARIA

## FINISHES/ACABADOS

Ref.	Body	Blades
33700	 white/blanco	 white/blanco
33701	 aluminium aluminio	 grey+maple gris+arce
33702	 brown marrón	 brown+mahogany marrón+caoba

132  
52 INCH

ALL  
YEAR ROUND



REMOTE  
CONTROL



INCLINING  
ROOF

## LIGHT SOURCE/FUENTE DE LUZ

2 E27 MAX 15W LED [17463]

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Diff Opal Glass/Cristal Opal  
Reversible Blades (4) MDF Wood/Madera MDF

## MOTOR FEATURES/INFO MOTOR

W 15-30-56  
RPM 100-150-205  
Airflow 155,62 m<sup>3</sup> min/5496 CFM  
Voltage (V/Hz) 220-240/50

## OPT. DOWNROD/TIJAS OPC. P. 541


## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
415/16,3"	330/12,9"	280/11"	ø270/10,6"	50/2"	ø150/5,9"	ø1320/51,9"	520/20,5"

LARGE

P.503  
S



FAN

419



# VANU

132  
52 INCH

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33314	 dark brown marrón oscuro	 dark walnut nogal oscuro

## LIGHT SOURCE/FUENTE DE LUZ

E27 MAX 15W LED [17463]

## GENERAL FEATURES/INFO GENERAL


Body Metal  
Diff Opal Glass/Cristal Opal  
Blades (5) Plywood/Madera Ply

## MOTOR FEATURES/INFO MOTOR

W 13-33-64  
RPM 75-125-175  
Airflow 163,61 m<sup>3</sup> min/5778 CFM  
Voltage (V/Hz) 220-240/50


## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
430/16,9"	300/11,8"	220/8,63"	240/9,43"	60/2,35"	Ø130/5,1"	Ø1320/51,9"	540/21,2"

## DIRECT CEILING MOUNTING/DIRECTO A TECHO



A	AI	B	C	D	E	F	G
280/11"	190/7,5"	220/8,63"	240/9,43"	60/2,35"	Ø130/5,1"	Ø1320/51,9"	540/21,2"

LARGE



33190

33192

# MANILA

132  
52 INCH

ALL  
YEAR ROUND



INCLINING  
ROOF



DIRECT CEILING  
MOUNTING



CONTROLLED  
BY CHAINS

## FINISHES/ACABADOS

Ref.	Body	Blades
33190	 off white blanco roto	 off white+maple blanco roto+arce
33192	 brown marrón	 wenge+reddish mahogany wengué+caoba rojizo

## LIGHT SOURCE/FUENTE DE LUZ

2 E14 MAX 8W LED [17461]


## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero  
Diff Translucent Glass/Cristal Translúcido  
Reversible Blades (5) MDF Wood/Madera MDF  
Controlled by chains/Accionado con cadenas  
Remote control [33929/33937]

## MOTOR FEATURES/INFO MOTOR

W 25-36-56  
RPM 80-130-180  
Airflow 160,86 m<sup>3</sup> min/568l CFM  
Voltage (V/Hz) 220-240/50


## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
410/16,1"	265/10,4"	220/8,63"	295/11,6"	60/2,35"	Ø130/5,1"	Ø1320/51,9"	410/16,1"

LARGE

## DIRECT CEILING MOUNTING/DIRECTO A TECHO



A	AI	B	C	D	E	F	G
280/11"	160/6,3"	220/8,63"	295/11,6"	60/2,35"	Ø130/5,1"	Ø1320/51,9"	410/16,1"



33135

33136

33137

# OVNI

132  
52 INCH

ALL  
YEAR ROUND









REMOTE  
CONTROL



INCLINING  
ROOF

## FINISHES/ACABADOS

Ref.	Body	Blades
33135	 white/blanco	 white/blanco
33136	 antique brass/ oro envejecido	 reddish mahogany/ caoba rojizo
33137	 matt nickel/ níquel mate	 bleached oak/ roble emblanquecido

## LIGHT SOURCE/FUENTE DE LUZ

2 E27 MAX 15W LED [17463]

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Diff Opal glass/Cristal opal  
Blades (5) MDF Wood/Madera MDF

## MOTOR FEATURES/INFO MOTOR

W 16-31-77  
RPM 90-140-200  
Airflow 182,67 m<sup>3</sup> min/645l CFM  
Voltage (V/Hz) 220-240/50

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
450/17,7"	305/12"	200/7,87"	300/11,8"	65/2,5"	Ø150/5,9"	Ø1320/51,9"	510/20,1"

LARGE





# CORSO

132  
52 INCH

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33274	 dark brown marrón oscuro	 reddish mahogany+ pickled oak/ caoba rojizo+ roble envejecido

## LIGHT SOURCE/FUENTE DE LUZ LED

4 E27 MAX 15W LED [17463]

## GENERAL FEATURES/INFO GENERAL


Body Metal  
 Diff Translucent Glass/Cristal Translúcido  
 Reversible Blades (5) Plywood/Madera Ply  
 Controlled by chains/Accionado con cadenas  
 Remote control [33929/33937]

## MOTOR FEATURES/INFO MOTOR

W 23-34-57  
 RPM 87-135-198  
 Airflow 1161,92 m<sup>3</sup> min/57 18 CFM  
 Voltage (V/Hz) 220-240/50


## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
520/20,5"	290/11,4"	400/15,74"	360/14,17"	60/2,35"	ø130/5,1"	ø1320/51,9"	525/20,7"

## DIRECT CEILING MOUNTING/DIRECTO A TECHO




A	AI	B	C	D	E	F	G
460/18,1"	210/8,2"	400/15,74"	360/14,17"	60/2,35"	ø130/5,1"	ø1320/51,9"	525/20,7"

LARGE

FAN

427



# LOMBOK

## FINISHES/ACABADOS

Ref.	Body	Blades
33019	 dark brown/ marrón oscuro	 rustic pine/ pino rústico

132  
52 INCH

ALL  
YEAR ROUND



## LIGHT SOURCE/FUENTE DE LUZ

2 E27 MAX 15W LED [17463]

## GENERAL FEATURES/INFO GENERAL


Body Metal  
Diff Opal glass/Cristal opal  
Blades (4) Wood/Madera  
Controlled by chains/Accionado con cadenas  
Remote control [33929/33937] not included

## MOTOR FEATURES/INFO MOTOR

W 14-29-58  
RPM 85-135-185  
Airflow 123,72 m<sup>3</sup> min/4369 CFM  
Voltage (V/Hz) 220-240/50

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
500/19,7"	246/9,7"	330/12,9"	285/11,2"	60/2,35"	ø130/5,1"	ø1320/51,9"	541/21,3"

LARGE



# NOVA

— Estudi Ribaudí



# NOVA

132  
52 INCH

OPTIONAL  
LED  
DOWNLIGHT

ALL  
YEAR ROUND





REMOTE  
CONTROL



INCLINING  
ROOF

## FINISHES/ACABADOS

Ref.	Body	Blades
33420	 white/blanco	 white+maple/ blanco+arce

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Reversible Blades (5) MDF Wood/Madera MDF

## MOTOR FEATURES/INFO MOTOR

W 17-30-62  
RPM 103-139-171  
Airflow 172,31 m<sup>3</sup> min/6085 CFM  
Voltage (V/Hz) 220-240/50

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
320/12,6"	280/21,8"	170/6,9"	280/11"	65/2,5"	140/5,51"	Ø1320/51,9"	555/21,8"

## OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

33420L



white/  
blanco

LED SMD 9W 3000K,  
1000 lm, CRI>80  
Driver ✓

LARGE



# ALOHA

132  
52 INCH

OPTIONAL  
DOWNLIGHT

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33710	 dark brown/ marrón oscuro	 walnut+dark walnut/ nogal+nogal oscuro

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Reversible Blades (5) Plywood/Madera Ply

## MOTOR FEATURES/INFO MOTOR

W 15-32-58  
RPM 80-125-180  
Airflow 128,95 m<sup>3</sup> min/4552 CFM  
Voltage (V/Hz) 220-240/50

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
315/12,4"	285/11,2"	130/5,1"	240/9,43"	60/2,36"	130/5,11"	Ø1320/51,9"	530/20,9"

## OPTIONAL LIGHT SOURCE/FUENTE DE LUZ

33714



dark brown/  
marrón  
oscuro


3 E27 MAX 15W  
LED [17426]

LARGE





# TYPHOON

— Jordi Busquets 



33480

33489 **NEW**

33490 **NEW**

# TYPHOON

130  
51 INCH

DC  
MOTOR









OPTIONAL  
LED  
DOWNLIGHT

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33480	 white/blanco	 white/blanco
33489 NEW	 grey/gris	 grey/gris
33490 NEW	 brown/marrón	 brown/marrón

## GENERAL FEATURES/INFO GENERAL


Indoor/Outdoor IP44  
Body Steel/Acero  
Blades (4) ABS

## MOTOR FEATURES/INFO MOTOR

W 3-5-8-12-21-31  
RPM 50-71-93-115-138-162  
Airflow 183,09 m<sup>3</sup> min/6463 CFM  
Voltage (V/Hz) 220-240/50-60

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
390/15,3"	370/13,77"	200/7,87"	200/7,87"	55/2,1"	Ø130/5,1"	Ø1300/51,8"	530/20,8"

## OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

33483		white/ blanco
33489K		grey/gris
33490K		brown/ marrón

LED SMD 16W 3000K,  
900 lm, CRI>80  
Driver ✓  
Body Metal  
Diffusor  
Polycarbonate

LARGE



# WINCHE

— Conillas 



33481 IP44

33482

# WINCHE

130  
51 INCH

DC  
MOTOR

OPTIONAL  
LED  
DOWNLIGHT

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33481 Indoor/ Outdoor IP44	 black/negro	 wood/madera
33482	 chrome/ cromado	 wood/madera

## GENERAL FEATURES/INFO GENERAL


33481 Indoor/Outdoor IP44  
Body Steel/Acero  
Blades (4) ABS

## MOTOR FEATURES/INFO MOTOR

W 3-5-8-12-21-35  
RPM 50-71-93-115-138-162  
Airflow 183,01 m<sup>3</sup> min/6463 CFM  
Voltage (V/Hz) 220-240/50-60

## OPT. DOWNROD/TIJAS OPC. P. 54I

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
390/15,3"	355/13,97"	210/8,26"	190/7,48"	55/2,1"	ø130/5,11"	ø1270/50"	530/21,8"

## OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

33484  
Indoor/  
Outdoor  
IP44



black/  
negro

LED SMD 15W 3000K,  
900 lm, CRI>80  
Driver ✓

33486



grey/gris

Body Metal  
Diffusor  
Polycarbonate

LARGE

FAN

437



# MOREA NEW

**152**  
60 INCH

**DC**  
MOTOR

**ALL**  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
<b>33511 NEW</b>	 brown/ marrón	 wood/ madera

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Blades (3) ABS

## MOTOR FEATURES/INFO MOTOR

W 3/7/12/17/38  
RPM 58/105/131/148/195  
Airflow 211,7 m<sup>3</sup> min/7473 CFM  
Voltage (V/Hz) 220-240/50-60

OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
280/11,02"	215/8,46"	130/5,12"	170/6,69"	60/2,36"	140/5,51"	1520/60"	750/29,52"



# ALO

152  
60 INCH

ALL  
YEAR ROUND



REMOTE CONTROL



INCLINING ROOF

## FINISHES/ACABADOS

Ref.	Body	Blades
33718	 dark brown/ marrón oscuro	 rustic pine/ pino rústico

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Blades (3) Wood/Madera

## MOTOR FEATURES/INFO MOTOR

W 14-30-56  
RPM 80-113-155  
Airflow 129,29 m<sup>3</sup> min/4564 CFM  
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
335/13,2"	320/12,6"	180/70,8"	160/6,29"	60/23,6"	Ø130/5,1"	Ø1520/59,8"	760/29,9"

P.381  
L







33506

33507

# LAMA

**143**  
56 INCH

**ALL**  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33506	 matt nickel/ níquel mate	 pine wood/ madera pino
33507	 black/negro	 nogal wood/ madera nogal


## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero  
Blades (2) Wood/Madera

## MOTOR FEATURES/INFO MOTOR

W 16-27-44  
RPM 84-114-143  
Airflow 178,83 m<sup>3</sup> min/6313 CFM  
Voltage (V/Hz) 220-240/50

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
272/10,6"	220/8,6"	120/4,7"	Ø180/7,1"	25/1"	Ø190/7,5"	Ø1430/56,3"	610/24"



33110

33111

# MALVINAS

140  
55 INCH

DC  
MOTOR

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33110	 dark grey/ gris oscuro	 walnut+reddish mahogany/ nogal+caoba rojizo
33111	 dark brown/ marrón oscuro	 mahogany+ reddish mahogany/ caoba+caoba rojizo


## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero  
Reversible Blades (4) MDF Wood/Madera MDF

## MOTOR FEATURES/INFO MOTOR

W 24-37-48-57-80  
RPM III-145-170-187-229  
Airflow 176,22 m<sup>3</sup> min/6223 CFM  
Voltage (V/Hz) 220-240/50

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
600/23,6"	500/19,6"	160/6,59"	200/7,87"	60/2,35"	Ø130/5,1"	Ø1400/55,1"	590/23,2"




33001

33002

# INDUS

**140**  
55 INCH



## FINISHES/ACABADOS

Ref.	Body	Blades
33001	 white/blanco	 white/blanco
33002	 chrome/cromado	 chrome/cromado


## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero  
Blades (3) Steel/Acero

## MOTOR FEATURES/INFO MOTOR

W 16-21-26-32-48  
RPM 113-142-173-203-260  
Airflow 155,52 m<sup>3</sup> min/5492 CFM  
Voltage (V/Hz) 220-240/50

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
483/19"	440/17,3"	160/6,29"	180/7,05"	120/4,71"	Ø145/5,7"	Ø1400/55,1"	555/21,9"

LARGE

P.499  
M

P.535  
S




\*How to install the wall control? Visit [faro.es](http://faro.es)/Visita [faro.es](http://faro.es) para la instalación del regulador de pared

FAN

447

# POLEA

— Conillas 



# POLEA NEW

**132**  
52 INCH

**DC**  
MOTOR

**ALL**  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33724	 brown/marrón black/negro	 brown/marrón black/negro

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Blades (4) Plywood/Madera Ply

## MOTOR FEATURES/INFO MOTOR

W 4-5-8-13-22-34  
RPM 30-63-95-127-158-185  
Airflow 115,15 m<sup>3</sup> min/3846 CFM  
Voltage (V/Hz) 220-240/50-60

**OPT. DOWNROD/TIJAS OPC. P. 541**

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
372/14,6"	254/10"	118/4,6"	228/9"	56/2,2"	130/5,12"	1322/52"	547/21"



**NU**

— Estudi Ribaudí



**NU** NEW

**132**  
52 INCH

**DC**  
MOTOR

**ALL**  
YEAR ROUND



**FINISHES/ACABADOS**

Ref.	Body	Blades
33721	 matt white/ blanco mate	 matt white/ blanco mate


**GENERAL FEATURES/INFO GENERAL**

Body Steel/Acero  
Blades (3) ABS

**MOTOR FEATURES/INFO MOTOR**

W 5-8-11-14-21-35  
RPM 91-107-119-134-157-178  
Airflow 96.7 m<sup>3</sup> min/341.4 CFM  
Voltage (V/Hz) 220-240/50-60

**MEASUREMENTS/MEDIDAS**



A	AI	B	C	D	E	F	G
330/12.99"	290/11.41"	160/6.29"	110/4.33"	55/2.16"	130/5.12"	1320/51.96"	600/23.62"

P.393  
L





# CUBA

## FINISHES/ACABADOS

Ref.	Body	Blades
33352	 dark brown/ marrón oscuro	 wenge/ wengué

132  
52 INCH

ALL  
YEAR ROUND



## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Blades (4) ABS  
Controlled by chains/Accionado con cadenas  
Remote control [33929/33937] not included

## MOTOR FEATURES/INFO MOTOR

W 20-34-65  
RPM 73-99-145  
Airflow 127,45 m<sup>3</sup> min/450l CFM  
Voltage (V/Hz) 220-240/50

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
510/20,1"	450/17,7"	350/13,7"	370/15,5"	60/2,35"	Ø130/5,1"	Ø1320/51,9"	600/23"

LARGE




33750

33751

# LUZON

132  
52 INCH




REMOTE  
CONTROL



INCLINING  
ROOF

## FINISHES/ACABADOS

Ref.	Body	Blades
33750	 white/blanco	 white/blanco
33751	 brown/marrón	 brown/marrón

## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero  
Blades (3) ABS

## MOTOR FEATURES/INFO MOTOR

W 23-42-65  
RPM 90-120-155  
Airflow 2 15,73 m<sup>3</sup> min/7615 CFM  
Voltage (V/Hz) 220-240/50


## DOWNROD INCLUDED

105mm/3,99"

152mm/60"

OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
285/11,2"	235/9,2"	180/70,8"	Ø160/6,3"	60/23,6"	Ø140/5,5"	Ø1320/52"	590/23,2"

LARGE



# SIOUX

132  
52 INCH

DC  
MOTOR

IP44

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33770 Indoor/ Outdoor IP44	 white/blanco	 white/blanco

## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero  
Blades (3) ABS

## MOTOR FEATURES/INFO MOTOR

W 5-10-16-23-38  
RPM 106-143-174-198-233  
Airflow 164,32 m<sup>3</sup> min/5803 CFM  
Voltage (V/Hz) 220-240/50-60


## DOWNROD INCLUDED

127mm/5"

254mm/10"

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
320/12,6"	260/10,2"	200/78,7"	ø220/8,6"	70/27,7"	ø170/6,7"	ø1320/52"	590/23,2"

LARGE





33370



33373

# LANTAU

132  
52 INCH

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33370	 matt nickel/ níquel mate	 dark walnut/ nogal oscuro
33373	 matt nickel/ níquel mate	 pine/pino

## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero

Blades (3) Natural Wood/ Madera Natural

## MOTOR FEATURES/INFO MOTOR

W 90-140-180


RPM 90-140-180

Airflow 147,56 m<sup>3</sup> min/52 II CFM

Voltage (V/Hz) 220-240/50

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS




A	AI	B	C	D	E	F	G
330/13"	320/12,6"	165,6,46"	160/6,29"	70/2,79"	Ø160/6,3"	Ø1320/51,9"	660/26"

LARGE

P.359  
XL

P.377  
XL

P.511  
S



FAN  
459



# ITACA

132  
52 INCH

DC  
MOTOR

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33474	 matt nickel/ níquel mate	 rustic pine/ pino rústico


## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero  
Blades (3) Natural Wood/ Madera Natural

## MOTOR FEATURES/INFO MOTOR

W 3-5-8-13-21-32  
RPM 50-80-110-140-170-203  
Airflow 184,06 m<sup>3</sup> min/6500 CFM  
Voltage (V/Hz) 220-240/50

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
455/17,9"	395/15,5	170/6,9"	110/4,35"	160/6,29"	Ø166/6,5"	Ø1320/51,9"	545/21,4"



33341 NEW

33345 NEW

# GRID NEW

**132**  
52 INCH

**DC**  
MOTOR

**OPTIONAL**  
**LED**  
DOWNLIGHT

**ALL**  
YEAR ROUND


## FINISHES/ACABADOS

Ref.	Body	Blades
<b>33341 NEW</b>	 white/blanco	 wood/madera
<b>33345 NEW</b>	 black/negro	 wood/madera


## GENERAL FEATURES/INFO GENERAL

 Body Steel/Acero  
Blades (3) ABS

## MOTOR FEATURES/INFO MOTOR

 W 4-9-16-23-35  
RPM 86-108-130-145-175  
Airflow 163 m<sup>3</sup> min/4900 CFM  
Voltage (V/Hz) 220-240/50-60

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
340/13,38"	290/11,41"	130/5,18"	190/7,48"	50/1,96"	140/5,51"	1320/51,96"	560/22,04"

## OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

**33341K**

 white/  
blanco

**LED** SMD 18W 4000K,  
1500 Lm, CRI>80  
Driver ✓  
Body Steel/Acero  
Diffusor  
ABS

LARGE



# NIAS

132  
52 INCH

DC  
MOTOR

OPTIONAL  
LED  
DOWNLIGHT

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33472	 matt nickel/ níquel mate	 walnut/ nogal
33472N	 matt nickel/ níquel mate	 walnut/ nogal


## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero  
Blades (3) Natural Wood/ Madera Natural

## MOTOR FEATURES/INFO MOTOR

W 2-7-9-14-21-32  
RPM 50-82-114-146-178-210  
Airflow 195,39 m<sup>3</sup> min/6900 CFM  
Voltage (V/Hz) 220-240/50

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
190/7,5"	155/6,1"	-	ø140/5,5"	-	ø170/6,9"	ø1320/51,9"	630/24,8"

## OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

\*SUITABLE ONLY FOR/VÁLIDO SÓLO PARA 33472N

33472K  
NEW



matt nickel/  
níquel mate

LED SMD I6W 3000K  
800lm, CRI>80  
Driver ✓  
Diffusor  
Polycarbonate  
/Polícarbonato

LARGE

FAN

465





33292

33350

33351

# MALLORCA

## FINISHES/ACABADOS

Ref.	Body	Blades
33292	 matt nickel/ níquel mate	 grey+maple/ gris+arce
33350	 white/blanco/	 white+maple/ blanco+arce
33351	 rust brown/ marrón óxido	 mahogany+ bleached oak/ caoba+roble emblanquecido

132  
52 INCH

ALL  
YEAR ROUND



REMOTE  
CONTROL



INCLINING  
ROOF

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Reversible Blades (4) MDF Wood/Madera MDF

## MOTOR FEATURES/INFO MOTOR

W 15-30-56  
RPM 100-150-205  
Airflow 154,30 m<sup>3</sup> min/5449 CFM  
Voltage (V/Hz) 220-240/50


## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
380/15"	330/12,9"	180/7,05"	250/9,82"	60/2,35"	Ø130/5,1"	Ø1300/51,2"	520/20,4"

P.529  
S





33284

33287

33288

# IBIZA

132  
52 INCH

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33284	 white/blanco	 white/blanco
33287	 matt nickel/ níquel mate	 grey+maple/ gris+arce
33288	 rust brown/ marrón óxido	 mahogany+ bleached oak/ caoba+roble emblanquecido

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Reversible Blades (4) Plywood/Madera Ply

## MOTOR FEATURES/INFO MOTOR

W 16-29-49  
RPM 113-162-212  
Airflow 149,57 m<sup>3</sup> min/5282 CFM  
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
330/12,9"	270/10,6"	170/6,9"	175/6,88"	60/2,35"	ø130/5,1"	ø1320/51,9"	570/22,4"

LARGE



33471N



33491 NEW



33492 NEW

# PEMBA

**132**  
52 INCH









**DC**  
MOTOR

OPTIONAL  
**LED**  
DOWNLIGHT

**ALL**  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33471	 white/blanco	 white/blanco
33471N	 white/blanco	 white/blanco
33491 NEW	 grey/gris	 grey/gris
33492 NEW	 brown/marrón	 brown/marrón


## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero  
Blades (3) PMMA

## MOTOR FEATURES/INFO MOTOR

W 2-7-9-14-21-32  
RPM 50-76-99-127-151-175  
Airflow 191,14 m<sup>3</sup> min/6750 CFM  
Voltage (V/Hz) 220-240/50-60

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
190/7,5"	155/6,1"	250/9,82"	180/7,0,5"	65/2,51"	ø170/6,7"	ø1320/51,9"	570/22,4"

## OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

\*SUITABLE ONLY FOR/VÁLIDO SÓLO PARA 33471N, 33491 & 33492

33471K NEW		white/ blanco
33491K NEW		grey/ gris
33492K NEW		brown/ marrón

**LED SMD 16W 3000K**  
800lm, CRI>95  
Driver ✓  
Diffusor  
Polycarbonate / Policarbonato

LARGE



# LAKKI

132  
52 INCH

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33317	 white/blanco	 white/blanco

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Blades (3) ABS

## MOTOR FEATURES/INFO MOTOR

W 18-32-50  
RPM 80-110-150  
Airflow 166,13 m<sup>3</sup> min/5867 CFM  
Voltage (V/Hz) 220-240/50

OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
370/14,5"	360/11,2"	180/70,5	300/11,8"	60/2,35"	ø150/5,9"	ø1320/51,9"	465/19,5"





33607

33608

# PANAY

122  
48 INCH





REMOTE  
CONTROL



INCLINING  
ROOF

## FINISHES/ACABADOS

Ref.	Body	Blades
33607	 white/blanco	 white+maple/ blanco+arce
33608	 matt nickel/ níquel mate	 matt nickel+ mahogany/ níquel mate+ caoba

## LIGHT SOURCE/FUENTE DE LUZ

2 E14 MAX 8W LED [17461]  
Diff Opal Glass/Cristal Opal

## GENERAL FEATURES/INFO GENERAL


Body Steel / Acero  
Reversible Blades (3) MDF Wood/Madera MDF

## MOTOR FEATURES/INFO MOTOR

W 14-30-58  
RPM 95-150-200  
Airflow 116,2 m<sup>3</sup> min/4103 CFM  
Voltage (V/Hz) 220-240/50

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
280/11"	180/7,1"	150/5,9"	210/8,24"	65/2,51"	Ø130/5,1"	Ø1220/48"	495/19,5"

MEDIUM



# PHUKET

120  
47 INCH

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref. Body Blades

33498



white/blanco



white/blanco

## LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 12W 3000K 1000lm CRI>80 Driver ✓  
Diff Opal Glass/Cristal Opal

## GENERAL FEATURES/INFO GENERAL


Body Steel / Acero  
Blades (3) ABS

## MOTOR FEATURES/INFO MOTOR

W 10-30-54  
RPM 80-130-170  
Airflow 138,21 m<sup>3</sup> min/488l CFM  
Voltage (V/Hz) 220-240/50

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
410/16,7"	350/13"	250/9,82"	180/7,05"	65/2,51"	Ø150/5,9"	Ø1200/47,2"	620/24,4"

MEDIUM



# FOGO

## FINISHES/ACABADOS

Ref.

Body

Blades

33467



white/blanco



white/blanco

112  
44 INCHALL  
YEAR ROUNDREMOTE  
CONTROLINCLINING  
ROOF

## LED LIGHT SOURCE/FUENTE DE LUZ LED

LED SMD 12W 3000K 1000lm CRI>80 Driver ✓  
Diff Opal Glass/Cristal Opal

## GENERAL FEATURES/INFO GENERAL


Body Steel / Acero  
Blades (3) ABS

## MOTOR FEATURES/INFO MOTOR

W 10-25-45  
RPM 80-130-170  
Airflow 129,66 m<sup>3</sup> min/4579 CFM  
Voltage (V/Hz) 220-240/50

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
400/15,7"	380/14,9"	280/11"	180/7,05"	80/3,11"	Ø150/5,9"	Ø1120/44"	470/18,5"


MEDIUM

FAN

481



# MINI ETERFAN

— Conillas 



33382

32020

32025

32026

32027

32028

32029

32030 **NEW**

# MINI ETERFAN

128  
50 INCH



DC  
MOTOR

OPTIONAL  
LED  
DOWNLIGHT

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33382	 chrome/cromo	 transparent
32020	 shiny white/ blanco brillo	 transparent
32025	 matt white/ blanco mate	 transparent
32026	 shiny black/ negro brillo	 transparent
32027	 matt black/ negro mate	 transparent
32028	 matt black/ negro mate	 walnut/ nogal
32029	 shiny red/ rojo brillo	 transparent
32030 NEW	 matt black/ negro mate	 matt black/ negro mate


## GENERAL FEATURES/INFO GENERAL

Body Metal+Glass/Metal+Cristal  
Blades (3) Polycarbonate/Polycarbonato

## MOTOR FEATURES/INFO MOTOR



DC MOTOR  
W 3-6-9-13-22-32  
RPM 51-77-103-129-155-185  
Airflow 145,66 m<sup>3</sup> min/5144 CFM  
Voltage (V/Hz) 220-240/50-60

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
450/17,7"	420/16,5"	-	ø160/6,3"	60/2,3"	ø130/5,1"	ø1280/50,4"	555/21,8"

## OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

33390		chrome/ cromo	SMD LED 13W 3000K 600 Lm CRI>80 Driver ✓
33391		black/ negro	Body Metal Diff Opal Glass

MEDIUM

## CUSTOMIZE IT WITH COLOR PERSONALÍZALO CON COLOR

1 Choose the glass color (RAL) Elige el color para el cristal (RAL)



2 Contact your distributor Contacta con tu distribuidor




Some examples Algunos ejemplos

FAN  
483





# ETERFAN

— Conillas 



33381

32000

32001

32002

32003

32004

32005

32006 **NEW**

# ETERFAN

128  
50 INCH



DC  
MOTOR

OPTIONAL  
LED  
DOWNLIGHT

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33381	 chrome/cromo	 transparent
32000	 shiny white/ blanco brillo	 transparent
32001	 matt white/ blanco mate	 transparent
32002	 shiny black/ negro brillo	 transparent
32003	 matt black/ negro mate	 transparent
32004	 matt black/ negro mate	 walnut/ nogal
32005	 shiny red/ rojo brillo	 transparent
32006 NEW	 matt black/ negro mate	 matt black/ negro mate


## GENERAL FEATURES/INFO GENERAL

Body Metal+Glass/Metal+Cristal  
Blades (3) Polycarbonate/Polycarbonato

## MOTOR FEATURES/INFO MOTOR



W 3-6-9-13-22-32  
RPM 51-77-103-129-155-185  
Airflow 145,66 m<sup>3</sup> min/51.44 CFM  
Voltage (V/Hz) 220-240/50-60

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
640/25,2"	630/24,8"	-	ø160/6,3"	60/2,3"	ø130/5,1"	ø1280/50,4"	555/21,8"


## OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

33390		chrome/ cromo	SMD LED 13W 3000K 600 Lm CRI>80 Driver ✓
33391		black/ negro	Body Metal Diff Opal Glass

MEDIUM

## CUSTOMIZE IT WITH COLOR PERSONALÍZALO CON COLOR

1 Choose the glass color (RAL) Elige el color para el cristal (RAL)



2 Contact your distributor Contacta con tu distribuidor



Some examples Algunos ejemplos

FAN  
485



# JUSTFAN

— Conillas 

Project: Meritxell Ribé-The Room Studio



33394



33395



33398



33399



32100 **NEW**

# JUSTFAN

128  
50 INCH




DC  
MOTOR

OPTIONAL  
LED  
DOWNLIGHT

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33394	 chrome/ cromo	 transparent
33395	 black/negro	 walnut/nogal
33398	 antique brass/ oro envejecido	 walnut/nogal
33399	 copper/cobre	 walnut/nogal
32100 NEW	 matt black/ negro mate	 matt black negro mate

## GENERAL FEATURES/INFO GENERAL


Body Metal  
Blades (3) Polycarbonate/ Policarbonato

## MOTOR FEATURES/INFO MOTOR


DC MOTOR  
W 4-6-9-13-22-32  
RPM 51-77-103-129-155-185  
Airflow 145,66 m<sup>3</sup> min/51.44 CFM  
Voltage (V/Hz) 220-240/50-60

## OPTIONAL DOWNROD

Downrods (3) Included





## MEASUREMENTS/MEDIDAS



A	A1	B	C	D	E	F	G
640/25,2"	630/24,8"	180/7,05"	ø160/6,3"	60/2,3"	ø130/5,1"	ø1280/50,4"	555/21,8"

## OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED


\*SUITABLE FOR 33394 & 33395

33390		chrome/ cromo	SMD LED 13W 3000K 600 Lm CRI>80 Driver ✓
33391		black/ negro	Body Metal Diff Opal Glass


MEDIUM

P.365  
L

P.527  
S



# MINI TUBE

— Conillas 



33393



32038



32039



32040



32041



32042



32043 **NEW**

# MINI TUBE

128  
50 INCH















DC  
MOTOR

OPTIONAL  
LED  
DOWNLIGHT

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33393	 chrome/cromo	 transparent
32038	 shiny white/ blanco brillo	 transparent
32039	 matt white/ blanco brillo	 transparent
32040	 shiny black/ negro brillo	 transparent
32041	 matt black/ negro mate	 transparent
32042	 matt black/ negro mate	 walnut nogal
32043 NEW	 matt black/ negro mate	 matt black negro mate


## GENERAL FEATURES/INFO GENERAL

Body Metal  
Blades (3) Polycarbonate/ Policarbonato

## MOTOR FEATURES/INFO MOTOR



DC MOTOR  
W 4-6-9-13-22-32  
RPM 51-77-103-129-155-185  
Airflow 145,66 m<sup>3</sup> min/51.44 CFM  
Voltage (V/Hz) 220-240/50-60

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
290/11,4"	250/9,8"	-	ø160/6,3"	-	ø130/5,1"	ø1280/50,4"	430/16,9"


## OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

33390		chrome/ cromo	SMD LED 13W 3000K 600 Lm CRI>80 Driver ✓
33391		black/ negro	Body Metal Diff Opal Glass

MEDIUM

## CUSTOMIZE IT WITH COLOR PERSONALÍZALO CON COLOR

1 Choose the glass color (RAL) Elige el color para el cristal (RAL)




2 Contact your distributor Contacta con tu distribuidor



Some examples Algunos ejemplos

FAN  
489



**TUBE**  
— Conillas 



33374



32033



32034



32035



32036



32037



32060 **NEW**

# TUBE

128  
50 INCH















DC  
MOTOR

OPTIONAL  
LED  
DOWNLIGHT

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33374	 chrome/cromo	 transparent
32033	 shiny white blanco brillo	 transparent
32034	 matt white blanco mate	 transparent
32035	 shiny black negro brillo	 transparent
32036	 matt black negro mate	 transparent
32037	 matt black negro mate	 walnut nogal
32060 NEW	 matt black negro mate	 matt black negro mate


## GENERAL FEATURES/INFO GENERAL

Body Metal+Glass/Metal+Cristal  
Blades (3) Polycarbonate/Polycarbonato

## MOTOR FEATURES/INFO MOTOR

DC MOTOR  
W 3-6-9-13-22-32  
RPM 51-77-103-129-155-185  
Airflow 145,66 m<sup>3</sup> min/51.44 CFM  
Voltage (V/Hz) 220-240/50-60

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
450/17,7"	420/16,5"	-	ø160/6,3"	-	ø130/5,1"	ø1280/50,4"	430/16,9"

## OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

33390



chrome/  
cromo

SMD LED 13W 3000K  
600 Lm CRI>80  
Driver ✓

33391



black/  
negro

Body Metal  
Diff Opal Glass

MEDIUM

## CUSTOMIZE IT WITH COLOR

### PERSONALÍZALO CON COLOR

1 Choose the glass color (RAL) Elige el color para el cristal (RAL)



2 Contact your distributor Contacta con tu distribuidor



Some examples Algunos ejemplos

491 FAN





# MOLOKAI

125  
49 INCH

DC  
MOTOR

OPTIONAL  
LED  
DOWNLIGHT

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33475	 matt nickel/ níquel mate	 dark walnut/ nogal oscuro

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Blades (4) Polycarbonate/ Policarbonato

## MOTOR FEATURES/INFO MOTOR

W 3-5-8-13-21-31  
RPM 50-76-102-128-155-180  
Airflow 195,66 m<sup>3</sup> min/6910 CFM  
Voltage (V/Hz) 220-240/50-60

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
335/13,1"	300/11,8"	200/8,63"	150/5,90"	65/2,51"	Ø140/5,51"	Ø1250/42,9"	600/23,6"

## OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

33476



matt nickel/  
níquel mate

LED SMD 18W 3000K  
1200 lm CRI>80  
Driver ✓

MEDIUM

FAN

493



33478

33487

# NASSAU

128  
50 INCH

DC  
MOTOR

ALL  
YEAR ROUND



REMOTE  
CONTROL



INCLINING  
ROOF

## FINISHES/ACABADOS

Ref.	Body	Blades
33478	 brown/marrón	 brown/marrón
33487	 white/blanco	 white/blanco


## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero  
Blades (4) MDF Wood/ Madera MDF

## MOTOR FEATURES/INFO MOTOR

W 4-6-10-16-24-37  
RPM 50-87-125-162-199-237  
Airflow 222,41 m<sup>3</sup> min/785l CFM  
Voltage (V/Hz) 220-240/50-60

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
400/15,7"	370/14,5"	170/6,69"	120/4,72"	60/2,36"	Ø130/5,11"	Ø1280/50,4"	575/22,6"

## OPTIONAL DOWNROD (not included)

33479		91 cm/3,6"	brown/marrón
33488		91 cm/3,6"	white/blanco

MEDIUM

FAN

495



33711



33712



33713

# YAKARTA

121  
47 INCH

ALL  
YEAR ROUND

OPTIONAL  
DOWNLIGHT



INCLINING  
ROOF



DIRECT CEILING  
MOUNTING



CONTROLLED  
BY CHAINS

## FINISHES/ACABADOS

Ref.	Body	Blades
33711	 antique brass/ oro envejecido	 dark oak+ bleached oak/ roble oscuro+ roble emblanquecido
33712	 white/blanco	 white+maple/ blanco+arce
33713	 brown/marrón	 mahogany+ dark walnut/ caoba+nogal oscuro

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Reversible Blades (4) Plywood/Madera Ply  
Controlled by chains / Accionado con cadenas

## MOTOR FEATURES/INFO MOTOR

W 14-23-51  
RPM 115-150-205  
Airflow 94,57 m<sup>3</sup> min/3340 CFM  
Voltage (V/Hz) 220-240/50


## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
350/13,7"	300/11,8"	130/5,11"	-	60/9,4"	Ø130/5,1"	Ø1210/47,6"	465/18,3"

## DIRECT CEILING MOUNTING/DIRECTO A TECHO



A	AI	B	C	D	E	F	G
190/7,5"	150/5,9"	130/5,11"	-	60/9,4"	Ø130/5,1"	Ø1210/47,6"	465/18,3"

## OPTIONAL ACCESSORY LIGHT KIT

33714		dark brown/ marrón oscuro	3 E27 MAX 15W LED [17426]
33716		white/ blanco	3 E27 MAX 15W LED [17426]
33717		antique brass/ oro envejecido	3 E27 MAX 15W LED [17426]

MEDIUM

FAN

497




# ECO INDUS

120  
47 INCH

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33005	 white/blanco	 white/blanco


## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero  
Blades (4) Steel/Acero

## MOTOR FEATURES/INFO MOTOR

W 16-26-68  
RPM 150-225-322  
Airflow 189,47 m<sup>3</sup> min/669l CFM  
Voltage (V/Hz) 220-240/50

## MEASUREMENTS/MEDIDAS




A	AI	B	C	D	E	F	G
320/12,6"	270/10,6"	160/6,29"	190/7,5"	60/2,35"	ø130/5,12"	ø1200/47,2"	485/19,1"

MEDIUM

P.477  
L

P.535  
S



\*How to install the wall control? Visit [faro.es](http://faro.es)/Visita [faro.es](http://faro.es) para la instalación del regulador de pared





33695



33696



33697



33698



33699

# MINI ICARIA

107  
42 INCH

ALL  
YEAR ROUND






REMOTE  
CONTROL



INCLINING  
ROOF

## FINISHES/ACABADOS

Ref.	Body	Blades
33695	 antique brass/ oro envejecido	 brown+oak/ marrón+roble
33696	 matt nickel/ níquel mate	 transparent/ transparentes
33697	 rust/óxido	 mahogany+ bleached oak/ caoba+roble em- blanquecido
33698	 white/blanco	 white+maple/ blanco+arce
33699	 matt nickel/ níquel mate	 grey+maple/ gris+arce

## LIGHT SOURCE/FUENTE DE LUZ

2 E14 MAX 8W LED [17461]

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Reversible Blades (4) MDF Wood/Madera MDF

## MOTOR FEATURES/INFO MOTOR

W 15-24-41  
RPM 132-170-205  
Airflow 101,09 m<sup>3</sup> min/3568 CFM  
Voltage (V/Hz) 220-240/50

## OPT. DOWNROD/TIJAS OPC. P. 541


## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
405/15,9"	270/10,6"	280/11"	160/6,3"	60/2,35"	ø130/5,11"	ø1070/42"	425/16,7"

SMALL

P.419  
L



503 FAN



33318

33319

# VENETO

107

42 INCH

ALL

YEAR ROUND

INCLINING  
ROOFDIRECT CEILING  
MOUNTINGCONTROLLED  
BY CHAINS

## FINISHES/ACABADOS

Ref.	Body	Blades
33318	 white/blanco	 white/blanco/
33319	 matt nickel níquel mate	 cedar+beech/ cedro+haya

## LIGHT SOURCE/FUENTE DE LUZ

E27 MAX 15W LED [17462]

Diff Opal glass/Cristal opal

## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero

Reversible Blades (5) MDF Wood/Madera MDF

Controlled by chains / Accionado con cadenas

Remote control [33929/33937]

## MOTOR FEATURES/INFO MOTOR

W14-25-46


RPM 120-168-211

Airflow 108,39 m<sup>3</sup> min/3824 CFM

Voltage (V/Hz) 220-240/50


## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
470/17,1"	270/10,6"	240/9,43"	200/7,87"	60/2,35"	Ø130/5,1"	Ø1070/42,1"	470/18,5"

## DIRECT CEILING MOUNTING/DIRECTO A TECHO



A	AI	B	C	D	E	F	G
280/11"	170/6,7"	240/9,43"	200/7,87"	60/2,35"	Ø130/5,1"	Ø1070/42,1"	470/18,5"

SMALL

FAN

505




33600

33601

# FEROE

107

42 INCH



REMOTE CONTROL



INCLINING ROOF

## FINISHES/ACABADOS

Ref.	Body	Blades
33600	 white/blanco	 white+maple/ blanco+arce
33601	 matt nickel/ níquel mate	 grey+black/ gris+negro

## LIGHT SOURCE/FUENTE DE LUZ

2 E14 MAX 8W LED [17461]  
Diff Opal glass/Cristal opal

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Reversible Blades (3) MDF Wood/Madera MDF

## MOTOR FEATURES/INFO MOTOR

W 10-2 I-4 I  
RPM 80-145-180  
Airflow 64,16 m<sup>3</sup> min/2265,7 CFM  
Voltage (V/Hz) 220-240/50

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
320/12,6"	210/8,2"	160/6,3"	200/7,9"	60/2,3"	ø130/5,1"	ø1070/42,1"	420/16,5"

SMALL



# LISBOA

**107**

42 INCH

**ALL**

YEAR ROUND

INCLINING  
ROOFDIRECT CEILING  
MOUNTINGCONTROLLED  
BY CHAINS

## FINISHES/ACABADOS

Ref.	Body	Blades
33102	 dark brown/ marrón oscuro	 mahogany+dark walnut/ caoba+nogal oscuro

## LIGHT SOURCE/FUENTE DE LUZ

**3 E27 MAX 15W LED** [17462]

Diff Translucent Glass/Cristal Translúcido

## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero

Reversible Blades (4) MDF Wood/Madera MDF

Controlled by chains / Accionado con cadenas

Remote control [33929/33937]

## MOTOR FEATURES/INFO MOTOR

W 27-35-47


RPM 130-185-235

Airflow 99,96 m<sup>3</sup> min/3530 CFM

Voltage (V/Hz) 220-240/50


## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
460/18,1"	240/9,4"	220/8,63"	300/11,8"	60/2,35"	Ø130/5,1"	Ø1070/42,1"	420/16,5"

## DIRECT CEILING MOUNTING/DIRECTO A TECHO



A	AI	B	C	D	E	F	G
280/11"	180/7,1"	220/8,63"	300/11,8"	60/2,35"	Ø130/5,1"	Ø1070/42,1"	420/16,5"

SMALL

FAN

509





33508

33509

# MINI LANTAU NEW

**108**  
42 INCH

**ALL**  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
<b>33508 NEW</b>	 matt nickel/ níquel mate	 walnut/nogal
<b>33509 NEW</b>	 matt nickel/ níquel mate	 pine/pino

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Blades (8) Wood/Madera

## MOTOR FEATURES/INFO MOTOR

W 13-26-55  
RPM 105-150-210  
Airflow 143,2 m<sup>3</sup> min/5055 CFM  
Voltage (V/Hz) 220-240/50-60

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS





A	AI	B	C	D	E	F	G
340/13,38"	300/11,81"	110/4,33"	150/5,90"	65/2,56"	150/5,9"	1080/42,52"	460/18,11"

SMALL

**P.377**  
XL

**P.359**  
XL

**P.459**  
L



511 FAN



33415

33416

# EASY

**105**  
41 INCH

**ALL**  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33415	 white/blanco	 white/blanco
33416	 grey/gris	 grey/gris

## LIGHT SOURCE/FUENTE DE LUZ

2 E27 MAX 15W LED [17461]  
Diff Opal glass/Cristal opal


## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero  
Blades (3) ABS

## MOTOR FEATURES/INFO MOTOR

W11-23-68  
RPM 105-185-285  
Airflow 159,76 m<sup>3</sup> min/5642 CFM  
Voltage (V/Hz) 220-240/50

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
460/18,1"	320/12,6"	100/3,93"	210/8,24"	75/2,91"	Ø140/5,5"	Ø1050/41,3"	420/16,6"

SMALL



33606

33609

# CEBU

102  
40 INCH

ALL  
YEAR ROUND



REMOTE  
CONTROL



INCLINING  
ROOF

## FINISHES/ACABADOS

Ref.	Body	Blades
33606	 white/blanco	 white+maple/ blanco+arce
33609	 matt nickel/ níquel mate	 grey+black/ gris+negro

## LIGHT SOURCE/FUENTE DE LUZ

2 E14 MAX 8W LED [17461]

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Reversible Blades (3) MDF Wood/Madera MDF

## MOTOR FEATURES/INFO MOTOR

W 8-22-38  
RPM 84-140-180  
Airflow 109 m<sup>3</sup> min/3849,6 CFM  
Voltage (V/Hz) 220-240/50

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
410/16,1"	270/10,6"	300/11,8"	180/7,05"	60/2,35"	Ø140/5,51"	Ø1020/40,2"	420/16,5"

SMALL



33454

33455

# MINI UFO

101  
40 INCH

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33454	 white/blanco	 white+maple blanco+arce
33455	 matt nickel níquel mate	 grey+maple gris+arce

## LIGHT SOURCE/FUENTE DE LUZ

2 E27 MAX 15W LED [17463]  
Diff Opal glass/Cristal opal


## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero  
Reversible Blades (3) MDF Wood/Madera MDF

## MOTOR FEATURES/INFO MOTOR

W 8-18-42  
RPM 90-150-200  
Airflow 106,92 m<sup>3</sup> min/3776 CFM  
Voltage (V/Hz) 220-240/50

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
370/14,6"	245/9,6"	260/10,2"	260/10,2"	120/4,71"	Ø150/5,9"	Ø1015/40"	384/15,1"

SMALL

FAN


517





# CHICAGO

91  
36 INCH



REMOTE  
CONTROL



INCLINING  
ROOF

## FINISHES/ACABADOS

Ref. Body Blades

33703



black/negro



walnut/nogal

## LIGHT SOURCE/FUENTE DE LUZ

E27 MAX 15W LED [17463]

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Blades (6) MDF Wood/Madera MDF

## MOTOR FEATURES/INFO MOTOR

W 15-27-49  
RPM 124-176-218  
Airflow 96,7 l m<sup>3</sup> min/3414 CFM  
Voltage (V/Hz) 220-240/50

## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
475/18,7"	295/11,6"	295/11,41"	140/5,51"	50/1,96"	Ø150/5,9	Ø915/36"	380/14,96"

SMALL



# GALÁPAGO

91  
36 INCH

ALL  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33301	 grey/gris	 grey+pine gris+pino

## LIGHT SOURCE/FUENTE DE LUZ

3 GU10 MAX 8W LED [17330]

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Reversible Blades (4) MDF Wood/Madera MDF  
Controlled by chains / Accionado con cadenas  
Remote control [33929/33937]

## MOTOR FEATURES/INFO MOTOR

W 29-35-45  
RPM 160-230-270  
Airflow 70,28 m<sup>3</sup> min/2482 CFM  
Voltage (V/Hz) 220-240/50


## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
400/15,7"	249/9,8"	210/8,24"	240/9,43"	60/2,35"	Ø130/5,1"	Ø910/35,8"	345/13,6"

## DIRECT CEILING MOUNTING/DIRECTO A TECHO



A	AI	B	C	D	E	F	G
270/10,6"	190/7,5"	210/8,24"	240/9,43"	60/2,35"	Ø130/5,1"	Ø910/35,8"	345/13,6"

SMALL



33704

33706 NEW

# MEDITERRÁNEO

## FINISHES/ACABADOS

Ref.	Body	Blades
33704	 white/blanco	 white+maple blanco+arce
33706 <b>NEW</b>	 matt nickel/ níquel mate	 maple+ mahogany arce+caoba

81  
32 INCH

ALL  
YEAR ROUND



## LIGHT SOURCE/FUENTE DE LUZ

E14 MAX 8W LED [17461]  
Diff Opal glass/Cristal opal


## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero  
Reversible Blades (4) MDF Wood/Madera MDF  
Controlled by chains / Accionado con cadenas

## MOTOR FEATURES/INFO MOTOR

W 14-23-47  
RPM 198-232-280  
Airflow 85,38 m<sup>3</sup> min/3014 CFM  
Voltage (V/Hz) 220-240/50

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
385/15,2"	290/11,4"	260/10,2"	190/7,48"	110/4,3"	Ø130/5,11"	Ø815/32,1"	310/12,2"

SMALL



33179



33180



33183



33185



33186

# PALAO

81  
32 INCH

ALL  
YEAR ROUND



INCLINING  
ROOF



DIRECT CEILING  
MOUNTING



CONTROLLED  
BY CHAINS

## FINISHES/ACABADOS

Ref.	Body	Blades
33179	 white/blanco	 multicolour/ multicolor
33180	 white/blanco	 white/blanco
33183	 matt nickel/ níquel mate	 maple/arce
33185	 dark brown/ marrón oscuro	 mahogany/ caoba
33186	 grey/gris	 grey/gris

## LIGHT SOURCE/FUENTE DE LUZ

E14 MAX 8W LED [17461]  
Diff Opal glass/Cristal opal

## GENERAL FEATURES/INFO GENERAL


Body Metal  
Blades (6) MDF Wood/Madera MDF  
Controlled by chains / Accionado con cadenas  
Remote control [33929/33937]

## MOTOR FEATURES/INFO MOTOR

W 24-33-46  
RPM 135-190-242  
Airflow 92,37 m<sup>3</sup> min/3262 CFM  
Voltage (V/Hz) 220-240/50


## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
390/15,3"	260/10,2"	190/7,5"	170/6,9"	60/2,35"	Ø130/5,1"	Ø810/31,8"	350/13,7"

## DIRECT CEILING MOUNTING/DIRECTO A TECHO



A	AI	B	C	D	E	F	G
250/9,8"	160/6,3"	190/7,5"	170/6,9"	60/2,35"	Ø130/5,1"	Ø810/31,8"	350/13,7"

SMALL


FAN

525





# JUSTFAN

— Conillas 



33424 NEW



33425 NEW



33426 NEW

# JUSTFAN NEW

**91**  
36 INCH

**DC**  
MOTOR

OPTIONAL  
**LED**  
DOWNLIGHT

**ALL**  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
<b>33424 NEW</b>	 matt black/ negro mate	 matt black/ negro mate
<b>33425 NEW</b>	 black/negro	 walnut/nogal
<b>33426 NEW</b>	 chrome/ cromo	 transparent/ transparente

## GENERAL FEATURES/INFO GENERAL


Body Metal  
Blades (3) ABS

## MOTOR FEATURES/INFO MOTOR


DC MOTOR  
W 2-3-4-5-6-7  
RPM 50-71-100-126-150-179  
Airflow 48.84 m<sup>3</sup> min/1724 CFM  
Voltage (V/Hz) 220-240/50-60

## OPTIONAL DOWNROD

Downrods (3) Included



## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
640/25.2"	630/24.8"	180/7.05"	ø160/6.3"	55/2.1"	ø130/5.1"	ø910/35.8"	555/21.8"

## OPTIONAL LED LIGHT SOURCE/FUENTE DE LUZ LED

**33390**



chrome/  
cromo

SMD **LED** 13W 3000K  
600 Lm CRI>80  
Driver ✓

**33391**




black/  
negro


Body Metal  
Diff Opal Glass

P.365  
L

P.487  
M



SMALL



33603




33604



33605

# MINI MALLORCA

107  
42 INCH









REMOTE  
CONTROL



INCLINING  
ROOF

## FINISHES/ACABADOS

Ref.	Body	Blades
33603	 white/blanco	 white+maple/ blanco+arce
33604	 matt nickel/ níquel mate	 grey+black/ gris+negro
33605	 dark brown/ marrón oscuro	 dark brown+ reddish cherry/ marrón oscuro+cerezo rojizo

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Reversible Blades (3) MDF Wood/Madera MDF

## MOTOR FEATURES/INFO MOTOR

W 10-21-41  
RPM 80-145-180  
Airflow 64,16 m<sup>3</sup> min/2265 CFM  
Voltage (V/Hz) 220-240/50


## OPT. DOWNROD/TIJAS OPC. P. 541

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
235/9,3"	200/7,9"	90/3,5"	ø220/8,6"	60/2,3"	ø130/5,1"	ø1070/42,1"	420/16,5"

P.467  
L





# OBOE

**105**  
41 INCH

**ALL**  
YEAR ROUND



REMOTE CONTROL



INCLINING ROOF

## FINISHES/ACABADOS

Ref.	Body	Blades
33610	 white/blanco	 white+maple/ blanco+arce


## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero  
Reversible Blades (3) MDF Wood/Madera MDF  
3 Speed Fan Control

## MOTOR FEATURES/INFO MOTOR

W 8-22-38  
RPM 85-140-180  
Airflow 64,16 m<sup>3</sup> min/3849,6 CFM  
Voltage (V/Hz) 220-240/50

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
360/14,17"	270/10,6"	220/8,63"	160/6,3"	60/2,35"	Ø130/5,1"	Ø1050/41,34"	420/16,5"



# FACTORY

**106**  
42 INCH

**ALL**  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
3361I	 aluminium aluminio	 grey+black gris+negro

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Reversible Blades (3) MDF Wood/Madera MDF  
3 Speed Fan Control

## MOTOR FEATURES/INFO MOTOR

W 20-29-42  
RPM 80-140-190  
Airflow 109 m<sup>3</sup> min/3849.6 CFM  
Voltage (V/Hz) 220-240/50

## OPT. DOWNROD/TIJAS OPC. P. 54I

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
300/11,8"	157/6,88"	160/6,29"	170/6,69"	60/2,35"	Ø130/5,1"	Ø1060/41,7"	420/16,5"

SMALL





# MINI INDUS

92  
36 INCH



## FINISHES/ACABADOS

Ref.	Body	Blades
330II	 white/blanco	 white/blanco


## GENERAL FEATURES/INFO GENERAL

Body Steel/Acero  
Blades (3) Steel/Acero

## MOTOR FEATURES/INFO MOTOR


W 10-13-17-22-43  
RPM 183-225-272-299-330  
Airflow 74,56 m<sup>3</sup> min/2633 CFM  
Voltage (V/Hz) 220-240/50

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
483/19"	440/17,3"	160/6,29"	Ø120/4,71"	120/4,71"	Ø145/5,7"	Ø920/36,2"	320/12,6"

P.477  
L



P.499  
M



\*How to install the wall control? Visit [faro.es](http://faro.es)/Visita [faro.es](http://faro.es) para la instalación del regulador de pared



# VEDRA

46  
18 INCH



WALL  
CONTROL




INCLINING  
ROOF

## FINISHES/ACABADOS

Ref.	Body	Blades
33450	 antique brass oro envejecido	 walnut/nogal

## GENERAL FEATURES/INFO GENERAL


Body Aluminium/Aluminio  
Blades (3) MDF Wood/Madera MDF  
Remote control [33929/33937]   
Adjustable  $\pm 90^\circ$



## MOTOR FEATURES/INFO MOTOR

W 19-22-34-37  
RPM 327-369-495-515  
Airflow 58,11 m<sup>3</sup> min/2052 CFM  
Voltage (V/Hz) 220-240/50

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
540/21.2"	450/17.7"	200/7.87"	100/3.93"	60/2.35"	Ø145/5.7"	Ø460/18.1"	200/17.9"

SMALL



33715




33720 NEW

# KEIKI

**43**  
17 INCH

**ALL**  
YEAR ROUND



## FINISHES/ACABADOS

Ref.	Body	Blades
33715	 brown/marrón	 brown/marrón
33720 NEW	 white/blanco	 white/blanco

## GENERAL FEATURES/INFO GENERAL


Body Steel/Acero  
Blades (3) Plywood/Madera Ply  
Ceiling & Wall  
Adjustable 45° 20°



## MOTOR FEATURES/INFO MOTOR

W 10-19-28  
RPM 380-640-890  
Airflow 36,6l m<sup>3</sup> min/ 1363 CFM  
Voltage (V/Hz) 220-240/50

## MEASUREMENTS/MEDIDAS



A	AI	B	C	D	E	F	G
505/19,9"	440/17,3"	-	-	55/2,1"	ø150/5,11"	ø430/16,9"	150/5,90"

SMALL

\*How to install the wall control? Visit [faro.es](http://faro.es)/Visita [faro.es](http://faro.es) para la instalación del regulador de pared