



NINE NEW

○ 72082 white/blanco

● 72083 dark grey/gris oscuro

LED SMD 6W 3000K 280lm CRI>80 Driver ✓

Body CNC Aluminium/Aluminio CNC
Diff Glass/Cristal

IP65 IK10 100-240V 50/60HZ



BRACKET

● 72272 dark grey/gris oscuro

LED SMD 6W 3000K 270lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44 220-240V 50/60HZ



KLAMP — Àlex&Manel Llusçà







● 74409 dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Glass/Cristal Opal

IP44



P.273 BOLLARDS



ALP

● 74450 dark grey/gris oscuro

LED COB 8W 3000K 480lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Polycarbonato Opal

IP54 100-240V 50/60HZ



AXEL NEW

○ 71272 white/blanco

● 71273 dark grey/gris oscuro

LED 6W 3000K 360lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK07 100-240V 50/60HZ




DAS

● 75518 dark grey/gris oscuro




LED COB 8W 3000K 480lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP54 100-240V 50/60HZ



P.271 BOLLARDS



P.271 BOLLARDS





BU-OH! — Estudi Ribaudí






● **71212** dark grey/gris oscuro

○ **71215** white/blanco

LED SMD 12W 3000K 310lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Polycarbonato Opal


IP65  100- 50/
240V 60HZ 



P.269
BOLLARD



P.277
POLE



GROW — Estudi Ribaudí



● **71205** dark grey/gris oscuro

LED SMD 9W 3000K 720lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Polycarbonato

IP65  100- 50/
240V 60HZ 



FUTURE — Estudi Ribaudí



○ **71516** white/blanco

● **71517** dark grey/gris oscuro

E27 MAX 15W LED ✕ [17437]

Body Polycarbonate/Polycarbonato
Diff Opal Polycarbonate/Polycarbonato Opal

SEA SIDE SUITABLE IP44  



ÁNCORA—Àlex&Manel Llusçà




● **74401** dark grey/gris oscuro



E27 MAX 15W LED ✕ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Polycarbonato Opal

IP44  



P.268
BOLLARD







STICKER — Lucid

● **75540** dark grey/gris oscuro


LED SMD 20W 3000K 1350lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP65 100- 50/
240V 60HZ



P.253 BOLLARD



CLAUSS



○ **70262** white/blanco

● **70263** dark grey/gris oscuro

LED SMD 7W 3000K 480lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado

IP54 IK08 220- 50/
240V 60HZ




QUART

● **70579** dark grey/gris oscuro

LED SMD 30W 3000K 1200lm CRI>80
Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Glass/Cristal Opal

IP54 220- 50/
240V 60HZ





DRAGMA NEW Àlex&Manel Llusçà

● **71362L** dark grey/gris oscuro

LED SMD 15W 3000K 300lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Glass/Cristal Translúcido

IP65 100- 50/
240V 60HZ




VIEW — Estudi Ribaudí



● 71519 dark grey/gris oscuro

E27 MAX 15W LED [17463]

Body Polycarbonate/Polycarbonato
Diff ABS




TAKUA NEW

● 71277 dark grey/gris oscuro

LED SMD 10W 3000K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal




OVAL NEW

● 71276 black/negro

LED COB 10W 3000K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal









TANE

● 72269 dark grey/gris oscuro

LED HIGH POWER 6W 3000K 315lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Translucent Glass/Cristal Translúcido






ADAY

- 70644 white/blanco
- 70645 dark grey/gris oscuro

LED SMD 6W 3000K 450lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP54 IK08 220-240V 50/60HZ




ADAY

- 70646 white/blanco
- 70647 dark grey/gris oscuro

LED SMD 12W 3000K 950lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP54 IK08 220-240V 50/60HZ




WEST

- 70899 dark grey/gris oscuro

E27 MAX I5W LED ✗ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Glass/Cristal Translúcido

IP54




KAULA

- 70405 matt nickel/níquel mate

LED SMD 9W 3000K 400lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal PMMA/PMMA Opal

SEA SIDE SUITABLE IP44 220-240V 50/60HZ




KAULA

- 70406 matt nickel/níquel mate

LED SMD 16W 3000K 650lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal PMMA/PMMA Opal

SEA SIDE SUITABLE IP44 220-240V 50/60HZ




WEST

- 70888 dark grey/gris oscuro

E27 MAX I5W LED ✗ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Glass/Cristal Translúcido

IP54






TOLUCA

- **71050** dark grey/gris oscuro
- **71051** white/blanco
- **71052** aluminium/aluminio
- **71053 NEW** rust brown/marrón oxido

LED SMD 16W 3000K 1000lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

IP65 IK08  220-240V 50/60HZ 






TACANA

- **71046 NEW** rust brown/marrón oxido
- **71047** white/blanco
- **71048** dark grey/gris oscuro
- **71049** aluminium/aluminio

LED SMD 27W 3000K 1700lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

IP65  100-240V 50/60HZ 







TACOS NEW

- **71062** dark grey/gris oscuro
- **71063** white/blanco
- **71064** aluminium/aluminio
- **71065** rust brown/marrón oxido

LED SMD 30W 3000K 2300lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

IP65  220-240V 50/60HZ 





LACE

● 70811 dark grey/gris oscuro

LED HIGH POWER 6W 4000K 315lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP54 ⚡ 100-240V 50/60HZ 110°



BRUC

● 70828 dark grey/gris oscuro

LED 2xSMD 7W 3000K 830lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP54 ⚡ 100-240V 50/60HZ



LING




● 70812 dark grey/gris oscuro

○ 70813 white/blanco

LED HIGH POWER 6W 4000K 315lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP54 ⚡ 100-240V 50/60HZ 110°



LACRE

● 70802 dark grey/gris oscuro

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP54 ⚡



LOG

● 70264 dark grey/gris oscuro

LED SMD 9W 3000K 600lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Polycarbonato Opal

IP54 ⚡ 220-240V 50/60HZ



BLIND

○ 70267 NEW white/blanco






● 70268 NEW brown/marrón

● 70634 dark grey/gris oscuro

LED 6W 3000K 2x90lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP54 ⚡ 110-240V 50/60HZ






OLAN

- 70269 NEW white/blanco
- 70270 NEW brown/marrón
- 70637 dark grey/gris oscuro

LED 6W 3000K 2x 100lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente




SUNSET

- 70686 white/blanco
- 70687 dark grey/gris oscuro

LED 2xSMD 3W 3000K 250lm CRI>80
Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal







COBO

- 70404 dark grey/gris oscuro

LED COB 12W 4000K 600lm CRI>80
Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal



STEPS Estudi Ribaudí

- 75502 white/blanco
- 75503 dark grey/gris oscuro

4 GU10 MAX 8W LED ⊗ [17317]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Tempered Glass/Cristal Templado



STEPS Estudi Ribaudí

- 75500 white/blanco
- 75501 dark grey/gris oscuro

2 GU10 MAX 8W LED ⊗ [17317]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Tempered Glass/Cristal Templado






PISTÓN

- 70808 grey/gris

2 GU10 MAX 8W LED ⊗ [17316]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente





KLAMP — Àlex&Manel Llusçà 

74408 ● dark grey/gris oscuro

2 GU10 MAX 8W LED ☒ [17317]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal



KLAMP — Àlex&Manel Llusçà 

● **74407** dark grey/gris oscuro

GU10 MAX 8W LED ☒ [17317]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal




PROA — Àlex&Manel Llusçà 



● **74400** dark grey/gris oscuro

GU10 MAX 8W LED ☒ [17325]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal



P.273
BOLLARDS



BRONX — Àlex&Manel Llusçà 


● **71194** brown/marrón

● **71195** white/blanco

● **71196** dark grey/gris oscuro

GU10 MAX 8W LED ☒ [17324]

Body Aluminium/Aluminio
Diff Glass/Cristal





KALA


○ 70582 white/blanco

● 70583 dark grey/gris oscuro

LED SMD 16W 2700K 1200lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP54 ⚡ 220- 50/ 240V 60HZ




TORE

● 70648 dark grey/gris oscuro

LED COB 30W 3000K 2000lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Glass/Cristal translúcido

IP54 ⚡ 100- 50/ 240V 60HZ



NAIROBI NEW

○ 70830 white/blanco


● 70831 dark grey/gris oscuro

● 70832 rust brown/marrón oxidado

LED SMD 6W 3000K 2x190lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP54 ⚡ 100- 50/ 240V 60HZ




SUMA

● 70749 dark grey/gris oscuro

2 E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Glass/Cristal Translúcido

IP44 ⚡



CANON




● 70566N dark grey/gris oscuro

○ 70567N white/blanco

LED HIGH POWER 4W 3000K 130lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Tempered Glass/Cristal Templado

IP44 ⚡ 100- 50/ 240V 60HZ





GUIZA NEW

● 71278 dark grey/gris oscuro

LED SMD 10W 3000K 400lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65 ⚡ IK06 100- 50/ 240V 60HZ





GINA

- **71363** dark grey/gris oscuro
- **71366** white/blanco
- **71367** black/negro

GU10 MAX 8W LED [17324]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal



TINIA

- **71353** dark grey/gris oscuro

E27 MAX 15W LED [17063]

Body Aluminium/Aluminio
Diff Polycarbonate/Polycarbonato




TAIMA





- **71388** dark grey/gris oscuro

LED SMD 6W 3000K 310lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



P.273
BOLLARD






ELE

- **74419** dark grey/gris oscuro

LED SMD 6W 3000K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Polycarbonato





KEENAN

● **70564** nickel/níquel

LED SMD 1W **6500K** 80lm CRI>80
Gear ⓧ [98101050 ELT 50W]
Magnetic Transformer ⓧ

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP67 IK08 ⓧ 12V ⓧ



KEENAN

● **70546** nickel/níquel

LED SMD 0,5W **6500K** 20lm CRI>80
Gear ⓧ [98101050 ELT 50W]
Magnetic Transformer ⓧ

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP67 IK08 ⓧ 12V ●



KEENAN

● **70547** nickel/níquel

LED SMD 0,8W **6500K** 40lm CRI>80
Gear ⓧ [98101050 ELT 50W]
Magnetic Transformer ⓧ

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP67 IK08 ⓧ 12V ●

ø70/2.8" 15/0.6"



ø70/2.8" 15/0.6"



ø70/2.8" 15/0.6"




PILL

○ **70824** white/blanco
● **70825** dark grey/gris oscuro
● **70826** rust brown/marrón oxido

LED CREE 4W **3000K** 110lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP54 ⓧ 100-240V 50/60HZ ⓧ



DRAK

● **72330** brass/latón

LED 6W **3000K** 220lm CRI>80 Driver ✓

Body brass/latón
Diff transparent PMMA/PMMA transparente

IP44 ⓧ 100-240V 50/60HZ IK08 ⓧ







BROW

○ **70408** white/blanco
● **70409** dark grey/gris oscuro

LED SMD 3W **3000K** 250lm CRI>80 Driver ✓

Body Polycarbonate/Policarbonato
Diff Opal PMMA/PMMA Opal

IP44 ⓧ 220-240V 50HZ ⓧ





GRANT


● **70655** dark grey/gris oscuro

LED SMD 1W 3000K 65lm CRI>80 Driver ✓

Body ABS
Diff Polycarbonate/Polycarbonato

SEA SIDE SUITABLE IP65 IK 10 100-240V 50/60HZ

120°




GRANT

● **70656** dark grey/gris oscuro

LED SMD 1W 3000K 65lm CRI>80 Driver ✓

Body ABS
Diff Polycarbonate/Polycarbonato

SEA SIDE SUITABLE IP65 100-240V 50/60HZ 120°




PATH

● **70508** dark grey/gris oscuro

LED SMD 9W 3000K 390lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Polycarbonato

IP44 100-240V 50/60HZ



WALL




MUST

● **70657** dark grey/gris oscuro

LED SMD 2W 3000K 80lm CRI>80 Driver ✓

Body ABS
Diff Polycarbonate/Polycarbonato

SEA SIDE SUITABLE IP65 IK 10 220-240V 50/60HZ




MUST

● **70658** dark grey/gris oscuro

LED SMD 3W 3000K 220lm CRI>80 Driver ✓

Body ABS
Diff Polycarbonate/Polycarbonato

SEA SIDE SUITABLE IP65 IK 10 220-240V 50/60HZ




MUST

● **70659** dark grey/gris oscuro

LED SMD 4W 3000K 240lm CRI>80 Driver ✓

Body ABS
Diff Polycarbonate/Polycarbonato

SEA SIDE SUITABLE IP65 IK 10 220-240V 50/60HZ



305 OUTDOOR




HALF — Nahtrang

- 71536 white/blanco
- 71537 dark grey/gris oscuro
- LED SMD 20W 3000K 1350lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Glass/Cristal Opal

IP65  100- 50/
240V 60HZ



TONE — Nahtrang

- 71538 white/blanco
- 71539 dark grey/gris oscuro
- LED SMD 20W 3000K 1200lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Glass/Cristal Opal

IP65  100- 50/
240V 60HZ



HIKARI NEW

- 71274 dark grey/gris oscuro
- LED SMD 10W 3000K 400lm CRI>80 Driver ✓
- Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP65  IK 10 100- 50/
240V 60HZ







KUBICK

- 70689 dark grey/gris oscuro
- 70715 grey/gris

E27 MAX 15W LED ✕ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PVC/PVC Opal

IP44 






MARE

● **70635** dark grey/gris oscuro

LED COB 3W 3000K 150lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP54 ⚡ 220- 50/
240V 60HZ




LUR

● **70827** dark grey/gris oscuro

LED SMD 12W 3000K 950lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54 ⚡ 100- 50/
240V 60HZ




POL

● **70829** dark grey/gris oscuro

LED SMD 8W 3000K 550lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54 ⚡ 100- 50/
240V 60HZ



NALA

● **70773** dark grey/gris oscuro

E27 MAX 15W LED ✗ [17426]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 ⚡




TAMASHI NEW

● **71303** dark grey/gris oscuro


E27 MAX 15W LED ✗ [17428]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 ⚡



P.266 BOLLARD





FRED

- **70663** black/negro
- **70664** white/blanco

LED SMD 7W 3000K 400lm Driver ✓

Body Polycarbonate/Polycarbonato
Diff Opal Polycarbonate/Polycarbonato Opal

IP65 IK10 100- 50/
240V 60HZ





TOM NEW

- **70665** white/blanco
- **70666** black/negro

LED SMD 7W 3000K 400lm CRI>80 Driver ✓

Body Polycarbonate/Polycarbonato
Diff Opal Polycarbonate/Polycarbonato Opal

IP65 IK10 100- 50/
240V 60HZ





SUN

- **70823** dark grey/gris oscuro

LED SMD 5W 3000K 275lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP54 100- 50/
240V 60HZ




FRED XL NEW

- **70667** black/negro
- **70668** white/blanco

LED SMD 11W 3000K 600lm CRI>80 Driver ✓

Body Polycarbonate/Polycarbonato
Diff Opal Polycarbonate/Polycarbonato Opal

IP65 IK10 100- 50/
240V 60HZ





TOM XL NEW

- **70682** black/negro
- **70683** white/blanco

LED SMD 11W 3000K 600lm CRI>80 Driver ✓

Body Polycarbonate/Polycarbonato
Diff Opal Polycarbonate/Polycarbonato Opal

IP65 IK10 100- 50/
240V 60HZ




BACO

- **70819** grey/gris

LED SMD 6W 4000K 620lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Polycarbonato Opal

IP54 100- 50/
240V 60HZ





MOL

● **70720** dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17463]

Body Die Cast Aluminium/Acero Inoxidable
Diff Opal Polycarbonate/Polycarbonato Opal



NATRON

● **70887** dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17437]

Body Die Cast Aluminium/Acero Inoxidable
Diff Transparent Glass/Cristal Transparente






TEJO

● **70573** dark grey/gris oscuro

E27 MAX 15W LED ⊗ [17463]

Body Die Cast Aluminium/Acero Inoxidable
Diff Polycarbonate/Polycarbonato



FEDON

● **70714** matt nickel/níquel mate

E27 MAX 15W LED ⊗ [17463]

Body Stainless Steel/Acero Inoxidable
Diff Opal PVC/PVC Opal



CELA

● **72280** matt nickel/níquel mate

E27 MAX 15W LED ⊗ [17463]

Body Stainless Steel/Acero Inoxidable
Diff Opal Polycarbonate/Polycarbonato Opal





CELA

● **72281** matt nickel/níquel mate

E27 MAX 15W LED ⊗ [17463]

Body Stainless Steel/Acero Inoxidable
Diff Opal Polycarbonate/Polycarbonato Opal





CERES — Àlex&Manel Llusçà



● **71607** black/negro

E27 MAX 15W LED ☒ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Polycarbonato



CERES — Àlex&Manel Llusçà



● **71608** black/negro

2 E27 MAX 15W LED ☒ [17437]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Polycarbonato






ARGOT

● **71424** rust brown/marrón óxido

E27 MAX 15W LED ☒ [17463]

Body Steel/Acero
Diff Bubble Glass/Cristal Burbuja



NEGUS

● **70696** grey/gris

E27 MAX 15W LED ☒ [17463]

Body Die Cast Aluminium/Acero Inoxidable
Diff Opal Polycarbonate/Polycarbonato Opal





BONN

● **70697** dark grey/gris oscuro

E27 MAX 15W LED ☒ [17463]

Body Die Cast Aluminium/Acero Inoxidable
Diff PVC



ASKOT

○ **72020** white/blanco

E27 MAX 15W LED ☒ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Glass/Cristal Translúcido





DERBY

- 72000 white/blanco
- 72001 black/negro

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Glass/Cristal Translúcido



ESTAY

- 72010 white/blanco
- 72011 black/negro

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Glass/Cristal Translúcido






CRIPTA

- 71002 white/blanco
- 71003 black/negro
- 71004 grey/gris

E27 MAX 15W LED [17463]

Body PVC
Diff Striped Glass/Cristal Rallado



DERBY

- 72002 white/blanco

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Glass/Cristal Translúcido





RONDO

- 71010B white/blanco
- 71011N black/negro

E27 MAX 15W LED [17463]

Body ABS
Diff Translucent Glass/Cristal Translúcido




ÓVALO

- 71000 white/blanco
- 71001 black/negro

E27 MAX 15W LED [17463]

Body PVC
Diff Striped Glass/Cristal Rallado







C E L I N G







TAMI

● **70799** dark grey/gris oscuro

LED COB 12W 3000K 960Lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP54  100- 50/
240V 60HZ  40°




GOZ

● **70575** dark grey/gris oscuro

LED COB 8W 3000K 500Lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal

IP54  100- 50/
240V 60HZ  40°



OLOT




○ **71372** white/blanco

● **71374** dark grey/gris oscuro

GU10 MAX 8W LED ✗ [17317]

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44 



DAKYU

○ **70719** white/blanco

E27 MAX 15W LED ✗ [17463]

Body ABS
Diff Opal Polycarbonate/Polycarbonato Opal

SEA SIDE SUITABLE IP66 IK10 



DAKRON

○ **70722** white/blanco

E27 MAX 15W LED ✗ [17463]

Body ABS
Diff Opal Polycarbonate/Polycarbonato Opal

SEA SIDE SUITABLE IP65 IK10 






YEN

● **70690** grey/gris

E27 MAX 15W LED ✗ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Polycarbonato Opal

IP54 





TASA

- **70806** dark grey/gris oscuro
- **70821** white/blanco

E27 MAX 15W LED [17403]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente





HELMET — Àlex&Manel Llusçà



- **71158** off white/blanco roto
- **71159** old brown/marrón envejec.

2 E27 MAX 15W LED [17437]

Body Metal
Diff Opal Glass/Cristal Opal



CEILING

POST




MAUREN

- **70993** brass/latón
- E27 MAX 15W LED** [17463]

Body Brass/Latón
Diff Striped Glass/Cristal Rallado



P.278
WALL






A photograph of a dining table with wicker chairs and a glowing conical pendant light. The word "SUSPENDED" is overlaid in large white letters. The scene is dimly lit, with the primary light source being the pendant lamp. The background features dark curtains and a wooden table. The text is centered and spans across the middle of the image.

SUSPENDED



HUE

— Nahträng 




OPAL PEMD

71568 grey+white/gris+blanco

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PEMD/PEMD Opal

IP44   1.2 MT



P.242
FLOOR



P.242
PORTABLE





MOON — Faro Team 


● **74427+74437** dark grey/gris oscuro

E27 MAX 15W LED [17437]


Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/ PMMA Opal


IP44   1.5 MT

P.262
BOLLARD



P.288
WALL



BLUB'S — Estudi Ribaudí 


● **74427+74430** dark grey/gris oscuro

E27 MAX 15W LED [17437]


Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/ PMMA Opal

IP44   1.5 MT

P.263-279
BOLLARDS



P.288
WALL



MISTU — Faro Team 


● **74427+74428** dark grey/gris oscuro

E27 MAX 15W LED [17437]


Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/ PMMA Opal

IP44   1.5 MT

P.263-278
BOLLARDS



P.288
WALL



MUFFIN — Àlex&Manel Llusçà 


● **74427+74429** dark grey/gris oscuro

E27 MAX 15W LED [17437]



Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal PMMA/ PMMA Opal

IP44   1.5 MT

P.263-278
BOLLARDS



P.288
WALL



WILMA


● **74996** dark grey/gris oscuro

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Poly./Pol. Translúcido

IP44   1.5 MT

P.289
WALL



WILMA


● **75002** dark grey/gris oscuro

E27 MAX 15W LED [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Translucent Poly./Pol. Translúcido

IP44   1.5 MT

P.264
BOLLARD



SUSPENDED

319 OUTDOOR




PLEC — Àlex&Manel Llusca 


● 66214 old brown/marrón envejecido

● 66215 off white/blanco roto

LED 2xSMD 15W 2700K 2400lm CRI>80
Driver ✓

Body Steel/Acero
Diff PVC

IP44  220- 50/
240V 60HZ



P.289
WALL




PLEC — Àlex&Manel Llusca 


● 66210 old brown/marrón envejecido

● 66211 off white/blanco roto

LED SMD 15W 2700K 2400lm CRI>80
Driver ✓

Body Steel/Acero
Diff PVC

IP44  220- 50/
240V 60HZ 1,5 MT




PLEC — Àlex&Manel Llusca 


● 66212 old brown/marrón envejecido

● 66213 off white/blanco roto

LED SMD 15W 2700K 2400lm CRI>80
Driver ✓

Body Steel/Acero
Diff PVC

IP44  220- 50/
240V 60HZ




HONEY NEW

● 73696 black/negro

E27 MAX 15W LED  [17463]

Body Aluminium/Aluminio
Diff Striped Glass/Cristal Rallado

IP44   0.7 MT



P.291
WALL






71139

NÁUTICA

- 71106 white+copper/blanco+cobre
- 71108 brown+copper/marrón+cobre
- 71138 rust brown/marrón óxido
- 71139 rust brown/marrón óxido

E27 MAX 15W LED [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja




NÁUTICA

- 71111 rust brown/marrón óxido

2 E27 MAX 15W LED [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja



P.281
POLE




NÁUTICA

- 71112 rust brown/marrón óxido

3 E27 MAX 15W LED [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja



P.290
WALL



SUSPENDED




NÁUTICA

- 71113 rust brown/marrón óxido

2 E27 MAX 15W LED [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja




NÁUTICA

- 71114 rust brown/marrón óxido

3 E27 MAX 15W LED [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja




71142

ESTORIL

- 71142 rust brown/marrón óxido

E27 MAX 15W LED [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja




71143

- 71143 rust brown/marrón óxido

E27 MAX 15W LED [17463]

Body Metal
Diff Bubble Glass/Cristal Burbuja



P.290
WALL



OUTDOOR



A glowing spherical outdoor lamp is the central focus, positioned on a dark metal spike. The lamp is illuminated from within, casting a warm, golden light. It is set against a backdrop of a garden with stone steps and lush greenery. The text 'PROJECTORS & SPIKES' is overlaid in large, white, sans-serif font across the center of the image.



**PROJECTORS
& SPIKES**



● **70038** black/negro

LED 14W 3000K 830lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65  100- 50/
240V 60HZ IK08 25° 


697/27.2"
500/19.68"
Ø77/3.03"



● **70036** black/negro

LED 14W 3000K 830lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65  100- 50/
240V 60HZ IK08 25°



500/19.6"
Ø77/3.03"



● **70037** black/negro

LED 14W 3000K 830lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65  100- 50/
240V 60HZ IK08 25° 


350/13.8"
200/8.6"
Ø77/3.03"



● **70035** black/negro

LED 14W 3000K 830lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65  100- 50/
240V 60HZ IK08 25°

200/8.6"
Ø77/3.03"



NEW **SLOT**
— Lucid 



FLOW — Alegre Design 

● **71546** black/negro


● **71547** beige/beige

GU10 MAX 8W LED [● 17324 ● 17330]


Body Polycarbonate/Polycarbonato
Diff PMMA

SEA SIDE SUITABLE

IP65   2.5 MT




SPIKE ACCESSORY




● **71548** black/negro

● **71549** beige/beige


Body Metal



WALL



SPIKE





TONI — Alegre Design 

● 71528 black/negro

GU 10 MAX 8W LED  [17330]

Body PMMA

Diff Polycarbonate/Policarbonato

SEA SIDE SUITABLE

IP65  2.5 MT  160°
180°



ALFA — Àlex&Manel Llusçà 

● 70025 dark grey/gris oscuro

● 70026 NEW dark grey/gris oscuro



LED COB 14W CRI>80 Driver 




3000K [70025] 900lm

4000K [70026] 1000lm NEW

Body Die Cast Aluminium/Aluminio Inyectado

Diff Transparent Glass/Cristal Transparente

IP65  100- 50/ 240V 60HZ  80° 160°
180°






PROJECT — Àlex&Manel Llusca

- 71382 grey/gris
- 71389 dark grey/gris oscuro

E27 PAR 38 MAX 15W LED [17400]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente




MINIPROJECT
— Àlex&Manel Llusca

- 71383 grey/gris
- 71390 dark grey/gris oscuro

GU10 MAX 8W LED [17317]


Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente



OKI NEW
● 70160 dark grey/gris oscuro

LED COB 2W 3000K 110lm CRI>80
Driver [98324015] [IP67:9811031]
Spike [70525]





Body Aluminium/Aluminio
Diff Glass/Cristal



OKO NEW
● 70161 dark grey/gris oscuro

LED COB 20W 3000K 1500lm CRI>80
Driver Spike [70525]

Body Aluminium/Aluminio
Diff Glass/Cristal






LIT

● **70260** dark grey/gris oscuro

GU10 MAX 8W LED [17317]

Body Aluminium/Aluminio
Diff Glass/Cristal




FOC

● **70156** dark grey/gris oscuro

LED COB 15W 3000K 800lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal







FOC

● **70157** dark grey/gris oscuro

LED COB 15W 3000K 800lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal




TORAN

● **70140** dark grey/gris oscuro

LED SMD 5W 4000K 345lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente



2 MT







SHOW **NEW**

● **71095** dark grey/gris oscuro

LED 12W 3000K 500lm CRI>80 Driver ✓

Spike [70525]

Body Aluminium/Aluminio
Diff Glass/Cristal



KEW

● **70407** grey/gris

LED 6W 4000K 420lm CRI>80 Driver [9811031]

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent PMMA/PMMA Transparente



Visit faroes.com to consult how to install it.
Visita faroes.com para consultar su instalación.




FLUX

● **70649** dark grey/gris oscuro

LED SMD 10W 3000K 450lm CRI>80 Driver ✓
Spike ⊗ [70525]

Body Aluminium/Aluminio
Diff Opal Polycarbonat/Policarbonato Opal

IP54 IK08 ⚡ 220-240V 50/60HZ 90° 160° 180° 2 MT




KARL

● **70261** dark grey/gris oscuro

LED SMD 12W 3000K 1100lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

IP65 ⚡ 220-240V 50/60HZ 110°





VIC

● **70581** dark grey/gris oscuro

LED SMD 52W 3000K 2400lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP65 IK07 ⚡ 100-240V 50/60HZ 25° 90° 180°




SOBEK

● **70151** black/negro

LED COB 7W 3000K 550lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente

IP65 ⚡ 100-240V 50/60HZ 50° 0.2 MT ✓




BALDER

● **70469** black/negro

LED SMD 3W 3000K 110lm CRI>80 Driver ✓


Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP67 ⚡ 100-240V 50/60HZ 50° 2 MT ✓










NEW PICCOLA

— Faro Team 



- 70245 black/negro
- 70246 white/blanco
- LED SMD 6W 2700K 360lm CRI>80
- Driver ✓
- Body Metal
- Diff Opal PMMA/PMMA Opal
- IP65  100-240V 50/60HZ IK10  1.5 MT 








SETH-60

● **70226** black/negro

LED SMD 6W 2700K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA

IP44 □ 220-240V 50/60HZ  40°  2 MT






SETH-28

● **70227** black/negro

LED SMD 6W 2700K 450lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA

IP44 □ 220-240V 50/60HZ  40°  2 MT









FOC

● **70158** dark grey/gris oscuro

LED COB 15W 3000K 800lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP65  220-240V 50/60HZ  36°  90°  180°  0.5 MT ✓






TONO

● **73150** black/negro

GU10 MAX 8W LED [17325]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent Glass/Cristal Transparente





GARTEN-4

● **73111** black/negro

E27 PAR 38 MAX 15W LED [17400]

Body Heat-Resistant ABS/
ABS Termoresistente





FOC

● **70159** dark grey/gris oscuro

LED COB 15W 3000K 800lm CRI>80 Driver



Body Die Cast Aluminium/Aluminio Inyectado
Diff Glass/Cristal



GARTEN-1

● **73100** black/negro

Body Heat-Resistant ABS/
ABS Termoresistente







RE
CES
SED



GALO

○ 70265 white/blanco

LED CREE 3W 3000K 200lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

IP54 IK05 100-240V 50/60HZ 73X73



GALO

○ 70266 white/blanco

LED CREE 3W 3000K 200lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

IP54 IK05 100-240V 50/60HZ 73X73



DANG




● 70446 black/negro

LED CREE 3W 3000K 200lm CRI>80 Driver [98324015]

Body Aluminium+316 Stainless Steel/
Aluminio+Acero Inox 316

SEA SIDE SUITABLE IP67 IK05 24VDC 40°

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.



NASE

○ 70395 white/blanco

● 70398 dark grey/gris oscuro

LED SMD 3W 3000K 100lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Polycarbonato

IP44 220-240V 50/60HZ 120°

92X87X80



NASE

○ 70396 white/blanco

● 70399 dark grey/gris oscuro

LED SMD 3W 3000K 100lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Polycarbonato

IP44 220-240V 50/60HZ 120°

132X90X80



UVE




● 70397 dark grey/gris oscuro

LED SMD 2W 3000K 70lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Polycarbonato

IP44 IK08 220-240V 50/60HZ 120°

Ø78





SPARK NEW

- 70162 dark grey/gris oscuro
- 70163 white/blanco

LED SMD 5W 3000K 190lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Polycarbonato

IP65 100-240V 50/60HZ



STRIPE NEW

- 72092 dark grey/gris oscuro
- 72093 white/blanco

LED SMD 5W 3000K 50lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Polycarbonato

IP54 IK07 100-240V 50/60HZ






LISO

- 71490 white/blanco
- 71491 black/negro

E27 MAX 15W LED ✗ [17463]

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Polycarbonato

IP44 71482 230X89



SPARK NEW

- 70164 dark grey/gris oscuro
- 70165 white/blanco

LED SMD 5W 3000K 60lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Polycarbonato

IP65 100-240V 50/60HZ



STRIPE NEW

- 72094 white/blanco
- 72095 dark grey/gris oscuro

LED SMD 5W 3000K 70lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Polycarbonate/Polycarbonato

IP54 IK07 100-240V 50/60HZ






ESCA

- 71480 white/blanco
- 71481 black/negro

E27 MAX 15W LED ✗ [17463]

Body Metal/Metal
Diff Polycarbonate/Polycarbonato

IP44 71482 230X89





SOUN


● **70900** dark grey/gris oscuro

LED SMD 6W 3000K 472lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Tempered Glass/Cristal Templado

IP65 IK08 100-240V 50/60HZ 120°

183X225X70



SOUN NEW

● **70833** dark grey/gris oscuro

● **70834** white/blanco

LED SMD 5W 3000K 290lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65 IK08 100-240V 50/60HZ 120°

220X950655



FILTER


● **70450** dark grey/gris oscuro

LED 2W 2700K 75lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Tempered Glass/Cristal Templado

IP65 IK10 100-240V 50/60HZ 120°

98X160X85



STORE


● **70451** dark grey/gris oscuro

LED SMD 2W 2700K 90lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Tempered Glass/Cristal Templado

IP65 IK10 100-240V 50/60HZ 120°

98X160X85



MINI CARTER



● **70402** dark grey/gris oscuro

LED SMD 1W 4000K 30lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent PVC/PVC Transparente

IP44 IK08 220-240V 50/60HZ 45°

Ø76



MINI RACING


● **70403** dark grey/gris oscuro


LED SMD 1W 4000K 30lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Transparent PVC/PVC Transparente

IP44 IK08 220-240V 50/60HZ 45°

Ø76





SEDNA


● **70146** dark grey/gris oscuro

LED SMD 1W 3000K 22lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65 IK08 100-240V 50/60HZ

80X75



SEDNA


● **70147** dark grey/gris oscuro

LED SMD 3W 3000K 93lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65 IK08 100-240V 50/60HZ

125X58



SEDNA


● **70148** dark grey/gris oscuro

LED SMD 3W 3000K 122lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Glass/Cristal

IP65 IK08 100-240V 50HZ

128X112



RECESSED



NAT

● **70638** dark grey/gris oscuro



○ **70271 NEW** white/blanco

LED SMD 8W 3000K 330lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado

IP65 IK08 100-240V 50/60HZ

215X65X70



HORUS



● **70155** grey/gris

LED SMD 4W 3000K 55lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Polycarbonate/Polycarbonato

IP65 100-240V 50/60HZ

62X98



HORUS


● **70154** grey/gris

LED SMD 4W 3000K 50lm CRI>80 Driver ✓

Body Die Cast Aluminium/Aluminio Inyectado
Diff Trans. Polycarbonate/Polycarbonato Trans.

IP65 IK08 100-240V 50/60Hz

62X98



339 OUTDOOR




GRUND


● **70726** matt nickel/níquel mate

LED COB 2W **3000K** 152lm CRI>90
Driver ☒ [98310206E]

Body Aluminium+Stainless Steel 316/
Aluminio+Acero Inoxidable 316



Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.




GRUND


● **70728** matt nickel/níquel mate

LED COB 7W **3000K** 420lm CRI>90
Driver ☒ [98310110]

Body Aluminium+Stainless Steel 316/
Aluminio+Acero Inoxidable 316



Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.




GRUND


● **70729** matt nickel/níquel mate

LED COB 13W **3000K** 846lm CRI>90
Driver ☒ [98310125]

Body Aluminium+Stainless Steel 316/
Aluminio+Acero Inoxidable 316



Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.




KANE


● **70660** matt nickel/níquel mate

LED 3W **3000K** 120lm CRI>80
Driver ☒ [98324015]

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal



Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.



KANE


● **70661** matt nickel/níquel mate

LED 3W **3000K** 120lm CRI>80
Driver ☒ [98324015]

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal



Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.



KANE


● **70662** matt nickel/níquel mate

LED 3W **3000K** 120lm CRI>80
Driver ☒ [98324015]

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal



Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.





FRUM


● **70445** black/negro

LED CREE 6W 3000K 200lm CRI>80
Driver [98324015]

Body Aluminium+316 Stainless Steel/
Aluminio+Acero Inox 316

SEA SIDE SUITABLE IP67 IK05 24 VDC 24°

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.



CROSBY


● **70458N** matt nickel/níquel mate

LED HIGH POWER 2W 6000K 85lm CRI>80
Driver

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE IP67 IK08 120-240V 50/60HZ

120°



CROSBY


● **70459N** matt nickel/níquel mate

LED HIGH POWER 2W 3000K 77lm CRI>80
Driver

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60HZ

120°



CURTIS


● **70462N** matt nickel/níquel mate

LED HIGH POWER 2W 3000K 77lm CRI>80
Driver

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60HZ

45°



RECESSED

341 OUTDOOR




FROL

● **70135** matt nickel/níquel mate

LED SMD 0,8W 3000K 55lm CRI>80 Driver ✓

Body 304 Stainless Steel/Acero Inox 304
Diff Polycarbonate/Policarbonato

IP65 220- 50/
240V 60HZ 92X92X50




GRON

● **70134** matt nickel/níquel mate

LED SMD 1W 3000K 70lm CRI>80 Driver ✓

Body 304 Stainless Steel/Acero Inox 304
Diff Polycarbonate/Policarbonato

IP65 220- 50/
240V 60HZ 105X66X50




LED -18

● **71498N** matt nickel/níquel mate

LED HIGH POWER 3W 3000K 40lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE **IP67** IK08 100- 50/
240V 60HZ 1000KG.
2204LB.




LED -18

● **71499N** matt nickel/níquel mate

LED HIGH POWER 3W 3000K 30lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE **IP67** IK08 220- 50/
240V 60HZ 1000KG.
2204LB.




LED -18

● **71497N** matt nickel/níquel mate

LED HIGH POWER 3W 6000K 40lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE **IP67** IK08 220- 50/
240V 60HZ 1000KG.
2204LB.




LED -18

● **71496N** matt nickel/níquel mate

LED HIGH POWER 3W 6000K 50lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE **IP67** IK08 100- 50/
240V 60HZ 1000KG.
2204LB.





GEISER NEW

- 70302 matt nickel/níquel mate
- 70303 matt nickel/níquel mate



LED COB 7W 3000K 400lm Driver ✓
10° [70302] 38° [70303]

Cover 316 Stainless Steel/Acero Inox 316
Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

SEA SIDE SUITABLE **ORIENTABLE** **IP67**

100- 50/ 1K08 10° 38°
240V 60HZ

2000KG. 4409LB.



GEISER NEW

- 70305 matt nickel/níquel mate


LED COB 7W 3000K 400lm Driver ✓

Cover 316 Stainless Steel/Acero Inox 316
Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

SEA SIDE SUITABLE **ORIENTABLE**

IP67 100- 50/ 1K08 38°
240V 60HZ

2000KG. 4409LB.



GEISER NEW

- 70304 matt nickel/níquel mate

GU10 MAX 8W [17324]

Cover 316 Stainless Steel/Acero Inox 316
Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

SEA SIDE SUITABLE **ORIENTABLE**

IP67 100- 50/ 1K08
240V 60HZ

2000KG. 4409LB.



GEISER NEW

- 70306 matt nickel/níquel mate
- 70307 matt nickel/níquel mate



LED COB 32W 3000K 2300lm Driver ✓
10° [70306] 38° [70307]

Cover 316 Stainless Steel/Acero Inox 316
Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

SEA SIDE SUITABLE **ORIENTABLE** **IP67**

100- 50/ 1K08 10° 38°
240V 60HZ

2000KG. 4409LB.





SURIA-3

● **70592N** matt nickel/níquel mate

LED COB 3W 3000K 175lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60HZ

1000KG. 2204LB. 60°



SURIA-I2

● **70589** matt nickel/níquel mate

LED COB 12W 3000K 870lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60HZ

1000KG. 2204LB. 24°



SURIA-I2




● **70593N** matt nickel/níquel mate

LED COB 12W 3000K 970lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60HZ

1000KG. 2204LB. 60°



SURIA-3


● **70588** matt nickel/níquel mate

LED COB 3W 3000K 190lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60HZ

1000KG. 2204LB. 24°





SURIA-24


70586 matt nickel/níquel mate

LED COB 24W 3000K | 290lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60HZ

1000KG. 2204LB. 24°



SURIA-24


70587 matt nickel/níquel mate

LED COB 24W 3000K | 270lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60HZ

1000KG. 2204LB. 60°



SALT ASIMETRIC



70591 matt nickel/níquel mate

LED COB 9W 3000K 500lm CRI90 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60HZ

2000KG. 4409LB. 45°



TARO


70449 matt nickel/níquel mate

LED COB 7W 3000K 280lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE IP67 IK08 100-240V 50/60HZ

600KG. 1322LB. 30°





EDEL

● **70455** matt nickel/níquel mate

LED HIGH POWER 18W 4000K 900lm CRI>80
Driver ⓧ [46067]


Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE **IP68** IK08 24 VDC 50/60HZ

1000KG. 2204LB. **25°** Ø156

Very important: to be used only underwater
Importante: uso exclusivo sólo bajo el agua

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.



EDEL RGB

● **70456** matt nickel/níquel mate

LED HIGH POWER 18W CRI>80
Driver ⓧ [46067]


Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE **IP68** IK08 24 VDC 50/60HZ

1000KG. 2204LB. **25°** Ø156

Very important: to be used only underwater
Importante: uso exclusivo sólo bajo el agua

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.



RGB ACCESSORIES

46067 24V 20W

70472 LED RGB MASTER 24V 72W

70474 Control remoto IR RGB

70475 Receptor IR RGB

70476 LED RGB SLAVE 24V 72W



TECNO-I


● **71483** matt nickel/níquel mate

E27 MAX 15W LED ⓧ [17463]

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE **IP67** IK08

2000KG. 4409LB.



TECNO-6


● **71489N** matt nickel/níquel mate

GU10 MAX 8W LED ⓧ [17324]

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE **IP67** IK08

2000KG. 4409LB.



LIO


● **71495** matt nickel/níquel mate

GX53 6W 3000K 330lm [17340]

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal


SEA SIDE SUITABLE **IP67** IK10

2000KG. 4409LB.





RECESSED



GRAVA


● **70447** matt nickel/níquel mate

LED 22W 3000K 900lm CRI>80
Transformer [98324076]

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE IP67 IK07 III 24 VDC

1000KG. 2204LB. 30° 528X70X80



GRAVA


● **70448** matt nickel/níquel mate

LED 42W 3000K 2000lm CRI>80
Transformer [98324076]

Body 316 Stainless Steel/Acero Inox 316
Diff Glass/Cristal

SEA SIDE SUITABLE IP67 IK07 III 24 VDC

1000KG. 2204LB. 22° 1008X70X80



OUTDOOR