



MADE IN
ITALY



TOP SELECTION GARDEN 2019 - MODERN RANGE



**NEW
PRODUCTS**



LIVIA 160
for details see pag.6




ALDO
for details see pag.4




CARLO DECO
for details see pag.16



NEW PRODUCTS



UP&DOWN



FLOODLIGHT



IN-GROUND



BRICKLIGHT



BULKHEAD



BOLLARD & POLE



ALDO

IN-GROUND / RECESSED

MADE IN ITALY



111.000.Z1L

SUITABLE FOR

IN GROUND INSTALLATION



WALL RECESSED INSTALLATION



ALDO LED VERSIONS					ENERGY CLASS A++ A+ A B C D E	AVAILABLE COLORS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOR TEMPERATURE		COVER (MOULDED COLOURS)			DIFFUSER	
	1,7W	170Lm	100-240V 50/60 Hz	4000K 3000K	A+					

ALDO

IN GROUND

1,7W 4000K 110.000.Z1L
3000K 110.000.Z1R

NEW
available from January 2020

Master box: **50pcs**

RECESSED

ALDO 1L

IN GROUND

1,7W 4000K 111.000.Z1L
3000K 111.000.Z1R

NEW
available from January 2020

Master box: **50pcs**

RECESSED

ALDO 2L

IN GROUND

1,7W 4000K 112.000.Z1L
3000K 112.000.Z1R

NEW
available from January 2020

Master box: **50pcs**

RECESSED

ALDO SQUARE

IN GROUND

1,7W 4000K 114.000.Z1L
3000K 114.000.Z1R

NEW
available from January 2020

Master box: **50pcs**







RECESSED



LIVIA 160


DOWNLIGHT



3A9.000.G1L

LIVIA 160 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3W	350Lm	100-240V 50/60 Hz	4000K	=  40W INCANDESCENT
				3000K	
	7W	800Lm	100-240V 50/60 Hz	4000K	=  75W INCANDESCENT
				3000K	
	10W	1200Lm	100-240V 50/60 Hz	4000K	=  100W INCANDESCENT
				3000K	






NEW

LIVIA 160

LED	4000K	3A9.000.G1L
3W	4000K	3A9.000.G1L
	3000K	3A9.000.G1R
7W	4000K	3A9.000.C1L
	3000K	3A9.000.C1R
10W	4000K	3A9.000.D1L
	3000K	3A9.000.D1R



*Master box: **18pcs***





FRANCA 90


UP&DOWN



3A7.000



FRANCA 90 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3,5W	400Lm	100-240V 50/60 Hz	4000K 3000K	=  50W HALOGEN
2x 	2x 3,5W 7W	800Lm	100-240V 50/60 Hz	4000K 3000K	=  2x 50W HALOGEN



FRANCA 90

LED GU10 LAMP INCLUDED	3,5W	4000K	3A7.000.U1L
		3000K	3A7.000.U1R



NEW

Master box: **30pcs**

FRANCA 90 SPIKE

LED GU10 LAMP INCLUDED	3,5W	4000K	3A7.001.U1L
		3000K	3A7.001.U1R



NEW

Master box: **30pcs**

FRANCA 90-1L WALL

LED GU10 LAMP INCLUDED	3,5W	4000K	3A7.002.U1L
		3000K	3A7.002.U1R




NEW

Master box: **30pcs**

FRANCA 90-2L WALL

LED GU10 LAMP INCLUDED	3,5W	4000K	3A7.003.U2L
		3000K	3A7.003.U2R



NEW

Master box: **20pcs**

NINA RANGE




RECESSED








MADE IN ITALY




6C1.000.J1L


NINA LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
 R7s LED	4W	400Lm	100-240V 50/60 Hz	4000K 3000K
 R7s LED	8,5W	900Lm	100-240V 50/60 Hz	4000K 3000K
 R7s LED	11W	1200Lm	100-240V 50/60 Hz	4000K 3000K



AVAILABLE COLORS		
RESIN BODY (MOULDED COLOURS)		DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)
		
		OPAL (Y)
		

NINA 150


	LED R7s LAMP INCLUDED	4W	4000K	6C1.000.J1L
			3000K	6C1.000.J1R




NEW **400 Lm**

Master box: **50pcs**

NINA 190

	LED R7s LAMP INCLUDED	8,5W	4000K	7C1.000.K1L
			3000K	7C1.000.K1R



NEW **900 Lm**

Master box: **50pcs**

NINA 270

	LED R7s LAMP INCLUDED	11W	4000K	8C1.000.P1L
			3000K	8C1.000.P1R



NEW **1200 Lm**

Master box: **30pcs**

ABRAM RANGE




UP&DOWN



MADE IN ITALY



AB1.000.11R

ABRAM LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
 R7s LED	4W	400Lm	100-240V 50/60 Hz	4000K 3000K
 R7s LED	8,5W	900Lm	100-240V 50/60 Hz	4000K 3000K
 R7s LED	11W	1200Lm	100-240V 50/60 Hz	4000K 3000K




AVAILABLE COLORS		
RESIN BODY (MOULDED COLOURS)		DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)
		
		CLEAR (X) 

ABRAM 150



LED R7s LAMP INCLUDED	4W	4000K	AB1.000.J1L
		3000K	AB1.000.J1R




Master box: **30pcs**

ABRAM 190



LED R7s LAMP INCLUDED	8,5W	4000K	AB2.000.K1L
		3000K	AB2.000.K1R




Master box: **30pcs**

ABRAM 270



LED R7s LAMP INCLUDED	11W	4000K	AB3.000.P1L
		3000K	AB3.000.P1R



Master box: **14pcs**

LORENZA RANGE

SURFACE



MADE IN ITALY



AS1.000.J11

LORENZA LED VERSIONS

LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
R7s LED	4W	400Lm	100-240V 50/60 Hz	4000K 3000K
R7s LED	8,5W	900Lm	100-240V 50/60 Hz	4000K 3000K
R7s LED	11W	1200Lm	100-240V 50/60 Hz	4000K 3000K

ENERGY CLASSIFICATION


ENERGIA - ενεργεια

A+ A A- B C D E

A+

AVAILABLE COLORS

RESIN BODY
(MOULDED COLOURS)



DIFFUSER




LORENZA 150



LED R7s LAMP INCLUDED

4W 4000K AS1.000.J1L
3000K AS1.000.J1R




Master box: 24pcs

LORENZA 190



LED R7s LAMP INCLUDED

8,5W 4000K AS2.000.K1L
3000K AS2.000.K1R




Master box: 24pcs

LORENZA 270



LED R7s LAMP INCLUDED

11W 4000K AS3.000.P1L
3000K AS3.000.P1R



Master box: 14pcs

CARLO / CARLO DECO

BOLLARD RANGE



MADE IN ITALY



DR1.575




DR3.570



DR3.574

CARLO LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3,5W	400Lm	100-240V 50/60 Hz	4000K	= 50W HALOGEN
				3000K	



AVAILABLE COLORS			
RESIN BODY <small>(MOULDED COLOURS)</small>			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	CLEAR (X)

CARLO 800 **CARLO 800 DECO**



LED
GU10 LAMP
INCLUDED

	4000K	DR1.575.U1L
	3,5W	DR1.575.U1R
	3000K	DR3.575.U1L
	4000K	DR3.575.U1R
3,5W	3000K	

Master box: **6pcs**



LED
GU10 LAMP
INCLUDED

NEW

CARLO 400 **CARLO 400 DECO**



LED
GU10 LAMP
INCLUDED

	4000K	DR1.574.U1L
	3,5W	DR1.574.U1R
	3000K	DR3.574.U1L
	4000K	DR3.574.U1R
3,5W	3000K	


Master box: **12pcs**



LED
GU10 LAMP
INCLUDED

NEW

CARLO LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3,5W	400Lm	100-240V 50/60 Hz	4000K	= 50W HALOGEN
				3000K	



CARLO 250

LED
GU10 LAMP INCLUDED

3,5W	4000K	DR1.573.U1L
	3000K	DR1.573.U1R
3,5W	4000K	DR3.573.U1L
	3000K	DR3.573.U1R

Master box: **20pcs**

CARLO 250 DECO

LED
GU10 LAMP INCLUDED

Master box: **20pcs**

CARLO SPIKE

LED
GU10 LAMP INCLUDED

3,5W	4000K	DR1.572.U1L
	3000K	DR1.572.U1R
3,5W	4000K	DR3.572.U1L
	3000K	DR3.572.U1R

Master box: **20pcs**

CARLO SPIKE DECO

LED
GU10 LAMP INCLUDED

Master box: **20pcs**

CARLO LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3,5W	400Lm	100-240V 50/60 Hz	4000K	= 50W HALOGEN
				3000K	





AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	CLEAR (X)

CARLO WALL **CARLO WALL DECO**



3,5W	4000K	DR1.570.U1L	LED GU10 LAMP INCLUDED
	3000K	DR1.570.U1R	
3,5W	4000K	DR3.570.U1L	LED GU10 LAMP INCLUDED
	3000K	DR3.570.U1R	



Master box: **20pcs**




Master box: **20pcs**



CARLO-FS **CARLO-FS DECO**



3,5W	4000K	DR1.571.U1L	LED GU10 LAMP INCLUDED
	3000K	DR1.571.U1R	
3,5W	4000K	DR3.571.U1L	LED GU10 LAMP INCLUDED
	3000K	DR3.571.U1R	



Master box: **20pcs**

Master box: **20pcs**








AMELIA

BOLLARD RANGE




DR2.575

AMELIA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
 FILAMENT LED E27	6W	800Lm	100-240V 50/60 Hz	4000K 2700K	 60W INCANDESCENT
	8W	1000Lm	100-240V 50/60 Hz	4000K 2700K	 75W INCANDESCENT
 FILAMENT LED E27 (A20)	12W	1500Lm	100-240V 50/60 Hz	4000K 2700K	 100W INCANDESCENT

ENERGY CLASSIFICATION

сeнepия - eнepгия




A+

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)

DIFFUSER



BLACK (A) GREY (L) WHITE (W) OPAL (Y)



AMELIA 800

LED FILAMENT LAMP INCLUDED

6W	4000K 2700K	DR2.575.F1L DR2.575.F1R
8W	4000K 2700K	DR2.575.M1L DR2.575.M1R
12W	4000K 2700K	DR2.575.N1L DR2.575.N1R



Master box: **6pcs**

NEW

AMELIA 400

LED FILAMENT LAMP INCLUDED

6W	4000K 2700K	DR2.574.F1L DR2.574.F1R
8W	4000K 2700K	DR2.574.M1L DR2.574.M1R
12W	4000K 2700K	DR2.574.N1L DR2.574.N1R

Master box: **12pcs**

NEW

AMELIA 250

LED FILAMENT LAMP INCLUDED

6W	4000K 2700K	DR2.573.F1L DR2.573.F1R
8W	4000K 2700K	DR2.573.M1L DR2.573.M1R
12W	4000K 2700K	DR2.573.N1L DR2.573.N1R






Master box: **20pcs**

NEW

AMELIA SPIKE

LED FILAMENT LAMP INCLUDED

6W	4000K 2700K	DR2.572.F1L DR2.572.F1R
8W	4000K 2700K	DR2.572.M1L DR2.572.M1R
12W	4000K 2700K	DR2.572.N1L DR2.572.N1R

Master box: **20pcs**

NEW

AMELIA






WALL LAMP RANGE




MADE IN ITALY



DR2.570

AMELIA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
 FILAMENT LED L27	6W	800Lm	100-240V 50/60 Hz	4000K 2700K	 60W INCANDESCENT
	8W	1000Lm	100-240V 50/60 Hz	4000K 2700K	 75W INCANDESCENT
 FILAMENT LED L2701	12W	1500Lm	100-240V 50/60 Hz	4000K 2700K	 100W INCANDESCENT




AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
 BLACK (A)	 GREY (L)	 WHITE (W)	 OPAL (Y)



LED
FILAMENT
LAMP
INCLUDED

POWER	COLOUR TEMPERATURE	MODEL
6W	4000K 2700K	DR2.570.F1L DR2.570.F1R
8W	4000K 2700K	DR2.570.M1L DR2.570.M1R
12W	4000K 2700K	DR2.570.N1L DR2.570.N1R




Master box: **20pcs**



LED
FILAMENT
LAMP
INCLUDED

POWER	COLOUR TEMPERATURE	MODEL
6W	4000K 2700K	DR2.571.F1L DR2.571.F1R
8W	4000K 2700K	DR2.571.M1L DR2.571.M1R
12W	4000K 2700K	DR2.571.N1L DR2.571.N1R



Master box: **20pcs**

ESTER

BOLLARD RANGE



DS1.564



ESTER LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3W	350Lm	100-240V 50/60 Hz	4000K 3000K	40W INCANDESCENT
	7W	800Lm	100-240V 50/60 Hz	4000K 3000K	75W INCANDESCENT
	10W	1200Lm	100-240V 50/60 Hz	4000K 3000K	100W INCANDESCENT

ENERGY CLASS
A++ A+ A B C D E

A+

AVAILABLE COLORS

RESIN BODY + STEPPED REFLECTOR
(MOULDED COLOURS)

BLACK (A) GREY (L) WHITE (W) CLEAR (X)

ESTER 800

LED
GX53 LAMP INCLUDED

3W	4000K 3000K	DS1.564.G1L DS1.564.G1R
7W	4000K 3000K	DS1.564.C1L DS1.564.C1R
10W	4000K 3000K	DS1.564.D1L DS1.564.D1R

126
800
175

Master box: **6pcs**

NEW

ESTER 500

LED
GX53 LAMP INCLUDED

3W	4000K 3000K	DS1.563.G1L DS1.563.G1R
7W	4000K 3000K	DS1.563.C1L DS1.563.C1R
10W	4000K 3000K	DS1.563.D1L DS1.563.D1R

126
480
175

Master box: **12pcs**

NEW

ESTER WALL

LED
GX53 LAMP INCLUDED

3W	4000K 3000K	DS1.560.G1L DS1.560.G1R
7W	4000K 3000K	DS1.560.C1L DS1.560.C1R
10W	4000K 3000K	DS1.560.D1L DS1.560.D1R

126
165
165

Master box: **18pcs**

NEW

ESTER SPIKE

LED
GX53 LAMP INCLUDED

3W	4000K 3000K	DS1.561.G1L DS1.561.G1R
7W	4000K 3000K	DS1.561.C1L DS1.561.C1R
10W	4000K 3000K	DS1.561.D1L DS1.561.D1R

126
165
175

Master box: **18pcs**

NEW

ELISA

BOLLARD RANGE



MADE IN ITALY



DS2.564

ELISA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3W	350Lm	100-240V 50/60 Hz	4000K 3000K	40W INCANDESCENT
	7W	800Lm	100-240V 50/60 Hz	4000K 3000K	75W INCANDESCENT
	10W	1200Lm	100-240V 50/60 Hz	4000K 3000K	100W INCANDESCENT

ENERGY CLASS
A+ A A B C D E

сэнергоэффективна

A+

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)


BLACK (A) GREY (L) WHITE (W)

DIFFUSER

CLEAR (X)


WITH WHITE RESIN REFLECTOR

ELISA 800



LED GX53 LAMP INCLUDED

3W	4000K 3000K	DS2.564.G1L DS2.564.G1R
7W	4000K 3000K	DS2.564.C1L DS2.564.C1R
10W	4000K 3000K	DS2.564.D1L DS2.564.D1R



NEW

Master box: **6pcs**

ELISA 500



LED GX53 LAMP INCLUDED

3W	4000K 3000K	DS2.563.G1L DS2.563.G1R
7W	4000K 3000K	DS2.563.C1L DS2.563.C1R
10W	4000K 3000K	DS2.563.D1L DS2.563.D1R



NEW

Master box: **12pcs**

ELISA WALL



LED GX53 LAMP INCLUDED


3W	4000K 3000K	DS2.560.G1L DS2.560.G1R
7W	4000K 3000K	DS2.560.C1L DS2.560.C1R
10W	4000K 3000K	DS2.560.D1L DS2.560.D1R



NEW


Master box: **18pcs**

ELISA SPIKE



LED GX53 LAMP INCLUDED

3W	4000K 3000K	DS2.561.G1L DS2.561.G1R
7W	4000K 3000K	DS2.561.C1L DS2.561.C1R
10W	4000K 3000K	DS2.561.D1L DS2.561.D1R



NEW

Master box: **18pcs**

MARTA 90





UP&DOWN




MADE IN ITALY



2A4.000

MARTA 90 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3,5W	400Lm	100-240V 50/60 Hz	4000K 3000K	=  50W HALOGEN
2x 	2x 3,5W 7W	800Lm	100-240V 50/60 Hz	4000K 3000K	=  2x 50W HALOGEN



MARTA90 1L



LED
GU10
LAMP
INCLUDED

3,5W 4000K 1A4.000.U1L
3000K 1A4.000.U1R

Master box: 36pcs

MARTA90 2L



LED
GU10
LAMP
INCLUDED

2x3,5W 4000K 2A4.000.U2L
7W 3000K 2A4.000.U2R

Master box: 36pcs

MARTA 160









UP&DOWN











MADE IN ITALY



1A6.000

MARTA160 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOR TEMPERATURE	
MARTA160 1L 	3W	350Lm	100-240V 50/60 Hz	4000K 3000K	≡  40W INCANDESCENT
	7W	800Lm	100-240V 50/60 Hz	4000K 3000K	≡  75W INCANDESCENT
	10W	1200Lm	100-240V 50/60 Hz	4000K 3000K	≡  100W INCANDESCENT
MARTA160 2L 	2x3W 6W	700Lm	100-240V 50/60 Hz	4000K 3000K	≡  2x40W INCANDESCENT
	2x7W 14W	1600Lm	100-240V 50/60 Hz	4000K 3000K	≡  2x75W INCANDESCENT
	2x10W 20W	2400Lm	100-240V 50/60 Hz	4000K 3000K	≡  2x100W INCANDESCENT




AVAILABLE COLORS	
RESIN BODY (MOULDED COLOURS)	DIFFUSER
 BLACK (A)  GREY (L)  WHITE (W)	 FROSTED (X)  BLUE (U)  GREEN (N)  ORANGE (R)

MARTA160 1L




E27	1A6.000.E27
3W 4000K 3000K	1A6.000.G1L 1A6.000.G1R
7W 4000K 3000K	1A6.000.C1L 1A6.000.C1R
10W 4000K 3000K	1A6.000.D1L 1A6.000.D1R

LED
GX53
LAMP
INCLUDED




Master box: **18pcs**

MARTA160 2L



2x3W 6W	4000K 3000K	2A6.000.G2L 2A6.000.G2R
2x7W 14W	4000K 3000K	2A6.000.C2L 2A6.000.C2R
2x10W 20W	4000K 3000K	2A6.000.D2L 2A6.000.D2R

LED
GX53
LAMP
INCLUDED



Master box: **18pcs**

FRANCY
UP&DOWN

fumagalli
since 1973

MADE IN
ITALY



1A1.000.F1R

FRANCY LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
 FILAMENT LED E27	6W	800Lm	100-240V 50/60 Hz	4000K NEW = 60W INCANDESCENT
			2700K	
 2x3W G25 LED	2x3W 6W	700Lm	100-240V 50/60 Hz	4000K = 75W INCANDESCENT
			3000K	

ENERGY CLASSIFICATION

ENERGY CLASSIFICATION


A+ A A- A B C D E

A+

AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)



FRANCY			
LED FILAMENT LAMP INCLUDED	POWER	COLOUR TEMPERATURE	ARTICLE NUMBER
6W	4000K	1A1.000.F1L	
	2700K	1A1.000.F1R	
6W+SENSOR	4000K	1A1.000.S1L	
	2700K	1A1.000.S1R	




AVAILABLE VERSIONS SUPPLIED FULLY PRE-WIRED

FILAMENT LED	FILAMENT LED + SENSOR

Master box: 24pcs



FRANCY-OP			
LED LAMP INCLUDED	POWER	COLOUR TEMPERATURE	ARTICLE NUMBER
6W FILAMENT LED	4000K	2A1.000.E27	
	2700K	2A1.000.F1R	
2x3W 6W	4000K	2A1.000.G2L	
	3000K	2A1.000.G2R	
E27 WITH SENSOR (E27)		2A1.000.E57	



AVAILABLE VERSIONS SUPPLIED FULLY PRE-WIRED

E27

Master box: 24pcs

MINITOMMY

FLOODLIGHT



MADE IN ITALY



INSULATED
INSULATION
CLASS

1M1.001



MINITOMMY LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3,5W	400Lm	100-240V 50/60 Hz	4000K 3000K	= 50W HALOGEN
2x	2x 3,5W 7W	800Lm	100-240V 50/60 Hz	4000K 3000K	= 2x 50W HALOGEN



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	FROSTED (X) BLUE (U) GREEN (N) ORANGE (R)



MINITOMMY		MINITOMMY SPIKE	
3,5W	4000K 1M1.000.U1L 3000K 1M1.000.U1R	3,5W	4000K 1M1.001.U1L 3000K 1M1.001.U1R
Master box: 30pcs		Master box: 30pcs	



MINITOMMY-EL		MINITOMMY-EL SPIKE	
3,5W	4000K 1M2.000.U1L 3000K 1M2.000.U1R	3,5W	4000K 1M2.001.U1L 3000K 1M2.001.U1R
Master box: 30pcs		Master box: 30pcs	



MINITOMMY 2L		MINITOMMY 2L SPIKE	
2x 3,5W	4000K 3M1.000.U2L 3000K 3M1.000.U2R	2x 3,5W	4000K 3M1.001.U2L 3000K 3M1.001.U2R
Master box: 18pcs		Master box: 18pcs	



MINITOMMY-EL 2L		MINITOMMY-EL 2L SPIKE	
2x 3,5W	4000K 3M2.000.U2L 3000K 3M2.000.U2R	2x 3,5W	4000K 3M2.001.U2L 3000K 3M2.001.U2R
Master box: 18pcs		Master box: 18pcs	

TOMMY

FLOODLIGHT



MADE IN ITALY



2M1.000

TOMMY LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3W	350Lm	100-240V 50/60 Hz	4000K 3000K	≡ 40W INCANDESCENT
	7W	800Lm	100-240V 50/60 Hz	4000K 3000K	≡ 75W INCANDESCENT
	10W	1200Lm	100-240V 50/60 Hz	4000K 3000K	≡ 100W INCANDESCENT




AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	FROSTED (X) BLUE (U) GREEN (N) ORANGE (R)




TOMMY-SQ		
3W	4000K 3000K	5M1.000.G1L 5M1.000.G1R
7W	4000K 3000K	5M1.000.C1L 5M1.000.C1R
10W	4000K 3000K	5M1.000.D1L 5M1.000.D1R

TOMMY-SQ SPIKE		
3W	4000K 3000K	5M1.001.G1L 5M1.001.G1R
7W	4000K 3000K	5M1.001.C1L 5M1.001.C1R
10W	4000K 3000K	5M1.001.D1L 5M1.001.D1R



Master box: 18pcs




Master box: 18pcs




TOMMY		
3W	4000K 3000K	2M1.000.G1L 2M1.000.G1R
7W	4000K 3000K	2M1.000.C1L 2M1.000.C1R
10W	4000K 3000K	2M1.000.D1L 2M1.000.D1R

TOMMY SPIKE		
3W	4000K 3000K	2M1.001.G1L 2M1.001.G1R
7W	4000K 3000K	2M1.001.C1L 2M1.001.C1R
10W	4000K 3000K	2M1.001.D1L 2M1.001.D1R



Master box: 18pcs




Master box: 18pcs




TOMMY-EL		
3W	4000K 3000K	2M2.000.G1L 2M2.000.G1R
7W	4000K 3000K	2M2.000.C1L 2M2.000.C1R
10W	4000K 3000K	2M2.000.D1L 2M2.000.D1R

TOMMY-EL SPIKE		
3W	4000K 3000K	2M2.001.G1L 2M2.001.G1R
7W	4000K 3000K	2M2.001.C1L 2M2.001.C1R
10W	4000K 3000K	2M2.001.D1L 2M2.001.D1R



Master box: 18pcs



Master box: 18pcs

TOMMY 2L

FLOODLIGHT



MADE IN ITALY



4M1.001



TOMMY-2L LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
2x GXS3	2x3W 6W	700Lm	100-240V 50/60 Hz	4000K 3000K	75W INCANDESCENT
2x GXS3	2x7W 14W	1600Lm	100-240V 50/60 Hz	4000K 3000K	100W INCANDESCENT
2x GXS3	2x10W 20W	2400Lm	100-240V 50/60 Hz	4000K 3000K	150W INCANDESCENT

ENERGY CLASS ENERGY EFFICIENCY CLASS

A+ A A B C D E

A+

AVAILABLE COLORS

RESIN BODY (MOULDED COLOURS)

BLACK (A) GREY (L) WHITE (W)

DIFFUSER

FROSTED (X) BLUE (U)


GREEN (N) ORANGE (R)



FULLY ADJUSTABLE POSITION


LED GXS3 LAMP INCLUDED

TOMMY-SQ 2L			
2x	4000K	6M1.000.G2L	
3W	3000K	6M1.000.G2R	
2x	4000K	6M1.000.C2L	
7W	3000K	6M1.000.C2R	
2x	4000K	6M1.000.D2L	
10W	3000K	6M1.000.D2R	



Master box: 8pcs

TOMMY-SQ 2L SPIKE			
2x	4000K	6M1.001.G2L	
3W	3000K	6M1.001.G2R	
2x	4000K	6M1.001.C2L	
7W	3000K	6M1.001.C2R	
2x	4000K	6M1.001.D2L	
10W	3000K	6M1.001.D2R	




Master box: 8pcs



FULLY ADJUSTABLE POSITION


LED GXS3 LAMP INCLUDED

TOMMY 2L			
2x	4000K	4M1.000.G2L	
3W	3000K	4M1.000.G2R	
2x	4000K	4M1.000.C2L	
7W	3000K	4M1.000.C2R	
2x	4000K	4M1.000.D2L	
10W	3000K	4M1.000.D2R	



Master box: 8pcs

TOMMY 2L SPIKE			
2x	4000K	4M1.001.G2L	
3W	3000K	4M1.001.G2R	
2x	4000K	4M1.001.C2L	
7W	3000K	4M1.001.C2R	
2x	4000K	4M1.001.D2L	
10W	3000K	4M1.001.D2R	




Master box: 8pcs



FULLY ADJUSTABLE POSITION


LED GXS3 LAMP INCLUDED

TOMMY-EL 2L			
2x	4000K	4M2.000.G2L	
3W	3000K	4M2.000.G2R	
2x	4000K	4M2.000.C2L	
7W	3000K	4M2.000.C2R	
2x	4000K	4M2.000.D2L	
10W	3000K	4M2.000.D2R	



Master box: 8pcs

TOMMY-EL 2L SPIKE			
2x	4000K	4M2.001.G2L	
3W	3000K	4M2.001.G2R	
2x	4000K	4M2.001.C2L	
7W	3000K	4M2.001.C2R	
2x	4000K	4M2.001.D2L	
10W	3000K	4M2.001.D2R	



Master box: 8pcs

GERMANA FLOODLIGHT



2N1.000



SUPPLIED FULLY PRE-WIRED


2x GX53 LED









E27



E27 + SENSOR



WITH SENSOR)))
220-240V
(.PS7)

GERMANA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
2x  GXS3	2x3W 6W	700Lm	100-240V 50/60 Hz	4000K 3000K	 75W INCANDESCENT
2x  GXS3	2x7W 14W	1600Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT
2x  GXS3	2x10W 20W	2400Lm	100-240V 50/60 Hz	4000K 3000K	 150W INCANDESCENT



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
			
BLACK (A)	GREY (L)	WHITE (W)	OPAL (V)

GERMANA



E27 2N1.000.P27


2x3W 6W	4000K 3000K	2N1.000.G2L 2N1.000.G2R
2x7W 14W	4000K 3000K	2N1.000.C2L 2N1.000.C2R
2x10W 20W	4000K 3000K	2N1.000.D2L 2N1.000.D2R

LED
2x GXS3
LAMPS
INCLUDED



Master box: 18pcs


GIOVA/GERMANA



E27 2N1.702.P27

2x3W 6W	4000K 3000K	2N1.702.G2L 2N1.702.G2R
2x7W 14W	4000K 3000K	2N1.702.C2L 2N1.702.C2R
2x10W 20W	4000K 3000K	2N1.702.D2L 2N1.702.D2R

LED
2x GXS3
LAMPS
INCLUDED



Master box: 18pcs

MADE IN ITALY



4P2.000

SUPPLIED FULLY PRE-WIRED

GX53 LED



GX53 LED + SENSOR



WITH SENSOR))) (220-240V)
7W 4000K (.ASL)
7W 3000K (.ASR)
11W 4000K (.BSL)
11W 3000K (.BSR)
18W 4000K (.ESL)
18W 3000K (.ESR)

4x GX53 LED



2x E27




2x E27 + SENSOR



WITH SENSOR)))
220-240V
(.ES8)

GIUSEPPE LED VERSIONS

LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CLOUR TEMPERATURE	
NEW GX53 LED	7W	600Lm	100-240V 50/60 Hz	4000K 3000K	INCADESCENT = 60W
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	INCADESCENT = 100W
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	INCADESCENT = 150W
4x GX53 LED	4x7W 28W	3200Lm	100-240V 50/60 Hz	4000K 3000K	INCADESCENT = 70W HQI-SO ₄
	4x10W 40W	4800Lm	100-240V 50/60 Hz	4000K 3000K	INCADESCENT = 100W HQI-SO ₄



AVAILABLE COLORS


RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

GIUSEPPE



2x E27		4P2.000.E28
7W	4000K	4P1.000.A1L 4P1.000.A1R
	3000K	
11W	4000K	4P1.000.B1L 4P1.000.B1R
	3000K	
18W	4000K	4P1.000.E1L 4P1.000.E1R
	3000K	
4x7W 28W	4000K	4P2.000.C4L 4P2.000.C4R
	3000K	
4x10W 40W	4000K	4P2.000.D4L 4P2.000.D4R
	3000K	

LED
GX53
LAMPS
INCLUDED




Master box: **10pcs**

GIOVA/GIUSEPPE



2x E27		4P2.702.E28
7W	4000K	4P1.702.A1L 4P1.702.A1R
	3000K	
11W	4000K	4P1.702.B1L 4P1.702.B1R
	3000K	
18W	4000K	4P1.702.E1L 4P1.702.E1R
	3000K	
4x7W 28W	4000K	4P2.702.C4L 4P2.702.C4R
	3000K	
4x10W 40W	4000K	4P2.702.D4L 4P2.702.D4R
	3000K	

LED
GX53
LAMPS
INCLUDED



Master box: **10pcs**

CECI
IN-GROUND

fumagalli
since 1973

MADE IN
ITALY



CECI 90 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3,5W	400Lm	100-240V 50/60 Hz	4000K 3000K	= 50W HALOGEN



AVAILABLE COLORS	
COVER (MOULDED COLOURS)	DIFFUSER
 BLACK (A) GREY (L)	 FROSTED (X) BLUE (U) GREEN (N) ORANGE (R)

CECI 90

LED GU10 LAMP INCLUDED 4000K 1F1.000.U1L
3,5W 3000K 1F1.000.U1R

92 127 85

Master box: 40pcs

CECI 90-2L

LED GU10 LAMP INCLUDED 4000K 1F2.000.U1L
3,5W 3000K 1F2.000.U1R

92 127 85

Master box: 40pcs

CECI 90-3L

LED GU10 LAMP INCLUDED 4000K 1F3.000.U1L
3,5W 3000K 1F3.000.U1R

92 127 85

Master box: 40pcs

CECI 90-SQ






LED GU10 LAMP INCLUDED 4000K 1F4.000.U1L
3,5W 3000K 1F4.000.U1R

92 127 85



Master box: 40pcs

AVAILABLE COLORS




COVER (MOULDED COLOURS)	DIFFUSER
<p>BLACK (A)</p> 	<p>PROSTED (X)</p> 
<p>GREY (L)</p> 	<p>BLUE (U) GREEN (N) ORANGE (R)</p> 

CECI 120 LED VERSIONS


LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3W	350Lm	100-240V 50/60 Hz	4000K 3000K	 40W INCANDESCENT

CECI 120




LED
GX53 LAMP INCLUDED

3W	4000K	2F1.000.G1L
	3000K	2F1.000.G1R




Master box: 36pcs

CECI 120-2L




LED
GX53 LAMP INCLUDED

3W	4000K	2F2.000.G1L
	3000K	2F2.000.G1R




Master box: 36pcs

CECI 120-3L




LED
GX53 LAMP INCLUDED

3W	4000K	2F3.000.G1L
	3000K	2F3.000.G1R




Master box: 36pcs

CECI 120-SQ

LED
GX53 LAMP INCLUDED

3W	4000K	2F4.000.G1L
	3000K	2F4.000.G1R



Master box: 36pcs



CECI 160 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
GX53	7W	800Lm	100-240V 50/60 Hz	4000K	= 75W INCANDESCENT
				3000K	
GX53	10W	1200Lm	100-240V 50/60 Hz	4000K	= 100W INCANDESCENT
				3000K	

CECI 160

LED
GX53
LAMP
INCLUDED

7W	4000K	3F1.000.C1L
	3000K	3F1.000.C1R
10W	4000K	3F1.000.D1L
	3000K	3F1.000.D1R

Master box: **18pcs**

CECI 160-2L

LED
GX53
LAMP
INCLUDED

7W	4000K	3F2.000.C1L
	3000K	3F2.000.C1R
10W	4000K	3F2.000.D1L
	3000K	3F2.000.D1R

Master box: **18pcs**

CECI 160-3L

LED
GX53
LAMP
INCLUDED

7W	4000K	3F3.000.C1L
	3000K	3F3.000.C1R
10W	4000K	3F3.000.D1L
	3000K	3F3.000.D1R

Master box: **18pcs**

CECI 160-SQ

LED
GX53
LAMP
INCLUDED

7W	4000K	3F4.000.C1L
	3000K	3F4.000.C1R
10W	4000K	3F4.000.D1L
	3000K	3F4.000.D1R

Master box: **18pcs**

LETI RANGE

BRICKLIGHT




MADE IN ITALY



2C1.000



LETI/EXTRALETI 100 LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
	3W	350Lm	100-240V 50/60 Hz	4000K
				3000K
				40W INCANDESCENT



AVAILABLE COLORS			
COVER (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)

LETI 100 ROUND

	LED 3W GX53 LAMP INCLUDED	4000K	2C1.000.G1L
	3000K	2C1.000.G1R	

Master box: **48pcs**

EXTRALETI 100 ROUND

	LED 3W GX53 LAMP INCLUDED	4000K	2S1.000.G1L
	3000K	2S1.000.G1R	

Master box: **48pcs**

LETI 100 ROUND-GR

	LED 3W GX53 LAMP INCLUDED	4000K	2C2.000.G1L
	3000K	2C2.000.G1R	

Master box: **48pcs**

EXTRALETI 100 ROUND-GR

	LED 3W GX53 LAMP INCLUDED	4000K	2S2.000.G1L
	3000K	2S2.000.G1R	

Master box: **48pcs**

LETI 100 ROUND-EL

	LED 3W GX53 LAMP INCLUDED	4000K	2C3.000.G1L
	3000K	2C3.000.G1R	

Master box: **48pcs**

EXTRALETI 100 ROUND-EL

	LED 3W GX53 LAMP INCLUDED	4000K	2S3.000.G1L
	3000K	2S3.000.G1R	

Master box: **48pcs**

LETI 100 ROUND-ST



	LED 3W GX53 LAMP INCLUDED	4000K	2C4.000.G1L
	3000K	2C4.000.G1R	

Master box: **48pcs**

EXTRALETI 100 ROUND-ST

	LED 3W GX53 LAMP INCLUDED	4000K	2S4.000.G1L
	3000K	2S4.000.G1R	

Master box: **48pcs**

LETI/EXTRALETI 100 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3W	350Lm	100-240V 50/60 Hz	4000K 3000K	 40W INCANDESCENT



AVAILABLE COLORS			
COVER (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)
			

LETI 100 SQUARE



LED 3W GX53 LAMP INCLUDED	4000K 3C1.000.G1L 3000K 3C1.000.G1R
-------------------------------------	-----------------------------------------------




Master box: **48pcs**

EXTRALETI 100 SQUARE



LED 3W GX53 LAMP INCLUDED	4000K 3S1.000.G1L 3000K 3S1.000.G1R
-------------------------------------	-----------------------------------------------

Master box: **48pcs**

LETI 100 SQUARE-GR


LED 3W GX53 LAMP INCLUDED	4000K 3C2.000.G1L 3000K 3C2.000.G1R
-------------------------------------	-----------------------------------------------

Master box: **48pcs**

EXTRALETI 100 SQUARE-GR

LED 3W GX53 LAMP INCLUDED	4000K 3S2.000.G1L 3000K 3S2.000.G1R
-------------------------------------	-----------------------------------------------

Master box: **48pcs**

LETI 100 SQUARE-EL

LED 3W GX53 LAMP INCLUDED	4000K 3C3.000.G1L 3000K 3C3.000.G1R
-------------------------------------	-----------------------------------------------




Master box: **48pcs**

EXTRALETI 100 SQUARE-EL

LED 3W GX53 LAMP INCLUDED	4000K 3S3.000.G1L 3000K 3S3.000.G1R
-------------------------------------	-----------------------------------------------




Master box: **48pcs**

LETI 100 SQUARE-ST

LED 3W GX53 LAMP INCLUDED	4000K 3C4.000.G1L 3000K 3C4.000.G1R
-------------------------------------	-----------------------------------------------




Master box: **48pcs**

EXTRALETI 100 SQUARE-ST

LED 3W GX53 LAMP INCLUDED	4000K 3S4.000.G1L 3000K 3S4.000.G1R
-------------------------------------	-----------------------------------------------




Master box: **48pcs**

LETI/EXTRALETI 200 LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3W	350Lm	100-240V 50/60 Hz	4000K	40W INCANDESCENT
				3000K	

ENERGY CLASS ENERGY EFFICIENCY CLASS

A++
A+
A
B
C
D
E

A+

AVAILABLE COLORS

COVER
(MOULDED COLOURS)

BLACK (A) GREY (L) WHITE (W)

DIFFUSER
OPAL (Y)

LETI 200

LED 3W GX53 LAMP INCLUDED

4000K 4C1.000.G1L
3000K 4C1.000.G1R

Master box: **36pcs**

EXTRALETI 200

LED 3W GX53 LAMP INCLUDED

4000K 4S1.000.G1L
3000K 4S1.000.G1R

Master box: **36pcs**

LETI 200-GL

LED 3W GX53 LAMP INCLUDED

4000K 4C2.000.G1L
3000K 4C2.000.G1R

Master box: **36pcs**

EXTRALETI 200-GL

LED 3W GX53 LAMP INCLUDED

4000K 4S2.000.G1L
3000K 4S2.000.G1R

Master box: **36pcs**

LETI 200-RS

LED 3W GX53 LAMP INCLUDED

4000K 4C3.000.G1L
3000K 4C3.000.G1R

Master box: **36pcs**

EXTRALETI 200-RS

LED 3W GX53 LAMP INCLUDED

4000K 4S3.000.G1L
3000K 4S3.000.G1R

Master box: **36pcs**

LETI 200-HS

LED 3W GX53 LAMP INCLUDED

4000K 4C4.000.G1L
3000K 4C4.000.G1R

Master box: **36pcs**

EXTRALETI 200-HS

LED 3W GX53 LAMP INCLUDED

4000K 4S4.000.G1L
3000K 4S4.000.G1R

Master box: **36pcs**

LETI 200-VP

LED 3W GX53 LAMP INCLUDED

4000K 4C5.000.G1L
3000K 4C5.000.G1R

Master box: **36pcs**

EXTRALETI 200-VP

LED 3W GX53 LAMP INCLUDED

4000K 4S5.000.G1L
3000K 4S5.000.G1R

Master box: **36pcs**

LETI 300/EXTRALETI 300


BRICKLIGHT

fumagalli
since 1973



551.000

NEW SLIMMER BODY VERSION



LETI/EXTRALETI 300 LED VERSIONS				
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE
2x GX53 LED	2x 3W 6W	700Lm	100-240V 50/60 Hz	4000K
				3000K
				75W INCANDESCENT

ENERGY CLASS
энергия - energy

A+
A+
A
B
C
D
E

A+

AVAILABLE COLORS

COVER (MOULDED COLOURS)

BLACK (A) GREY (L) WHITE (W)

DIFFUSER

OPAL (Y)

LETI 300

LED 2x3W GX53 LAMPS INCLUDED

4000K 5C1.000.G2L
3000K 5C1.000.G2R

E27 5C1.000.E27

Master box: 24pcs

EXTRALETI 300

LED 2x3W GX53 LAMPS INCLUDED

4000K 5S1.000.G2L
3000K 5S1.000.G2R

E27 5S1.000.E27

Master box: 20pcs

LETI 300-GL

LED 2x3W GX53 LAMPS INCLUDED

4000K 5C2.000.G2L
3000K 5C2.000.G2R

E27 5C2.000.E27

Master box: 24pcs

EXTRALETI 300-GL

LED 2x3W GX53 LAMPS INCLUDED

4000K 5S2.000.G2L
3000K 5S2.000.G2R

E27 5S2.000.E27

Master box: 20pcs

LETI 300-RS

LED 2x3W GX53 LAMPS INCLUDED

4000K 5C3.000.G2L
3000K 5C3.000.G2R

E27 5C3.000.E27

Master box: 24pcs

EXTRALETI 300-RS

LED 2x3W GX53 LAMPS INCLUDED

4000K 5S3.000.G2L
3000K 5S3.000.G2R

E27 5S3.000.E27

Master box: 20pcs

LETI 300-HS

LED 2x3W GX53 LAMPS INCLUDED

4000K 5C4.000.G2L
3000K 5C4.000.G2R

E27 5C4.000.E27

Master box: 24pcs

EXTRALETI 300-HS

LED 2x3W GX53 LAMPS INCLUDED

4000K 5S4.000.G2L
3000K 5S4.000.G2R

E27 5S4.000.E27

Master box: 20pcs

LETI 300-VP

LED 2x3W GX53 LAMPS INCLUDED

4000K 5C5.000.G2L
3000K 5C5.000.G2R

E27 5C5.000.E27

Master box: 24pcs

EXTRALETI 300-VP

LED 2x3W GX53 LAMPS INCLUDED

4000K 5S5.000.G2L
3000K 5S5.000.G2R

E27 5S5.000.E27

Master box: 20pcs

BERTINA

BULKHEAD



Ø200

BERTINA



Ø275

BERTA



Ø350

LIMBERTA









MADE IN ITALY

1B1.000



**NO SCREWS
AT SIGHT**

BERTINA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	3W	350Lm	100-240V 50/60 Hz	4000K 3000K	 40W INCANDESCENT
	7W	800Lm	100-240V 50/60 Hz	4000K 3000K	 75W INCANDESCENT
	10W	1200Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT



AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)



BERTINA

LED GX53 LAMP INCLUDED	POWER	COLOUR TEMPERATURE	MODEL
LED GX53 LAMP INCLUDED	3W	4000K	1B1.000.G1L
		3000K	1B1.000.G1R
LED GX53 LAMP INCLUDED	7W	4000K	1B1.000.C1L
		3000K	1B1.000.C1R
LED GX53 LAMP INCLUDED	10W	4000K	1B1.000.D1L
		3000K	1B1.000.D1R



Master box: **45pcs**

AVAILABLE VERSIONS SUPPLIED FULLY PRE-WIRED

GX53 LED





3W

7W

10W

4 NEWS
28 UP/DOWN
34 FLOODLIGHT
44 IN-GROUND
48 BRICKLIGHT
54 BULKHEAD
72 BOLLARD
78 POST
82 LAMPS

BERTA
BULKHEAD



BERTINA



BERTA



LIBBERTA







MADE IN ITALY



1B2.000




**NO SCREWS
AT SIGHT**


BERTA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
 NEW	7W	600Lm	100-240V 50/60 Hz	4000K 3000K	 60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	 150W INCANDESCENT



AVAILABLE COLORS			DIFFUSER
RESIN BODY (MOULDED COLOURS)			OPAL (Y)
BLACK (A)	GREY (L)	WHITE (W)	



BERTA		E27	1B2.000.P27
		E27 WITH SENSOR	1B2.000.PS7
LED GX53 LAMP INCLUDED	7W LED	4000K 3000K	1B2.000.A1L 1B2.000.A1R
	11W LED	4000K 3000K	1B2.000.B1L 1B2.000.B1R
	18W LED	4000K 3000K	1B2.000.E1L 1B2.000.E1R



Master box: **16pcs**

AVAILABLE VERSIONS SUPPLIED FULLY PRE-WIRED

E27



E27 +SENSOR



GX53 LED



4 NEWS
 28 UP & DOWN
 34 FLOODLIGHT
 44 IN-GROUND
 48 BRICKLIGHT
 54 BULKHEAD
 72 BOLLARD
 78 POST
 82 LAMPS

UMBERTA

BULKHEAD



BERTINA



BERTA



UMBERTA



MADE IN ITALY



UNTREATED



ANTI-SHOCK



RECYCLABLE



IP66







DOUBLE INSULATION GLASS


1B3.000



**NO SCREWS
AT SIGHT**

UMBERTA LED VERSIONS

LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	NEW 7W	600Lm	100-240V 50/60 Hz	4000K 3000K	 60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	 150W INCANDESCENT




UMBERTA



LED
GX53 LAMP
INCLUDED

E27		1B3.000.E27
2x E27		1B3.000.E28
7W LED	4000K 3000K	1B3.000.A1L 1B3.000.A1R
11W LED	4000K 3000K	1B3.000.B1L 1B3.000.B1R
18W LED	4000K 3000K	1B3.000.E1L 1B3.000.E1R





Master box: **12pcs**

AVAILABLE VERSIONS SUPPLIED FULLY PRE-WIRED



EMERGENCY




UMBERTA EMERGENCY - LED VERSIONS					
EMERGENCY KIT	MODE	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CLOUR TEMPERATURE
	NORMAL	15W	2000Lm	220-240V 50/60 Hz	4000K
	EMERGENCY (min 3 hours)	2,4W	250Lm	220-240V 50/60 Hz	4000K

UMBERTA LED MAINTAINED EMERGENCY

LED 4000K 1B3.000.EM1

PRODUCT TYPE	Wall and Ceiling bulkhead with Emergency kit
OPERATING VOLTAGE	220~240 vAC
LUMINOUS FLUX & POWER	2000 lumen (Normal mode), 15W 250 lumen (Emergency mode), 2.4W
LED TYPE	Edison SMD 2835, 4000 K
CRI	>80Ra
PF (POWER FACTOR)	>0.95
BEAM ANGLE	120°
OPERATING TEMPERATURE	0~50°C
BATTERY	Ni-MH, BK370Ah3.6V, Panasonic (3.5Ah, 3.6V)
BATTERY OPERATING TIME	min 3 hours (250 lumen)
BATTERY CHARGING TIME	24 hours
Drivers Standards	EN 61347-1, EN 61347-2-7, EN 61347-2-13, EN 62384, EN 60598-2-22 EN 55015, EN61547, EN 61000-3-2, EN 61000-3-3
Battery Standards	EN 5501-1, EN 61000, EN 55014-2



Provided with built-in test button to check battery status.





HOW IT WORKS

In case of blackout, the emergency kit turns on. The Bulkhead switches from Normal mode to Emergency mode and keeps on working.



Green Led: identifies the emergency light and shows that the system is operating correctly.




BERTA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	NEW 7W	600lm	100-240V 50/60 Hz	4000K 3000K	60W INCANDESCENT
	11W	1300lm	100-240V 50/60 Hz	4000K 3000K	100W INCANDESCENT
	18W	2000lm	100-240V 50/60 Hz	4000K 3000K	150W INCANDESCENT

UMBERTA MOTION & DAYLIGHT SENSOR

E27 WITH SENSOR)))		1B3.000.ES7
2x E27 WITH SENSOR)))		1B3.000.ES8
7W LED GX53 WITH SENSOR)))	4000K 3000K	1B3.000.ASL 1B3.000.ASR
11W LED GX53 WITH SENSOR)))	4000K 3000K	1B3.000.BSL 1B3.000.BSR
18W LED GX53 WITH SENSOR)))	4000K 3000K	1B3.000.ESL 1B3.000.ESR

Product Type	Wall and Ceiling bulkhead with Motion&Daylight sensor
Sensor operating voltage	220-240 vAC (120v version available on demand)
Version	GX53 LED, E27, 2xE27
Sensor Operating Temperature	-10° +60°C
Detection angle	30° - 150°
Fields of detection	1 - up to 5 mt (adjustable)



MADE IN ITALY



1G3.000



SUPPLIED FULLY PRE-WIRED





GX53 LED

E27

E27 + SENSOR




WITH SENSOR)))
220-240V
(.ES7)


LED BULKHEAD GX53					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	NEW 7W	600Lm	100-240V 50/60 Hz	4000K 3000K	 60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	 150W INCANDESCENT



AVAILABLE COLORS			DIFFUSER
RESIN BODY (MOULDED COLOURS)			
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)
			

GELMI







E27		1G3.000.E27
GX53 LED 7W	4000K	1G3.000.A1L
	3000K	1G3.000.A1R
GX53 LED 11W	4000K	1G3.000.B1L
	3000K	1G3.000.B1R
GX53 LED 18W	4000K	1G3.000.E1L
	3000K	1G3.000.E1R

Master box: **16pcs**

GELMI-EL







E27		2G3.000.E27
GX53 LED 7W	4000K	2G3.000.A1L
	3000K	2G3.000.A1R
GX53 LED 11W	4000K	2G3.000.B1L
	3000K	2G3.000.B1R
GX53 LED 18W	4000K	2G3.000.E1L
	3000K	2G3.000.E1R

Master box: **16pcs**

GELMI-GR





E27		3G3.000.E27
GX53 LED 7W	4000K	3G3.000.A1L
	3000K	3G3.000.A1R
GX53 LED 11W	4000K	3G3.000.B1L
	3000K	3G3.000.B1R
GX53 LED 18W	4000K	3G3.000.E1L
	3000K	3G3.000.E1R

Master box: **16pcs**

4 NEWS
28 UP & DOWN
34 FLOODLIGHT
44 IN-GROUND
48 BRICKLIGHT
54 BULKHEAD
72 BOLLARD
78 POST
82 LAMPS



1D3.000

SUPPLIED FULLY PRE-WIRED





GX53 LED

E27

E27 + SENSOR




WITH SENSOR))
220-240V
(.E57)


LED BULKHEAD GX53					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
 GX53 LED	NEW 7W	600Lm	100-240V 50/60 Hz	4000K 3000K	 60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	 150W INCANDESCENT



AVAILABLE COLORS			DIFFUSER
RESIN BODY (MOULDED COLOURS)			
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)
			

DANZI







E27		1D3.000.E27
GX53 LED 7W	4000K	1D3.000.A1L
	3000K	1D3.000.A1R
GX53 LED 11W	4000K	1D3.000.B1L
	3000K	1D3.000.B1R
GX53 LED 18W	4000K	1D3.000.E1L
	3000K	1D3.000.E1R

Master box: 16pcs

DANZI-VE







E27		2D3.000.E27
GX53 LED 7W	4000K	2D3.000.A1L
	3000K	2D3.000.A1R
GX53 LED 11W	4000K	2D3.000.B1L
	3000K	2D3.000.B1R
GX53 LED 18W	4000K	2D3.000.E1L
	3000K	2D3.000.E1R

Master box: 16pcs

DANZI-GR





E27		3D3.000.E27
GX53 LED 7W	4000K	3D3.000.A1L
	3000K	3D3.000.A1R
GX53 LED 11W	4000K	3D3.000.B1L
	3000K	3D3.000.B1R
GX53 LED 18W	4000K	3D3.000.E1L
	3000K	3D3.000.E1R

Master box: 16pcs

MADE IN ITALY



1U3.000



SUPPLIED FULLY PRE-WIRED

GX53 LED

E27

E27 + SENSOR





WITH SENSOR)))
220-240V
(.ES7)

BACKLIT COLOURS AVAILABLE

*To order the backlit version of our bulkhead, the following suffixes have to be added at the end of the code.

CLEAR .CL1 PINK .PK1 BLUE .BU1 GREEN .GN1 ORANGE .OR1





LED BULKHEAD GX53					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	NEW 7W	600Lm	100-240V 50/60 Hz	4000K 3000K	
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	



AVAILABLE COLORS	
RESIN BODY (MOULDED COLOURS)	DIFFUSER
BLACK (A) GREY (L) WHITE (W)	OPAL (Y)
  	

STUCCHI










E27		1U3.000.E27
GX53 LED 7W	4000K	1U3.000.A1L
GX53 LED 11W	3000K	1U3.000.A1R
GX53 LED 11W	4000K	1U3.000.B1L
GX53 LED 11W	3000K	1U3.000.B1R
GX53 LED 18W	4000K	1U3.000.E1L
GX53 LED 18W	3000K	1U3.000.E1R


BACKLIT COLOURS VERSION


*To order the backlit version of our bulkhead, the following suffixes have to be added at the end of the code.

CLEAR .CL1	PINK .PK1	BLUE .BU1	GREEN .GN1	ORANGE .OR1
				

Master box: 16pcs

CECCHI










E27		1H3.000.E27
GX53 LED 7W	4000K	1H3.000.A1L
GX53 LED 7W	3000K	1H3.000.A1R
GX53 LED 11W	4000K	1H3.000.B1L
GX53 LED 11W	3000K	1H3.000.B1R
GX53 LED 18W	4000K	1H3.000.E1L
GX53 LED 18W	3000K	1H3.000.E1R


BACKLIT COLOURS VERSION


*To order the backlit version of our bulkhead, the following suffixes have to be added at the end of the code.

CLEAR .CL1	PINK .PK1	BLUE .BU1	GREEN .GN1	ORANGE .OR1
				

Master box: 16pcs

RITA









E27		1T3.000.E27
GX53 LED 7W	4000K	1T3.000.A1L
GX53 LED 7W	3000K	1T3.000.A1R
GX53 LED 11W	4000K	1T3.000.B1L
GX53 LED 11W	3000K	1T3.000.B1R
GX53 LED 18W	4000K	1T3.000.E1L
GX53 LED 18W	3000K	1T3.000.E1R

PAINTED COLOURS

*To order the painted colour version of RITA, the following suffixes have to be added at the end of the code.

MOULDED COLOURS			
BLACK (A)	WHITE (W)	ANTIQUE GREEN (V)	ANTIQUE BRONZE (B)
			

Master box: 12pcs



1R3.000

BACKLIT COLOURS AVAILABLE

*To order the backlit version of our bulkhead, the following suffixes have to be added at the end of the code.



SUPPLIED FULLY PRE-WIRED



BRACKET VERSION AVAILABLE



LED BULKHEAD GX53

LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	NEW 7W	600Lm	100-240V	4000K	60W INCANDESCENT
			50/60 Hz	3000K	
	11W	1300Lm	100-240V	4000K	100W INCANDESCENT
			50/60 Hz	3000K	
	18W	2000Lm	100-240V	4000K	150W INCANDESCENT
			50/60 Hz	3000K	



AVAILABLE COLORS




LED
GX53
LAMP
INCLUDED

LUCIA			REMI/LUCIA		
E27	1R3.000.E27		E27	1R3.602.E27	
GX53	4000K	1R3.000.A1L	GX53	4000K	1R3.602.A1L
LED 7W	3000K	1R3.000.A1R	LED 7W	3000K	1R3.602.A1R
GX53	4000K	1R3.000.B1L	GX53	4000K	1R3.602.B1L
LED 11W	3000K	1R3.000.B1R	LED 11W	3000K	1R3.602.B1R
GX53	4000K	1R3.000.E1L	GX53	4000K	1R3.602.E1L
LED 18W	3000K	1R3.000.E1R	LED 18W	3000K	1R3.602.E1R
Master box: 16pcs			Master box: 16pcs		



LED
GX53
LAMP
INCLUDED

LUCIA-EL			REMI/LUCIA-EL		
E27	2R3.000.E27		E27	2R3.602.E27	
GX53	4000K	2R3.000.A1L	GX53	4000K	2R3.602.A1L
LED 7W	3000K	2R3.000.A1R	LED 7W	3000K	2R3.602.A1R
GX53	4000K	2R3.000.B1L	GX53	4000K	2R3.602.B1L
LED 11W	3000K	2R3.000.B1R	LED 11W	3000K	2R3.602.B1R
GX53	4000K	2R3.000.E1L	GX53	4000K	2R3.602.E1L
LED 18W	3000K	2R3.000.E1R	LED 18W	3000K	2R3.602.E1R
Master box: 16pcs			Master box: 16pcs		



LED
GX53
LAMP
INCLUDED

LUCIA-GD			REMI/LUCIA-GD		
E27	3R3.000.E27		E27	3R3.602.E27	
GX53	4000K	3R3.000.A1L	GX53	4000K	3R3.602.A1L
LED 7W	3000K	3R3.000.A1R	LED 7W	3000K	3R3.602.A1R
GX53	4000K	3R3.000.B1L	GX53	4000K	3R3.602.B1L
LED 11W	3000K	3R3.000.B1R	LED 11W	3000K	3R3.602.B1R
GX53	4000K	3R3.000.E1L	GX53	4000K	3R3.602.E1L
LED 18W	3000K	3R3.000.E1R	LED 18W	3000K	3R3.602.E1R
Master box: 16pcs			Master box: 16pcs		



1V3.000

BACKLIT COLOURS AVAILABLE

*To order the backlit version of our bulkhead, the following suffixes have to be added at the end of the code.







SUPPLIED FULLY PRE-WIRED



BRACKET VERSION AVAILABLE





LED BULKHEAD GX53					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	NEW 7W	600Lm	100-240V 50/60 Hz	4000K 3000K	 60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	 150W INCANDESCENT



AVAILABLE COLORS		
RESIN BODY (MOULDED COLOURS)		DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)
		
		OPAL (Y)
		





LED
GX53
LAMP
INCLUDED

MADDI		REMI/MADDI	
E27	1V3.000.E27	E27	1V3.602.E27
GX53	4000K 1V3.000.A1L	GX53	4000K 1V3.602.A1L
LED 7W	3000K 1V3.000.A1R	LED 7W	3000K 1V3.602.A1R
GX53	4000K 1V3.000.B1L	GX53	4000K 1V3.602.B1L
LED 11W	3000K 1V3.000.B1R	LED 11W	3000K 1V3.602.B1R
GX53	4000K 1V3.000.E1L	GX53	4000K 1V3.602.E1L
LED 18W	3000K 1V3.000.E1R	LED 18W	3000K 1V3.602.E1R
			
Master box: 16pcs		Master box: 16pcs	





LED
GX53
LAMP
INCLUDED

MADDI-VE		REMI/MADDI-VE	
E27	2V3.000.E27	E27	2V3.602.E27
GX53	4000K 2V3.000.A1L	GX53	4000K 2V3.602.A1L
LED 7W	3000K 2V3.000.A1R	LED 7W	3000K 2V3.602.A1R
GX53	4000K 2V3.000.B1L	GX53	4000K 2V3.602.B1L
LED 11W	3000K 2V3.000.B1R	LED 11W	3000K 2V3.602.B1R
GX53	4000K 2V3.000.E1L	GX53	4000K 2V3.602.E1L
LED 18W	3000K 2V3.000.E1R	LED 18W	3000K 2V3.602.E1R
			
Master box: 16pcs		Master box: 16pcs	



LED
GX53
LAMP
INCLUDED

MADDI-HL		REMI/MADDI-HL	
E27	3V3.000.E27	E27	3V3.602.E27
GX53	4000K 3V3.000.A1L	GX53	4000K 3V3.602.A1L
LED 7W	3000K 3V3.000.A1R	LED 7W	3000K 3V3.602.A1R
GX53	4000K 3V3.000.B1L	GX53	4000K 3V3.602.B1L
LED 11W	3000K 3V3.000.B1R	LED 11W	3000K 3V3.602.B1R
GX53	4000K 3V3.000.E1L	GX53	4000K 3V3.602.E1L
LED 18W	3000K 3V3.000.E1R	LED 18W	3000K 3V3.602.E1R
			
Master box: 16pcs		Master box: 16pcs	

GABRI-MINIGABRI REMI/LUCIA





BOLLARD


fumagalli
since 1973

MADE IN
ITALY




1R3.613.X10




LED BULKHEAD GX53					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	NEW 7W	600Lm	100-240V 50/60 Hz	4000K 3000K	 60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	 150W INCANDESCENT




AVAILABLE COLORS			DIFFUSER
RESIN BODY (MOULDED COLOURS)			
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)
			




GABRI REMI/LUCIA 1L




				
E27		1R3.613.X10.E27	2R3.613.X10.E27	3R3.613.X10.E27
GX53 LED 7W	4000K	1R3.613.X10.A1L	2R3.613.X10.A1L	3R3.613.X10.A1L
	3000K	1R3.613.X10.A1R	2R3.613.X10.A1R	3R3.613.X10.A1R
GX53 LED 11W	4000K	1R3.613.X10.B1L	2R3.613.X10.B1L	3R3.613.X10.B1L
	3000K	1R3.613.X10.B1R	2R3.613.X10.B1R	3R3.613.X10.B1R
GX53 LED 18W	4000K	1R3.613.X10.E1L	2R3.613.X10.E1L	3R3.613.X10.E1L
	3000K	1R3.613.X10.E1R	2R3.613.X10.E1R	3R3.613.X10.E1R




GABRI REMI/LUCIA 2L




				
E27		1R3.613.X20.E27	2R3.613.X20.E27	3R3.613.X20.E27
GX53 LED 7W	4000K	1R3.613.X20.A1L	2R3.613.X20.A1L	3R3.613.X20.A1L
	3000K	1R3.613.X20.A1R	2R3.613.X20.A1R	3R3.613.X20.A1R
GX53 LED 11W	4000K	1R3.613.X20.B1L	2R3.613.X20.B1L	3R3.613.X20.B1L
	3000K	1R3.613.X20.B1R	2R3.613.X20.B1R	3R3.613.X20.B1R
GX53 LED 18W	4000K	1R3.613.X20.E1L	2R3.613.X20.E1L	3R3.613.X20.E1L
	3000K	1R3.613.X20.E1R	2R3.613.X20.E1R	3R3.613.X20.E1R




MINIGABRI REMI/LUCIA 1L



				
E27		1R3.612.X10.E27	2R3.612.X10.E27	3R3.612.X10.E27
GX53 LED 7W	4000K	1R3.612.X10.A1L	2R3.612.X10.A1L	3R3.612.X10.A1L
	3000K	1R3.612.X10.A1R	2R3.612.X10.A1R	3R3.612.X10.A1R
GX53 LED 11W	4000K	1R3.612.X10.B1L	2R3.612.X10.B1L	3R3.612.X10.B1L
	3000K	1R3.612.X10.B1R	2R3.612.X10.B1R	3R3.612.X10.B1R
GX53 LED 18W	4000K	1R3.612.X10.E1L	2R3.612.X10.E1L	3R3.612.X10.E1L
	3000K	1R3.612.X10.E1R	2R3.612.X10.E1R	3R3.612.X10.E1R

MINIGABRI REMI/LUCIA 2L



				
E27		1R3.612.X20.E27	2R3.612.X20.E27	3R3.612.X20.E27
GX53 LED 7W	4000K	1R3.612.X20.A1L	2R3.612.X20.A1L	3R3.612.X20.A1L
	3000K	1R3.612.X20.A1R	2R3.612.X20.A1R	3R3.612.X20.A1R
GX53 LED 11W	4000K	1R3.612.X20.B1L	2R3.612.X20.B1L	3R3.612.X20.B1L
	3000K	1R3.612.X20.B1R	2R3.612.X20.B1R	3R3.612.X20.B1R
GX53 LED 18W	4000K	1R3.612.X20.E1L	2R3.612.X20.E1L	3R3.612.X20.E1L
	3000K	1R3.612.X20.E1R	2R3.612.X20.E1R	3R3.612.X20.E1R

GABRI-MINIGABRI REMI/MADDI





BOLLARD




MADE IN ITALY




1V3.613.X10





LED BULKHEAD GX53					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
	NEW 7W	600Lm	100-240V 50/60 Hz	4000K 3000K	≡  60W INCANDESCENT
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	≡  100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	≡  150W INCANDESCENT




AVAILABLE COLORS			DIFFUSER
RESIN BODY (MOULDED COLOURS)			
BLACK (A)	GREY (L)	WHITE (W)	OPAL (Y)
			





GABRI REMI/MADDI 1L




				
E27	1V3.613.X10.E27	2V3.613.X10.E27	3V3.613.X10.E27	
GX53 LED 7W 3000K	1V3.613.X10.A1L	2V3.613.X10.A1L	3V3.613.X10.A1L	
GX53 LED 7W 3000K	1V3.613.X10.A1R	2V3.613.X10.A1R	3V3.613.X10.A1R	
GX53 LED 11W 3000K	1V3.613.X10.B1L	2V3.613.X10.B1L	3V3.613.X10.B1L	
GX53 LED 11W 3000K	1V3.613.X10.B1R	2V3.613.X10.B1R	3V3.613.X10.B1R	
GX53 LED 18W 3000K	1V3.613.X10.E1L	2V3.613.X10.E1L	3V3.613.X10.E1L	
GX53 LED 18W 3000K	1V3.613.X10.E1R	2V3.613.X10.E1R	3V3.613.X10.E1R	





GABRI REMI/MADDI 2L




				
E27	1V3.613.X20.E27	2V3.613.X20.E27	3V3.613.X20.E27	
GX53 LED 7W 3000K	1V3.613.X20.A1L	2V3.613.X20.A1L	3V3.613.X20.A1L	
GX53 LED 7W 3000K	1V3.613.X20.A1R	2V3.613.X20.A1R	3V3.613.X20.A1R	
GX53 LED 11W 3000K	1V3.613.X20.B1L	2V3.613.X20.B1L	3V3.613.X20.B1L	
GX53 LED 11W 3000K	1V3.613.X20.B1R	2V3.613.X20.B1R	3V3.613.X20.B1R	
GX53 LED 18W 3000K	1V3.613.X20.E1L	2V3.613.X20.E1L	3V3.613.X20.E1L	
GX53 LED 18W 3000K	1V3.613.X20.E1R	2V3.613.X20.E1R	3V3.613.X20.E1R	





MINIGABRI REMI/MADDI 1L



				
E27	1V3.612.X10.E27	2V3.612.X10.E27	3V3.612.X10.E27	
GX53 LED 7W 3000K	1V3.612.X10.A1L	2V3.612.X10.A1L	3V3.612.X10.A1L	
GX53 LED 7W 3000K	1V3.612.X10.A1R	2V3.612.X10.A1R	3V3.612.X10.A1R	
GX53 LED 11W 3000K	1V3.612.X10.B1L	2V3.612.X10.B1L	3V3.612.X10.B1L	
GX53 LED 11W 3000K	1V3.612.X10.B1R	2V3.612.X10.B1R	3V3.612.X10.B1R	
GX53 LED 18W 3000K	1V3.612.X10.E1L	2V3.612.X10.E1L	3V3.612.X10.E1L	
GX53 LED 18W 3000K	1V3.612.X10.E1R	2V3.612.X10.E1R	3V3.612.X10.E1R	

MINIGABRI REMI/MADDI 2L



				
E27	1V3.612.X20.E27	2V3.612.X20.E27	3V3.612.X20.E27	
GX53 LED 7W 3000K	1V3.612.X20.A1L	2V3.612.X20.A1L	3V3.612.X20.A1L	
GX53 LED 7W 3000K	1V3.612.X20.A1R	2V3.612.X20.A1R	3V3.612.X20.A1R	
GX53 LED 11W 3000K	1V3.612.X20.B1L	2V3.612.X20.B1L	3V3.612.X20.B1L	
GX53 LED 11W 3000K	1V3.612.X20.B1R	2V3.612.X20.B1R	3V3.612.X20.B1R	
GX53 LED 18W 3000K	1V3.612.X20.E1L	2V3.612.X20.E1L	3V3.612.X20.E1L	
GX53 LED 18W 3000K	1V3.612.X20.E1R	2V3.612.X20.E1R	3V3.612.X20.E1R	

PINELA-MINIPINELA







BOLLARD



MADE IN ITALY




2N1.613.010

GERMANA LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
2x  GXS3	2x3W 6W	700Lm	100-240V 50/60 Hz	4000K 3000K	=  75W INCANDESCENT
2x  GXS3	2x7W 14W	1600Lm	100-240V 50/60 Hz	4000K 3000K	
2x  GXS3	2x10W 20W	2400Lm	100-240V 50/60 Hz	4000K 3000K	=  100W INCANDESCENT
					=  150W INCANDESCENT




AVAILABLE COLORS			
RESIN BODY (MOULDED COLOURS)			DIFFUSER
BLACK (A)	GREY (L)	WHITE (W)	OPAL (V)

PINELA 1L




E27		2N1.613.010.P27
2x3W 6W	4000K	2N1.613.010.G2L
	3000K	2N1.613.010.G2R
2x7W 14W	4000K	2N1.613.010.C2L
	3000K	2N1.613.010.C2R
2x10W 20W	4000K	2N1.613.010.D2L
	3000K	2N1.613.010.D2R

PINELA 2L




E27		2N1.613.020.P27
2x 6W	4000K	2N1.613.020.G2L
	3000K	2N1.613.020.G2R
2x 14W	4000K	2N1.613.020.C2L
	3000K	2N1.613.020.C2R
2x 20W	4000K	2N1.613.020.D2L
	3000K	2N1.613.020.D2R

MINIPINELA 1L



E27		2N1.612.010.P27
2x3W 6W	4000K	2N1.612.010.G2L
	3000K	2N1.612.010.G2R
2x7W 14W	4000K	2N1.612.010.C2L
	3000K	2N1.612.010.C2R
2x10W 20W	4000K	2N1.612.010.D2L
	3000K	2N1.612.010.D2R

MINIPINELA 2L



E27		2N1.612.020.P27
2x 6W	4000K	2N1.612.020.G2L
	3000K	2N1.612.020.G2R
2x 14W	4000K	2N1.612.020.C2L
	3000K	2N1.612.020.C2R
2x 20W	4000K	2N1.612.020.D2L
	3000K	2N1.612.020.D2R

GIORGIO / ROSA

POST









MADE IN ITALY









AVAILABLE COLORS		
RESIN BODY (MOULDED COLOURS)		
BLACK (A)	GREY (L)	WHITE (W)
DIFFUSER		
OPAL (Y)		

AVAILABLE VERSIONS		
GX53 LED	4x GX53	2x E27
LED GX53	LED GX53	CFL LED

GIORGIO LED VERSIONS

LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CLOUR TEMPERATURE	
	11W	1300Lm	100-240V 50/60 Hz	4000K 3000K	 100W INCANDESCENT
	18W	2000Lm	100-240V 50/60 Hz	4000K 3000K	 150W INCANDESCENT
	4x7W 28W	3200Lm	100-240V 50/60 Hz	4000K 3000K	 70W Hqi-Son
	4x10W 40W	4800Lm	100-240V 50/60 Hz	4000K 3000K	 100W Hqi-Son

ROSA LED VERSIONS




LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CLOUR TEMPERATURE	
	2x11W 22W	2600Lm	100-240V 50/60 Hz	4000K 3000K	 2x100W INCANDESCENT
	2x18W 36W	4000Lm	100-240V 50/60 Hz	4000K 3000K	 2x150W INCANDESCENT
	2x28W 56W	6400Lm	100-240V 50/60 Hz	4000K 3000K	 2x70W Hqi-Son
	2x40W 80W	9600Lm	100-240V 50/60 Hz	4000K 3000K	 2x100W Hqi-Son

EKTOR 2500 /GIORGIO

E27		4P2.361.G10.E28	LED GX53 LAMPS INCLUDED
11W	4000K	4P1.361.G10.B1L	
	3000K	4P1.361.G10.B1R	
18W	4000K	4P1.361.G10.E1L	
	3000K	4P1.361.G10.E1R	
4x7W 28W	4000K	4P2.361.G10.C4L	
	3000K	4P2.361.G10.C4R	
4x10W 40W	4000K	4P2.361.G10.D4L	
	3000K	4P2.361.G10.D4R	

EKTOR 2500 /ROSA

2x E27		4P2.361.G20.E28	LED GX53 LAMPS INCLUDED
2x 11W	4000K	4P1.361.G20.B1L	
	3000K	4P1.361.G20.B1R	
2x 18W	4000K	4P1.361.G20.E1L	
	3000K	4P1.361.G20.E1R	
2x 28W	4000K	4P2.361.G20.C4L	
	3000K	4P2.361.G20.C4R	
2x 40W	4000K	4P2.361.G20.D4L	
	3000K	4P2.361.G20.D4R	



BEPPE 400/VIVI 400

POST



MADE IN ITALY



NEW

NEW HIGH POWER LED

INDOOR & OUTDOOR USE

+80°C
-30°C

90%
HUMIDITY





VOLTAGE SURGE
RESISTANT



30W (3300 lm)
50W (5000 lm)



More details at page 87


BEPPE-VIVI 400 HIGH POWER LED					NEW
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	COLOUR TEMPERATURE	
 HIGH POWER LED E27	30W	3300Lm	100-240V 50/60 Hz	4000K 3000K	 50W HQI-SON
 HIGH POWER LED E27	50W	5000Lm	100-240V 50/60 Hz	4000K 3000K	 70W HQI-SON



AVAILABLE COLORS				
RESIN BODY (MOULDED COLOURS)			DIFFUSER	
BLACK (A)	GREY (L)	WHITE (W)	CLEAR (X)	OPAL (Y)
				

EKTOR 2500 / BEPPE400			
30W LED	4000K 3000K	P50.361.Q1L P50.361.Q1R	
50W LED	4000K 3000K	P50.361.H1L P50.361.H1R	

EKTOR 2500 MIDIPILAR / VIVI400 1L			
30W LED	4000K 3000K	V50.361.A10.Q1L V50.361.A10.Q1R	
50W LED	4000K 3000K	V50.361.A10.H1L V50.361.A10.H1R	







Power surges resistant

- **Wide voltage range (100-240V)** to protect the driver both from voltage droop and voltage overshoot, which are quite frequent in case of outdoor installations.
- **Double 400V capacitors** and multiple resistances to withstand power surges.
- **Silicone paste** to avoid – in case of voltage swings - the vibration of the electronic components of the driver and the consequent risk of components unsoldering.

Heat resistant - Working temperature -30°+80°C

- **Gold wire bonding:** Chips connected by pure gold wires, which are able to withstand at the highest and lowest temperatures and at temperature fluctuations between day and night. The gold wire bonding can grant a lumens maintenance factor > 80%.
- **Silicone paste:** Thermoconductive silicone paste with metal powder inside for helping heat dissipation and avoid overheating problems and for protecting the electronic components in case of high and low temperatures.

Humidity resistant - Weatherproof driver for a longer lifetime

- **Silicone paste:** The driver is fully enclosed in a special silicone paste, which ensures the highest driver protection against moisture and humidity up to 90%, both unavoidable in outdoor installations.



LVD
TESTED

LVD Certificate: Fumagalli lamps fulfil the Low Voltage Directive 2014/35/EU, therefore are CE marked and comply with safety requirements like protection against electrical shock, moisture and heat resistance, resistance to flame and ignition.

EMC
TESTED

EMC Certificate: Fumagalli lamps meet the Electromagnetic Compatibility Directive 2014/30/EU

ERP
6000 h

ERP Attestation of conformity: Fumagalli lamps fulfil the European Ecodesign Directive 2009/125/EC about the energy performance requirements of energy related products.






CB
SCHEME

IECEE CB Certificate: Fumagalli lamps meet the International System for Conformity and Certification of Electrotechnical Equipment allowing direct market access in more than 50 countries all over the world.




Tested according to :
EN 62560:2012/A1: 2015
IEC/TR 62778:2014
EN 62493:2015







G9 LED

		POWER	NEW 1,7 W	
		LUMINOUS FLUX	170 lm	
SIZE & SOCKET				
 <p>INDOOR & OUTDOOR USE</p> <p>-30 +80 °C 90% HUMIDITY</p> <p>VOLTAGE SURGE RESISTANT</p>	 <p>IEC60747 CB CERTIFICATE: SG PSB-LE-02130</p>	EFFICIENCY	100 lm/W	
		VOLTAGE	100-240 V	
		FREQUENCY	50/60 Hz	
		CURRENT	17 mA	
		COLOR RENDERING INDEX RA	80	
		BEAM ANGLE	110°	
		WARM UP TIME	≤ 0,5"	
		SWITCHING CYCLE	> 40.000	
		LIFETIME	15.000 h	
		KELVIN	4000 K	3000 K
REF. CODE	H.LED.G09.4K		H.LED.G09.3K	



GU10 LED

		POWER	3,5 W	
		LUMINOUS FLUX	400 lm	
SIZE & SOCKET				
 <p>SILICONE PROTECTION DRIVER</p> <p>INDOOR & OUTDOOR USE</p> <p>-30 +80 °C 90% HUMIDITY</p> <p>VOLTAGE SURGE RESISTANT</p>	 <p>IEC60747 CB CERTIFICATE: SG PSB-LE-01714</p>	EFFICIENCY	114 lm/W	
		VOLTAGE	100-240 V	
		FREQUENCY	50/60 Hz	
		CURRENT	70 mA	
		COLOR RENDERING INDEX RA	> 80	
		BEAM ANGLE	36°	
		WARM UP TIME	≤ 0,5"	
		SWITCHING CYCLE	> 25.000	
		LIFETIME	25.000 h	
		KELVIN	4000 K	3000 K
REF. CODE	H.LED.GU10		H.LED.GU10.3K	
COMPARISON	 <p>3,5W = 50W 400 lm = halogen</p> <p>SAVE 92%</p>			

R7s LED 78mm

<p>SILICONE PROTECTION</p>  <p>INDOOR & OUTDOOR USE</p> <p>-30 +80 °C 90% HUMIDITY</p> <p>VOLTAGE SURGE RESISTANT</p>	 <p>Ø22mm</p> <p>NEW</p>	 <p>ENERGY CLASS: A+</p>	POWER	NEW 4 W
			LUMINOUS FLUX	400 lm
<p>CE LVD tested</p> <p>TUV SUD EMC tested ERP 6000h</p>			SIZE & SOCKET	R7s 
			EFFICIENCY	100 Lm/W
			VOLTAGE	100-240 V
			FREQUENCY	50/60 Hz
			CURRENT	75 mA
			POWER FACTOR	> 0,5
			COLOR RENDERING INDEX RA	> 80
			BEAM ANGLE	360°
			WARM UP TIME	≤ 0,5"
			SWITCHING CYCLE	45.000
			LIFETIME	25.000 h
			KELVIN	4000 K 3000 K
			REF. CODE	H7.LED.R7S.4K H7.LED.R7S.3K

R7s LED 118mm




<p>SILICONE PROTECTION</p>  <p>INDOOR & OUTDOOR USE</p> <p>-30 +80 °C 90% HUMIDITY</p> <p>VOLTAGE SURGE RESISTANT</p>	 <p>Ø22mm</p> <p>NEW</p>	 <p>ENERGY CLASS: A+</p>	POWER	NEW 8,5 W
			LUMINOUS FLUX	900 lm
<p>CE LVD tested</p> <p>TUV SUD EMC tested ERP 6000h</p>			SIZE & SOCKET	R7s 
			EFFICIENCY	106 Lm/W
			VOLTAGE	100-240 V
			FREQUENCY	50/60 Hz
			CURRENT	168 mA
			POWER FACTOR	> 0,5
			COLOR RENDERING INDEX RA	> 80
			BEAM ANGLE	360°
			WARM UP TIME	≤ 0,5"
			SWITCHING CYCLE	45.000
			LIFETIME	25.000 h
			KELVIN	4000 K 3000 K
			REF. CODE	H8.LED.R7S.4K H8.LED.R7S.3K

R7s LED 189mm

<p>SILICONE PROTECTION</p>  <p>INDOOR & OUTDOOR USE</p> <p>-30 +80 °C 90% HUMIDITY</p> <p>VOLTAGE SURGE RESISTANT</p>	 <p>Ø22mm</p> <p>NEW</p>	 <p>ENERGY CLASS: A+</p>	POWER	NEW 11 W
			LUMINOUS FLUX	1200 lm
<p>CE LVD tested</p> <p>TUV SUD EMC tested ERP 6000h</p>			SIZE & SOCKET	R7s 
			EFFICIENCY	110 Lm/W
			VOLTAGE	100-240 V
			FREQUENCY	50/60 Hz
			CURRENT	170 mA
			POWER FACTOR	> 0,5
			COLOR RENDERING INDEX RA	> 80
			BEAM ANGLE	360°
			WARM UP TIME	≤ 0,5"
			SWITCHING CYCLE	45.000
			LIFETIME	25.000 h
			KELVIN	4000 K 3000 K
			REF. CODE	H9.LED.R7S.4K H9.LED.R7S.3K

E27 LED FILAMENT A60



POWER	6 W	8 W		
LUMINOUS FLUX	800 lm	1000 lm		
SIZE & SOCKET				
EFFICIENCY	133 Lm/W	125 Lm/W		
VOLTAGE	100-240 V	100-240 V		
FREQUENCY	50/60 Hz	50/60 Hz		
CURRENT	60 mA	76 mA		
POWER FACTOR	> 0,7	> 0,7		
COLOR RENDERING INDEX RA	> 80	> 80		
BEAM ANGLE	360°	360°		
WARM UP TIME	≤ 0,5"	≤ 0,5"		
SWITCHING CYCLE	> 100.000	> 100.000		
LIFETIME	25.000 h	25.000 h		
KELVIN	4000K	2700 K	4000K	2700 K
REF. CODE	H.LED.FIL.4K	H.LED.FIL.3K	H2.LED.FIL.4K	H2.LED.FIL.3K
COMPARISON				


SILICONE PROTECTION DRIVER



INDOOR & OUTDOOR USE

-30 +80 °C | 90% HUMIDITY



VOLTAGE SURGE RESISTANT



IECEE CB CERTIFICATE:
SG PSB-LE-01711

E27 LED FILAMENT A70



POWER	12 W	
LUMINOUS FLUX	1500 lm	
SIZE & SOCKET		
EFFICIENCY	125 Lm/W	
VOLTAGE	100-240 V	
FREQUENCY	50/60 Hz	
CURRENT	100 mA	
POWER FACTOR	> 0,7	
COLOR RENDERING INDEX RA	> 80	
BEAM ANGLE	360°	
WARM UP TIME	≤ 0,5"	
SWITCHING CYCLE	> 100.000	
LIFETIME	25.000 h	
KELVIN	4000K	2700K
REF. CODE	H3.LED.FIL.4K	H3.LED.FIL.3K
COMPARISON		


SILICONE PROTECTION DRIVER



INDOOR & OUTDOOR USE

-30 +80 °C | 90% HUMIDITY

VOLTAGE SURGE RESISTANT



IECEE CB CERTIFICATE:
SG PSB-LE-01711

E27 HIGH POWER LED



NEW

ENERGY CLASS
A+
A
B
C
D
E

SILICONE PROTECTION DRIVER







INDOOR & OUTDOOR USE

-30 +80 °C | 90% HUMIDITY

VOLTAGE SURGE RESISTANT

CE LVD tested
TUV SUD EMC tested
ERP 6000h
IECEE CB SCHEME

IECEE CB CERTIFICATE:
SG PSB-LE-01712
SG PSB-LE-01708

POWER	15 W	30 W
LUMINOUS FLUX	1500 lm	3300 lm
SIZE & SOCKET		
EFFICIENCY	100 Lm/W	110 Lm/W
VOLTAGE	100-240 V	100-240 V
FREQUENCY	50/60 Hz	50/60 Hz
CURRENT	130 mA	135 mA
POWER FACTOR	> 0,5	> 0,9
COLOR RENDERING INDEX RA	> 80	> 80
BEAM ANGLE	200°	200°
WARM UP TIME	< 0,5"	< 1"
SWITCHING CYCLE	30.000	30.000
LIFETIME	25.000 h	25.000 h
KELVIN	4000 K 3000 K	4000 K 3000 K
REF. CODE	H3.LED.HIP.4K H3.LED.HIP.3K	H2.LED.HIP.4K H2.LED.HIP.3K
COMPARISON	15W 1500 Lm = 100W incandescent  SAVE 85% 	30W 3300 Lm = 50W HQI-SON  SAVE 40% 

E27 HIGH POWER LED



NEW

ENERGY CLASS
A+
A
B
C
D
E

SILICONE PROTECTION DRIVER







INDOOR & OUTDOOR USE

-30 +80 °C | 90% HUMIDITY









VOLTAGE SURGE RESISTANT

CE LVD tested
TUV SUD EMC tested
ERP 6000h
IECEE CB SCHEME










IECEE CB CERTIFICATE:
SG PSB-LE-01707
SG PSB-LE-01705

POWER	50 W	60 W
LUMINOUS FLUX	5000 lm	7000 lm
SIZE & SOCKET		
EFFICIENCY	100 Lm/W	116 Lm/W
VOLTAGE	100-240 V	100-240 V
FREQUENCY	50/60 Hz	50/60 Hz
CURRENT	210 mA	290 mA
POWER FACTOR	> 0,9	> 0,9
COLOR RENDERING INDEX RA	> 80	> 80
BEAM ANGLE	200°	200°
WARM UP TIME	< 1"	< 0,5"
SWITCHING CYCLE	30.000	30.000
LIFETIME	25.000 h	25.000 h
KELVIN	4000 K 3000 K	4000 K 3000 K
REF. CODE	H.LED.HIP.4K H.LED.HIP.3K	H4.LED.HIP.4K H4.LED.HIP.3K
COMPARISON	50W 5000 Lm = 70W HQI-SON  SAVE 30% 	60W 7000 Lm = 100W HQI-SON  SAVE 40% 

GX53 LED Ø75














		POWER	3 W	
		LUMINOUS FLUX	350 lm	
		SIZE & SOCKET		
		EFFICIENCY	116 Lm/W	
		VOLTAGE	100-240 V	
		FREQUENCY	50/60 Hz	
		CURRENT	30 mA	
		COLOR RENDERING INDEX RA	> 80	
		BEAM ANGLE	120°	
		WARM UP TIME	≤ 0,5"	
		INDOOR & OUTDOOR USE	LVD tested EMC tested ERP 6000h	SWITCHING CYCLE
-30 +80 °C	90% HUMIDITY	LIFETIME	25.000 h	
VOLTAGE SURGE RESISTANT		KELVIN	4000 K	3000 K
	IECEE CB CERTIFICATE: SG PSB-LE-01706	REF. CODE	H.LED.G53	H.LED.G53.3K
		COMPARISON	3W = 40W 350 Lm incandescent 	

GX53 LED Ø100mm


		POWER	7 W	10 W
		LUMINOUS FLUX	800 lm	1200 lm
		SIZE & SOCKET		
		EFFICIENCY	114 Lm/W	120 Lm/W
		VOLTAGE	100-240 V	100-240 V
		FREQUENCY	50/60 Hz	50/60 Hz
		CURRENT	34 mA	48 mA
		POWER FACTOR	0,9	0,9
		COLOR RENDERING INDEX RA	> 80	> 80
		BEAM ANGLE	120°	120°
		WARM UP TIME	≤ 0,5"	≤ 0,5"
		INDOOR & OUTDOOR USE	LVD tested	SWITCHING CYCLE
-30 +80 °C	90% HUMIDITY	LIFETIME	25.000 h	25.000 h
VOLTAGE SURGE RESISTANT		KELVIN	4000 K	3000 K
	IECEE CB CERTIFICATE: SG PSB-LE-01709	REF. CODE	H2.LED.G53	H2.LED.G53.3K
		COMPARISON	7W = 75W 800 Lm incandescent 	
			10W = 100W 1200 Lm incandescent 	

GX53 LED Ø180mm



POWER	7 W		11 W		18 W		
LUMINOUS FLUX	600 lm		1300 lm		2000 lm		
SIZE & SOCKET							
	EFFICIENCY		86 Lm/W		118 Lm/W		111 Lm/W
VOLTAGE		100-240 V		100-240 V		100-240 V	
FREQUENCY		50/60 Hz		50/60 Hz		50/60 Hz	
CURRENT		60 mA		150 mA		200 mA	
POWER FACTOR		0,5		0,9		0,9	
CRI (RA)		> 80		> 80		> 80	
BEAM ANGLE		90°		90°		90°	
WARM UP TIME		≤ 0,5"		≤ 0,5"		≤ 0,5"	
SWITCHING CYCLE		30.000		> 25.000		> 25.000	
LIFETIME		25.000 h		25.000 h		25.000 h	
KELVIN		4000 K 3000 K		4000 K 3000 K		4000 K 3000 K	
REF. CODE		H6.LED.G53.4K H6.LED.G53.3K		H4.LED.G53 H4.LED.G53.3K		H5.LED.G53.4K H5.LED.G53.3K	
COMPARISON	7W = 60W  		11W = 100W  		18W = 150W  		
	  SAVE 88%		  SAVE 89%		  SAVE 88%		

SILICONE PROTECTION DRIVER



(11W-18W)

INDOOR & OUTDOOR USE

-30 +80 °C 90% HUMIDITY

VOLTAGE SURGE RESISTANT



LVD tested



EMC tested

ERP 6000h



IECEE CB CERTIFICATE:
SG PSB-LE-01704
SG PSB-LE-01713

LOOKING FOR A CLASSIC DESIGN PRODUCT?

See our **Top selection 2019** dedicated to our **classic range!**



TO SEE OUR COMPLETE COLLECTION

Ask for our
General Catalogue 2019
or visit our website at
www.fumagalli.it



137
DISTRIBUTORS
ALL OVER THE WORLD
MADE IN ITALY

RESIN MATERIAL ADVANTAGES



NO MAINTENANCE



ANTI-CORROSION



DOUBLE INSULATION



NOT AFFECTED BY CHEMICAL FERTILIZERS



UV-RAY STABILIZED



RECYCLABLE



UV TREATED



DOUBLE INSULATION



ANTI-SHOCK



TEMPERATURE



ENERGY SAVING



RESIDENTIAL



PUBLIC

HOW TO READ THE CODE

DIFFUSER	STRUCTURE	SYSTEM	COLOUR OF THE STRUCTURE	COLOUR OF THE DIFFUSER	ELECTRIFICATION	VARIANT
IDENTIFIES THE DIFFUSER	IDENTIFIES THE STRUCTURE ON WHICH THE DIFFUSER IS MOUNTED (POLE, BRACKET, BASE, SPIKE)	IDENTIFIES THE MULTILIGHT SYSTEM IF PRESENT	IDENTIFIES THE COLOUR OF THE STRUCTURE	IDENTIFIES THE COLOUR OF THE DIFFUSER	IDENTIFIES THE TYPE OF ELECTRIFICATION AND THE EVENTUAL PRESENCE OF BULBS	IDENTIFIES THE PRESENCE OF COMPONENTS SUCH AS AN EVENTUAL LOUVER OR BACKLIT BASE ON THE BULKHEAD RANGE
1R3	613	X20	A	Y	B1L	OR1

MADE IN
ITALY



Fumagalli S.r.l.
Via Ca' Bassa, 29
21100 Varese - ITALY
Tel. +39.0332.336353
Fax. +39.0332.336358
Email italian.lux@fumagalli.it



www.fumagalli.it

